

671
St25w

WROUGHT HARDWARE




THE STANLEY WORKS

This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.

GoogleTM books

<https://books.google.com>



**ALL LIST PRICES AND DISCOUNT
SHEETS ISSUED BY US PREVIOUS TO
THIS DATE ARE HEREBY WITHDRAWN**

**THE STANLEY WORKS
NEW BRITAIN, CONN., FEBRUARY 1, 1911**

THE STANLEY WORKS

WROUGHT HARDWARE
STEEL, BRASS
BRONZE



1911

MAIN FACTORIES, NEW BRITAIN, CONN.
NEW YORK OFFICE, 100 LAFAYETTE STREET
CHICAGO OFFICE, 15-17 LAKE STREET



THE STANLEY WORKS FACTORIES AT NEW BRITAIN, CONN.

This is reproduced from an actual photograph taken from the top of a skeleton tower looking at the factories from the northeast. The eight-story building in the immediate foreground is devoted entirely to storage and shipping.

671

Stanley Works



THE STANLEY WORKS FACTORIES AT NEW BRITAIN, CONN.

This is reproduced from an actual photograph taken from the top of a skeleton tower looking at the factories from the southwest. The plant occupies the entire foreground and center of picture from the extreme left to the extreme right. These are the largest factories in the world for the manufacture of wrought hardware.

INDEX

This catalogue is divided as follows :

	Pages
PART I Wrought butts and hinges	13-124
PART II Wrought door bolts, barrel bolts, etc.	125-154
PART III Wrought shelf brackets, thumb latches, handles, storm sash hangers and other miscellaneous goods	155-194
PART IV Hinges and fastenings for outside window blinds	195-210
PART V Telegraph code	211-224

A	Page		Page
Atwood's fasts	119	Butts, light narrow	60-62
" hasps and staples	119	" " " loose pin	44, 50
" hinges	116-118	" " " " with ball tips	44
		" " parliament	72
		" " reversible	49
B		" loose joint, without tips	52-55, 70-72
Back band buckles	193	" pin, light narrow	44, 50
Back flaps	66, 67	" " " with ball tips	14-45, 69
Bag hinges	123, 124	" " " steeple tips	40
Ball-bearing butts	16-27	" " " without tips	46-51, 62, 63
Ball-bearing hinges	16-27, 84	" narrow	58
Barrel bolts	140-144	" " loose joint	53
Bar holders	176	" parliament	69-72
Bars, shutter	153	" pew door	68
Basket hasps	114	" reversible	46-51
Blind butts, light inside	63-65	" shutter, without holes	26, 73
" fasts	204-210	" surface door	38, 39
" " parts of	210	" table	63
" hinges, outside	196-202	Butt washers	191
" hooks	196-204		
" trimmings	195-210	C	
Bolts, barrel	140-144	Camp stools	192
" brass barrel	141, 142	Casement hinges	41
" " spring	149	Cellar window bolts	139
" Canada	133	" " sets	174
" casement window	131	Chain bolts	185
" cellar window	139	Chains, transom	175
" chain	135	Chest handles	165-168
" cremone	138	" hinges	68, 115
" door	125-149	Clips, floor	189
" flat spring	132	Code words	211-224
" flat tail	134	Corner braces	182
" flush	126-130	" irons	183, 184
" foot	136	Crate hasps	112, 113
" neck	145, 148, 149, 150	" hinges	112, 113
" shutter	150, 151	Cremone bolts	138
" spring	148, 149		
" square	144, 146, 147	D	
Box hinges	115-118	Desk slides	161
Braces, corner	182	Door bolts	125-149
Brackets, folding	160	" butts	14-40
" shelf	156-160	" handles	162-164
" sink	159	" holders	137
Brass barrel bolts	141, 142	" latches	162, 163
" spring bolts	149	" pulls	164
" corrugated hinges	74-77, 85, 87	" rail	176
" ornamental hinges	74-79, 84-87	" sets, screen	172, 173
" strap and T-hinges	85, 86	Drawer pulls	170
Bronze metal butts	14-17		
Buckles, back band	193	E	
Burrs, soft steel	191	End gate hinges	108
Butts, back flaps	66, 67		
" ball-bearing	16-27	F	
" blind, light inside	63-65	Fasts, Atwood's	119
" broad	56	" Boston pattern blind	206
" bronze metal	14-17	" box	119
" chest	68	" double acting blind	207
" extra heavy	24-27, 36, 73	" plate blind	208, 209
" fast joint	56-68	" screen	177-181
" light inside blind	63-65	" security blind	206, 208
		" Shedd's wire blind	204

INDEX—Continued

F		Page			Page
Fasts, standard screw blind		207	Holders, door		137
" Stanley's wire blind		203	" stake		185
" steamboat shutter		154	Hooks, back band		193
" storm sash		177-181	" blind		196-204
Finishes		10		I	
Floor clips		189	Irons, corner		183, 184
" plates		152		L	
Flush bolts		126-180	Latches, door		162, 163
Foot		187	" thumb		162, 163
	H		Lifts, sash		171
Handles, chest		165-168	" screen		170
" door		162-164		M	
" lifting		165-168	Mending plates		184
" screen		170		P	
" trap door		169	Parliament butts		69-72
" tub		166	Pulls, doors		164
" window shutter		165	" drawer		170
Hart's patent hinges	104, 105, 121, 122			R	
Hasps, basket		114	Rail, sliding door		176
" crate		112, 113	Refrigerator hinges		74-86
" hinge		105-107, 109	Rings, trap door		169
" safety		109, 114		S	
" seal		112	Sash lifts		171
" with staples		119, 187-189	" fasteners for storm sash		177-181
Hinge hasps		105-107, 109	Screen door sets		172, 173
Hinges, Atwood's		116-118	" lifts		170
" ball-bearing		16-27, 84	" fasteners and hangers		177-181
" bag		123, 124	Screws		194
" blind		196-202	Shelf brackets		156-160
" box		115-118	Shutter bars		153
" brass, corrugated	74-77, 85, 87		" bolts		150, 151
" " ornamental	74-79, 84-87		" butts		73
" " strap and T		85, 86	" fasts		154
" "Butterfly" pattern		87	" handles		165
" casement		41	Sink brackets		159
" chest		68, 115	Slides, desk		161
" "Clover leaf" pattern		92, 93	Springs, window		194
" corrugated brass and steel,			Stake irons or holders		185
ornamental	74-77, 85, 87		Staples, for hinge hasps		106
" corrugated strap and T		97, 101	" " square bolts		152
" crate		112, 113	" wrought		186
" double champion		117, 118	Step-ladder joints		183
" end gate		108	Stools, folding camp		192
" "Greek Key" pattern		91	Storm window hangers and fasts		177-181
" Hart's patent		104, 105	Strap and T-hinges		95-105
" " trunk		121, 122	Suit case hinges		123, 124
" "Little Daisy"		117		T	
" link		115	Table hinges		63
" long chest		115	Telegraph code		211-224
" "Lotus" pattern		89, 90	Trap door hinges		111
" ornamental surface		74-94	Trap door rings		169
" " half surface		89-93	Transom chains		175
" pew door		68	Trunk hinges		120-124
" refrigerator		74-86	Tub handles		166
" rolled plate		111		W	
" screen door		110, 172, 173	Wagon stake irons		185
" "Shell" pattern		98	Wardrobe hinges		54, 55
" storm door		110	Washers, bolt		190
" strap and T		95-105	" butt		191
" suit case		123, 124	Wash tray hinges		94
" table		63	Washing machine hinges		107-108
" trap door		111	Water closet hinges		74-84, 92
" trunk		120-124	Window hangers and fasts for		
" wardrobe		54, 55	storm windows		177-181
" wash tray		94	Window springs		194
" washing machine		107, 108			
" water closet		74-84, 92			
Holders, bar		176			

NUMERICAL INDEX

Class Number	Page	Class Number	Page	Class Number	Page	Class Number	Page	Class Number	Page
160	38	356	136	756	194	912	106	993 $\frac{1}{2}$	185
165	39	360	138	760	45	913	106	994	190
175	14	361	126	763	170	914	107	994 $\frac{1}{2}$	191
180	17	362	131	765	170	915	109	995	184
181	17	373	138	790	156	915 $\frac{1}{2}$	109	996	183
239	29	374	138	792	158	916	112	997	182
B. B. 239	19	393	127	794	160	919	112	997 $\frac{1}{2}$	182
241	33	393 $\frac{1}{2}$	130	797	159	920	112	998	183
B. B. 241	23	394	130	800	58	921	113	999	184
241 $\frac{1}{2}$	31	395	128	802	53	921 $\frac{1}{2}$	113	1014	127
B. B. 241 $\frac{1}{2}$	21	396	129	804	47	922	118	1020	127
244	47	397	128	805	48	922 $\frac{1}{2}$	113	1026	129
245	48	400	129	806	52	923	111	1028	129
249	37	404	142	808	56	929	104	1030	130
250	25	405	139	810	63	931	105	1032	130
252	27	406	140	813	67	935	97	1034	130
257	70	406 $\frac{1}{2}$	140	814	66	937	101	1048	134
260	69	408	143	814 $\frac{1}{2}$	66	938	108	1050	132
268	71	414	144	816	67	939	108	1051	132
273	72	430	161	816 $\frac{1}{2}$	67	940	111	1054	132
274	72	431	161	818	68	941	105	1055	135
275	72	432	161	820	68	942	110	1056	136
280	59	450	153	822	40	943	120	1061	133
283 $\frac{1}{2}$	62	452	153	823	35	943 $\frac{1}{2}$	120	1063	133
284	61	455	137	828	69	944	120	1065	131
284 $\frac{1}{2}$	62	460	170	829	70	945	121	1075	141
286	51	465	170	830	71	945 $\frac{1}{2}$	122	1076	139
286 $\frac{1}{2}$	62	481	171	832	72	946	121	1077	141
288	49	483	171	833	72	947	122	1078	140
289	42	485	171	834	49	952	95	1078 $\frac{1}{2}$	140
289 $\frac{1}{2}$	43	486	171	835	54	954	96	1080	142
291	57	487	171	835 $\frac{1}{2}$	55	955	97	1081	143
291 $\frac{1}{2}$	57	488	171	837	54	956	98	1082	143
295	44	489	171	837 $\frac{1}{2}$	55	958	99	1084	143
297	45	490	156	838	60	960	100	1086	144
301	58	491	176	840	50	961	101	1088	146
303	53	492	158	842	64	962	115	1090	146
304	41	494	160	843	65	964	106	1092	147
305	41	731	35	844	63	970	112	1094	147
332	64	733	35	850	73	976	186	1100	145
333	65	739	70	851	26	978	186	1102	145
333 $\frac{1}{2}$	65	740	51	860	107	980	187	1108	142
335	63	746	71	900	95	981	189	1110	150
345	114	747	57	901	102	982	187	1112	150
346	114	748	49	902	96	983	188	1113	150
349	114	749	43	904	98	986	187	1114	151
350	132	751	47	906	99	988	187	1118	151
352	194	752	61	907	103	991	191	1122	154
353	194	753	52	908	100	992	183	1124	154
355	135	755	59	910	115	993	185	1126	152

NUMERICAL INDEX—Concluded

Class Number	Page	Class Number	Page	Class Number	Page	Class Number	Page	Class Number	Page
1128	152	1316	187	1414	76	1600	196	1750	172
1130	152	1317	61	1415	77	1606	196	1752	173
1132	152	1318	187	1416	77	1608	197	1760	174
1150	148	1319	57	1417	77	1612	197	1800	117
1151	149	1321	52	1418	77	1616	198	1804	117
1152	148	1322	169	1420	78	1620	198	1808	119
1153	149	1323	166	1421	78	1624	199	1812	119
1154	148	1324	142	1421 $\frac{1}{4}$	78	1628	199	1816	118
1155	149	1325	150	1421 $\frac{1}{2}$	78	1638	201	1817	118
1200	165	1326	150	1422	79	1640	200	1820	119
1202	165	1327	150	1423	79	1642	201	1821	119
1205	167	1328	147	1423 $\frac{1}{4}$	79	1644	200	1825	115
1206	168	1329	147	1423 $\frac{1}{2}$	79	1645	110	1830	123
1208	168	1331	167	1424	80	1646	201	1832	123
1209	166	1332	145	1424 $\frac{1}{2}$	80	1647 $\frac{1}{2}$	202	1834	124
1210	166	1333	71	1425	80	1650	208	1836	124
1215	169	1334	47	1425 $\frac{1}{2}$	80	1652	196	1838	124
1225	189	1336	146	1426	94	1658	208	1850	86
1230	176	1337	146	1429	87	1666	204	1854	86
1250	162	1338	84	1430	87	1667	205		
1257	164	1339	84	1431	87	1667 $\frac{1}{2}$	205		
1260	168	1340	88	1433	85	1668	208		
1265	164	1341	83	1434	85	1672	206		
1280	175	1342	104	1437	85	1676	206		
1282	175	1343	105	1438	85	1676 $\frac{1}{2}$	206		
1300	95	1344	176	1442	86	1680	207		
1300 $\frac{1}{4}$	95	1345	85	1444	86	1680 $\frac{1}{2}$	207		
1301 $\frac{1}{4}$	102	1347	169	1445	84	1682	207		
1302	96	1348	166	1450	84	1684	208		
1302 $\frac{1}{4}$	96	1352	194	1455	83	1684 $\frac{1}{2}$	208		
1303	98	1353	194	1460	81	1688	209		
1303 $\frac{1}{4}$	98	1354	194	1461	81	1692	204		
1304	99	1356	105	1462	81	1692 $\frac{1}{2}$	205		
1304 $\frac{1}{4}$	99	1360	200	1463	81	1696	194		
1305	97	1364	200	1465	82	1698	194		
1305 $\frac{1}{4}$	97	1380	207	1466	82	1706	181		
1306	100	1380 $\frac{1}{2}$	207	1473	89	1706 $\frac{1}{2}$	181		
1306 $\frac{1}{4}$	100	1382	207	1474	90	1708	181		
1307	101	1400	82	1475	87	1710	192		
1307 $\frac{1}{4}$	101	1403	74	1478	88	1714	177		
1308	106	1404	74	1479	90	1716	177		
1308 $\frac{1}{4}$	106	1405	74	1480	88	1717	178		
1309 $\frac{1}{4}$	108	1406	74	1481	89	1718	177		
1310	109	1407	75	1482	89	1719	178		
1310 $\frac{1}{2}$	109	1408	75	1485	91	1720	177		
1311	66	1409	75	1486	91	1722	180		
1312	94	1410	75	1490	92	1724	179		
1313	67	1411	76	1492	92	1725	179		
1314	186	1412	76	1494	93	1726	179		
1315	59	1413	76	1495	93	1730	193		

FINISHES

ALL of our wrought steel butts, the smaller sizes of strap and T-hinges and many of the door bolts and other articles herein described, are made from cold rolled steel. The process of cold rolling hardens the steel, greatly increases its tenacity and power of resistance, and gives it a bright smooth surface. This finish we designate in unplated goods as "bright steel." In plated goods we call it "planished," to distinguish it from "polished," which is an extra finish put on our best grades of butts.

Our electro-plated goods of the best grades are very heavily plated by special processes of our own, and are then finished in various effects of bronze, brass, silver, etc., the heavy coating serving to effectually protect the steel from ordinary atmospheric conditions. Our plating department is in charge of experts in that line of work and we can match any finish desired.

We desire to call attention to a new anti-rust finish, which is mentioned in various places in the following pages, which we call "Stanley Sherardized." The process of sherardizing (named from its inventor) while comparatively new, has been in existence long enough to demonstrate its worth. We have prefixed the word "Stanley" before the word "Sherardized" to indicate that this finish will have the same careful attention from us that other "Stanley" products receive. We anticipate that, as is the case with galvanizing, many cheap plants will spring up where goods will be sherardized by treating the complete article. Our products will be sherardized under our own supervision *before they are assembled*, thus insuring a complete coating of all parts. We adopted this finish only after long and careful experimenting, and are convinced that it is as good a protection against rust as it is possible to get. We guarantee that "Stanley Sherardized" goods will stand a more severe test than the U. S. Government requires for its galvanized work. We heartily recommend this finish for all articles exposed to the weather.

On the opposite page will be found a complete list of our finishes, with our symbols, and the corresponding symbols of some other makes.

LIST OF FINISHES

WITH COMPARATIVE SYMBOLS OF SOME OTHER HARDWARE MANUFACTURERS

Stanley Works	Description	Vale & Towne Mfg. Co.	Russell & Erwin Mfg. Co.	P. & F. Corbin
A	Standard light bronze	BZ 10	11	B
A 4	Dull bronze, slightly oxidized		11 C	HB
A 6	Ship bronze, polished surfaces only	BY 22	121	CB
B	Statuary bronze, light			
B 1	Statuary bronze, dark	CY 24	2 D	
B 8	Statuary bronze, standard	BY 65	2	LB
C	Brass-plate	AZ 10	10	A
D	Dull copper	CY 10		ER
D 1	Copper oxidized, light center	CY 57	7 ³ / ₄	
D 2	Copper oxidized, light mottled	CZ 17	7 ¹ / ₂	R
D 3	Copper oxidized, dark mottled	CZ 18		
D 4	Dull copper, slightly oxidized			
E	Dull silver, natural color	SY 10	18	DS
E 2	Silver, oxidized, mottled		8 ¹ / ₂	
E 4	Dull silver, slightly oxidized	SY 52	8 C	KS
F	Dull brass	AY 22	9	EA
F 1	Brass oxidized, light center	AY 57	9 ³ / ₄	
F 2	Brass oxidized, mottled	AZ 17	9 ¹ / ₂	HA
F 4	Dull brass, slightly oxidized		9 C	KA
F 6	Ship brass, polished surfaces only		21	CA
G	Bower Barff, rustless	FX 80	46	F
H	Dead black electro-plate		06	KF
J	Japanned			
J 1	Japanned, dead black			D
K	Olive bronze on polished surface	FW 6	Florentine	
K 1	Olive bronze, planished surface	FW 8	Kahala	Amber
N	Nickel	NZ 10	4	E
R	Galvanized			
SB	Same as "B," sand finish			
SD	Same as "D," sand finish	CX 22		SER
SD 1	Same as "D1," sand finish	CX 57	07 ³ / ₄	
SD 2	Same as "D2," sand finish	CX 17	07 ¹ / ₂	SR
SD 3	Same as "D3," sand finish	CX 24		
SD 4	Same as "D4," sand finish			
SE	Same as "E," sand finish	SX 10	28	
SE 2	Same as "E2," sand finish		08 ¹ / ₂	
SE 4	Same as "E4," sand finish	SX 52	08	SKS
SF	Same as "F," sand finish	AX 22	09	SEA
SF 1	Same as "F1," sand finish	AX 57	09 ³ / ₄	
SF 2	Same as "F2," sand finish	AX 17	09 ¹ / ₂	SHA
SF 4	Same as "F4," sand finish	AX 24	09 C	SKA
V	Verdi antique	BX 67	36	V
Z	"Stanley Sherardized"			

WE beg to call attention briefly to a few facts concerning our plant and our facilities for taking care of our customers' orders. We have the largest factories in the world devoted to the manufacture of wrought steel hardware. Having our own hot rolling mill at Bridgewater, Mass., and one of the biggest cold rolling mills in the United States at New Britain, we are perfectly equipped for the production of our own steel of a quality best adapted for its intended uses. We were the first to use cold rolled steel in the manufacture of hardware, and our long experience qualifies us to select the best material for the purpose required.

The pins and ball tips in our butts are made from wrought steel and *will not break*. The sizes of pins and joints are so proportioned as to give the greatest wearing surface possible without making them clumsy looking, and the butts are made from steel of a thickness properly proportioned to the weight of the doors on which they are ordinarily used.

We have been accustomed for years to pack plated screws with all plated goods, and we have now extended this to include all japanned and galvanized butts; brass hinges and brass bolts will hereafter be packed with brass screws, and many other goods will also be put up with screws, as will be seen from the catalogue. The sizes of screws we use have been decided upon with great care, and we are confident that they will meet all the reasonable requirements of the consumer.

During the more than half century we have been in business our constant aim has been to improve the quality of our product, while by the continual adding of improved machinery and the manufacture of goods in immense quantities we are able to keep our prices as low as those of many inferior kinds. That our goods are acknowledged to be the standard is evidenced by the fact that would-be competitors all over the world have attempted to copy our class numbers, labels, style of packing, etc.

We endeavor to keep in stock every style, finish and size of goods advertised in this catalogue. We have an eight-story building, each floor containing approximately 10,000 square feet, exclusively for the carrying of a complete stock of our finished goods. With excellent railway facilities in our yards we are perfectly equipped for the prompt and satisfactory shipment of orders.

We shall continue to make this



a guaranty of quality.

THE STANLEY WORKS

T H E S T A N L E Y W O R K S


PART I

WROUGHT BUTTS AND HINGES

T H E S T A N L E Y W O R K S

WROUGHT BRONZE METAL BUTTS

WITH NON-RISING LOOSE PINS AND BALL TIPS—POLISHED



Cut of 4 x 4-inch

These butts are made of wrought bronze metal and are highly finished. They have steel bushings in the joint to prevent any possible wearing down. They have the non-rising pins described on page 28. The inner leaves are beveled to make a perfect fitting joint and all sizes have five knuckles in the joint.

For list prices, see opposite page.

WROUGHT BRONZE METAL BUTTS

WITH NON-RISING LOOSE PINS AND BALL TIPS

For cut, see opposite page

No. 175. POLISHED

Prices are per pair and include brass screws to match

Size, Open Inches	No. 175 A Light Bronze	175 B Statuary Bronze	175 SB Statuary Bronze Sand Finish	175 D2 Antique Copper	175 SD2 Antique Copper Sand Finish	175 F Dull Brass
2½ x 2½	\$1.65	\$1.80	\$1.80	\$1.80	\$1.80	\$1.80
3 x 3	2.10	2.25	2.25	2.25	2.25	2.25
3½ x 3½	2.40	2.55	2.55	2.55	2.55	2.55
4 x 4	2.80	3.15	3.15	3.15	3.15	3.15
4½ x 4½	3.60	3.90	3.90	3.90	3.90	3.90
5 x 5	4.80	4.60	4.60	4.60	4.60	4.60
5½ x 5½	7.00	7.45	7.45	7.45	7.45	7.45
6 x 6	8.75	9.20	9.20	9.20	9.20	9.20

Size, Open Inches	No. 175 F2 or 175 F4 Antique Brass	175 SF2 Antique Brass Sand Finish	175 SF4 Antique Brass Sand Finish	175 H Dead Black Electro-plate	175 N Nickeled	Pairs in a Case
2½ x 2½	\$1.80	\$1.80	\$1.80	\$1.80	\$1.80	100
3 x 3	2.25	2.25	2.25	2.25	2.25	100
3½ x 3½	2.55	2.55	2.55	2.55	2.55	100
4 x 4	3.15	3.15	3.15	3.15	3.15	100
4½ x 4½	3.90	3.90	3.90	3.90	3.90	100
5 x 5	4.60	4.60	4.60	4.60	4.60	50
5½ x 5½	7.45	7.45	7.45	7.45	7.45	50
6 x 6	9.20	9.20	9.20	9.20	9.20	50

One pair in a box, with screws.


For other finishes, see page 11.

T H E S T A N L E Y W O R K S

WROUGHT BRONZE METAL BALL-BEARING BUTTS

WITH NON-RISING LOOSE

PINS AND BALL TIPS



Cut of washer.

Full size

By the use of these washers all friction in the joint is practically overcome, so that there can be no wearing down of the butt under the severest strain, no creaking of the door and no need of oiling the butt, thereby disfiguring finishes and gathering dust. The door swings easily and noiselessly. The washers are so constructed that they cannot come apart, and the improved construction protects the balls from moisture and dust. They have the non-rising pins described on page 28, and all sizes have five knuckles in the joint. The inner leaves are beveled to make a perfect joint.

For list prices, see opposite page.

WROUGHT BRONZE METAL BALL-BEARING BUTTS WITH NON-RISING LOOSE PINS AND BALL TIPS

For cut, see opposite page

No. 180. POLISHED

Prices are per pair, and include brass screws to match

Size, Open Inches	No. 180 A Light Bronze	180 B Statuary Bronze	180 SB Statuary Bronze Sand Finish	180 D2 Antique Copper	180 SD2 Antique Copper Sand Finish	180 F Dull Brass	180 F2 Antique Brass
3 x 3	\$2.80	\$2.95	\$2.95	\$2.95	\$2.95	\$2.95	\$2.95
3½ x 3½	3.10	3.25	3.25	3.25	3.25	3.25	3.25
4 x 4	3.55	3.85	3.85	3.85	3.85	3.85	3.85
4½ x 4½	4.30	4.60	4.60	4.60	4.60	4.60	4.60
5 x 5	5.05	5.35	5.35	5.35	5.35	5.35	5.35
5½ x 5½	7.70	8.15	8.15	8.15	8.15	8.15	8.15
6 x 6	9.50	10.00	10.00	10.00	10.00	10.00	10.00

Size, Open Inches	No. 180 F4 Antique Brass	180 SF2 Antique Brass Sand Finish	180 SF4 Antique Brass Sand Finish	180 H Dead Black Electro-plate	180 N Nickel	Pairs in a Case	Average Weight of Full Case Pounds
3 x 3	\$2.95	\$2.95	\$2.95	\$2.95	\$2.95	100	98
3½ x 3½	3.25	3.25	3.25	3.25	3.25	100	149
4 x 4	3.85	3.85	3.85	3.85	3.85	100	198
4½ x 4½	4.60	4.60	4.60	4.60	4.60	100	247
5 x 5	5.35	5.35	5.35	5.35	5.35	50	163
5½ x 5½	8.15	8.15	8.15	8.15	8.15	50	213
6 x 6	10.00	10.00	10.00	10.00	10.00	50	255

All packed one pair in a box, with screws.

For other finishes, see page 11.


No. 181 A. LIGHT BRONZE

Description	Size, Open, Inches	Per Pair with Screws
Polished, extra heavy	6 x 6	\$23.00
	7 x 7	31.00
	8 x 8	37.00

WROUGHT STEEL BALL-BEARING BUTTS

WITH NON-RISING LOOSE PINS AND BALL TIPS. HIGHLY POLISHED AND
HEAVILY PLATED


PATENTED



Cut of **B. B. 239**, 4x4-inch

These butts are fitted with the non-rising pins described on page 28, and they have the beveled joints and the same high standard of finish as the No. 239 there described. By the use of these washers all friction in the joint is practically overcome, so that there can be no wearing down of the butt under the severest strain, no creaking of the door and no need of oiling the butt, thereby disfiguring finishes and gathering dust. The door swings easily and noiselessly. The washers are so constructed that they cannot come apart, and the improved brass cap protects the balls from moisture and dust.

For list prices, see opposite page.



Cut of washer taken apart to
show construction

WROUGHT STEEL BALL-BEARING BUTTS

WITH NON-RISING LOOSE PINS AND BALL TIPS

For cut, see opposite page

No. B. B. 239. HIGHLY POLISHED AND HEAVILY PLATED

Prices are per pair, and include plated screws to match

Size, Open Inches	No. B. B. 239 A Light Bronze	B. B. 239 B Statuary Bronze	B. B. 239 SB Statuary Bronze Sand Finish	B. B. 239 D2 Antique Copper	B. B. 239 SD2 Antique Copper Sand Finish
2½ x 2½	\$1.26	\$1.30	\$1.34	\$1.30	\$1.34
3 x 3	1.37	1.41	1.45	1.41	1.45
3½ x 3½	1.52	1.56	1.60	1.56	1.60
4 x 4	1.67	1.71	1.75	1.71	1.75
4½ x 4½	1.85	1.90	1.98	1.90	1.93
5 x 5	2.04	2.08	2.12	2.08	2.12
5½ x 5½	2.40	2.45	2.50	2.45	2.50
6 x 6	2.60	2.63	2.67	2.63	2.67



Size, Open Inches	No. B. B. 239 F Dull Brass	B. B. 239 F2 Antique Brass	B. B. 239 F4 Antique Brass	B. B. 239 SF2 Antique Brass Sand Finish	B. B. 239 SF4 Antique Brass Sand Finish
2½ x 2½	\$1.30	\$1.30	\$1.30	\$1.34	\$1.34
3 x 3	1.41	1.41	1.41	1.45	1.45
3½ x 3½	1.56	1.56	1.56	1.60	1.60
4 x 4	1.71	1.71	1.71	1.75	1.75
4½ x 4½	1.90	1.90	1.90	1.93	1.93
5 x 5	2.08	2.08	2.08	2.12	2.12
5½ x 5½	2.45	2.45	2.45	2.50	2.50
6 x 6	2.63	2.63	2.63	2.67	2.67

Size, Open Inches	No. B. B. 239 G Bower Barff	B. B. 239 H Dead Black Electro-plate	B. B. 239 N Nickel	Pairs in a Case	Average Weight of Full Case Pounds
2½ x 2½	\$1.45	\$1.34	\$1.40	100	65
3 x 3	1.56	1.48	1.60	100	99
3½ x 3½	1.70	1.63	1.75	100	145
4 x 4	2.04	1.78	1.90	100	186
4½ x 4½	2.60	1.97	2.07	100	240
5 x 5	3.00	2.15	2.27	50	160
5½ x 5½	3.56	2.52	2.63	50	188
6 x 6	4.08	2.70	2.85	50	239

All packed one pair in a box, with screws.

For other finishes, see page 11.

WROUGHT STEEL BALL-BEARING BUTTS
WITH LOOSE PINS AND BALL TIPS. POLISHED
PATENTED



Cut of washer taken apart to show construction

Cut of **B. B. 241½**, 4 x 4-inch.

By the use of these washers all friction in the joint is practically overcome, so that there can be no wearing down of the butt under the severest strain, no creaking of the door and no need of oiling the butt, thereby disfiguring finishes and gathering dust. The door swings easily and noiselessly. The washers are so constructed that they cannot come apart, and the improved brass cap protects the balls from moisture and dust.

For list prices, see opposite page.

WROUGHT STEEL BALL-BEARING BUTTS WITH LOOSE PINS AND BALL TIPS

For cut, see opposite page

No. B. B. 241. PLANISHED

Prices are per pair, and include plated screws to match

Size, Open Inches	No. B. B. 241 A Light Bronze	B. B. 241 B Statuary Bronze	B. B. 241 SB Statuary Bronze Sand Finish	B. B. 241 D2 Antique Copper	B. B. 241 SD2 Antique Copper Sand Finish
2½ x 2½	\$0.97	\$1.00	\$1.04	\$0.97	\$1.00
3 x 3	1.00	1.04	1.08	1.00	1.04
3½ x 3½	1.05	1.09	1.12	1.05	1.09
4 x 4	1.15	1.19	1.22	1.15	1.19
4½ x 4½	1.30	1.34	1.37	1.30	1.34
5 x 5	1.49	1.53	1.56	1.49	1.53
5½ x 5½	1.70	1.74	1.77	1.70	1.74
6 x 6	1.90	1.94	1.97	1.90	1.94

Size, Open Inches	No. B. B. 241 F Dull Brass	B. B. 241 F2 Antique Brass	B. B. 241 F4 Antique Brass	B. B. 241 SF2 Antique Brass Sand Finish	B. B. 241 SF4 Antique Brass Sand Finish
2½ x 2½	\$0.97	\$0.97	\$0.97	\$1.04	\$1.04
3 x 3	1.00	1.00	1.00	1.08	1.08
3½ x 3½	1.05	1.05	1.05	1.12	1.12
4 x 4	1.15	1.15	1.15	1.22	1.22
4½ x 4½	1.30	1.30	1.30	1.37	1.37
5 x 5	1.49	1.49	1.49	1.56	1.56
5½ x 5½	1.70	1.70	1.70	1.77	1.77
6 x 6	1.90	1.90	1.90	1.97	1.97

Size, Open Inches	No. B. B. 241 G Lower Barff	B. B. 241 H Dead Black Electro-plate	B. B. 241 N Nickel	Pairs in a Case	Average Weight of Full Case Pounds
2½ x 2½	\$1.10	\$1.04	\$1.12	100	65
3 x 3	1.30	1.10	1.20	100	99
3½ x 3½	1.44	1.14	1.30	100	145
4 x 4	1.60	1.27	1.40	100	186
4½ x 4½	2.00	1.40	1.52	100	240
5 x 5	2.30	1.60	1.76	50	160
5½ x 5½	3.10	1.78	1.90	50	188
6 x 6	3.70	2.00	2.12	50	230

All packed one pair in a box, with screws.
For other finishes, see page 11.


T H E S T A N L E Y W O R K S

WROUGHT STEEL EXTRA HEAVY BALL-BEARING BUTTS

WITH NON-RISING LOOSE
PINS AND BALL TIPS

PATENTED

HIGHLY POLISHED AND
HEAVILY PLATED



These butts are very heavy and are used for extra large and heavy doors. They have the same high standard of finish as the No. 239, described on page 28, and are equipped with the non-rising pins.

For list prices, see opposite page



Cross-section, showing exact thickness of metal and size of joint and pin.

WROUGHT STEEL EXTRA HEAVY BALL-BEARING BUTTS WITH NON-RISING LOOSE PINS AND BALL TIPS

For cut, see opposite page

No. 250. HIGHLY POLISHED AND HEAVILY PLATED

Prices are per pair, and include plated screws to match

Size, Open Inches	No. 250 A Light Bronze	250 B Statuary Bronze	250 SB Statuary Bronze, Sand Finish	250 D2 Antique Copper	250 SD2 Antique Copper, Sand Finish	250 F Dull Brass	250 F2 Antique Brass
6 x 4	\$5.20	\$5.30	\$5.40	\$5.30	\$5.40	\$5.30	\$5.30
6 x 5	5.55	5.65	5.75	5.65	5.75	5.65	5.65
6 x 6	5.95	6.10	6.20	6.10	6.20	6.10	6.10
6 x 7	6.50	6.60	6.70	6.60	6.70	6.60	6.60
6 x 8	7.40	7.55	7.60	7.55	7.60	7.55	7.55
7 x 6	8.00	8.10	8.25	8.10	8.25	8.10	8.10
7 x 7	8.35	8.45	8.52	8.45	8.52	8.45	8.45
7 x 8	9.10	9.22	9.35	9.22	9.35	9.22	9.22
7 x 10	10.00	10.12	10.23	10.12	10.23	10.12	10.12
8 x 6	11.10	11.26	11.40	11.26	11.40	11.26	11.26
8 x 8	12.05	12.15	12.30	12.15	12.30	12.15	12.15
8 x 10	13.90	14.05	14.20	14.05	14.20	14.05	14.05

Size, Open Inches	No. 250 F4 Antique Brass	250 SF2 Antique Brass, Sand Finish	250 SF4 Antique Brass, Sand Finish	250 G Bower Barff	250 H Dead Black Electro-plate	250 N Nickel	250 J1 Japanned Dead Black
6 x 4	\$5.30	\$5.40	\$5.40	\$6.00	\$5.40	\$5.45	\$4.60
6 x 5	5.65	5.75	5.75	6.50	5.75	5.82	5.00
6 x 6	6.10	6.20	6.20	6.85	6.20	6.25	5.40
6 x 7	6.60	6.70	6.70	8.55	6.70	6.75	5.75
6 x 8	7.55	7.60	7.60	10.20	7.60	7.67	6.52
7 x 6	8.10	8.25	8.25	13.00	8.25	8.30	7.00
7 x 7	8.45	8.52	8.52	13.90	8.52	8.60	7.40
7 x 8	9.22	9.35	9.35	15.75	9.35	9.40	8.00
7 x 10	10.12	10.23	10.23	16.50	10.23	10.30	8.52
8 x 6	11.26	11.40	11.40	17.05	11.40	11.40	9.25
8 x 8	12.15	12.30	12.30	18.50	12.30	12.30	10.20
8 x 10	14.05	14.20	14.20	20.75	14.20	14.20	12.00


One pair in a box, complete with screws.

For other finishes, see page 11.

T H E S T A N L E Y W O R K S

WROUGHT STEEL EXTRA HEAVY BALL-BEARING BUTTS

LOOSE PINS AND BALL TIPS WITHOUT SCREW HOLES—PATENTED



Cut of 7 x 7-inch. About two-thirds size

For cut showing cross-section, see page 24

No. 851. PLAIN STEEL

Size, Open, In.	Per Pair	Size, Open, In.	Per Pair
6 x 6	\$5.00	7 x 8	\$7.50
6 x 7	5.50	7 x 10	8.00
6 x 8	6.00	8 x 6	8.50
7 x 6	6.50	8 x 8	9.80
7 x 7	7.00	8 x 10	11.00


These butts are designed for heavy iron work and are in plain steel, without screw holes. They have four ball-bearing washers and will not wear down under any weight. They can be cut down in width to suit special requirements.

T H E S T A N L E Y W O R K S

WROUGHT STEEL EXTRA HEAVY BALL-BEARING BUTTS

**WITH LOOSE PINS AND BALL TIPS. HIGHLY POLISHED
AND HEAVILY PLATED**


PATENTED



No. 252 A. POLISHED AND BRONZED

These butts are designed for extraordinary cases where a very strong and heavy butt is required. They have four ball bearings in the joint and will not wear down under any possible weight. They can be had in the same sizes as No. 851 on the opposite page and in any of the popular finishes. Prices on application.

WROUGHT STEEL LOOSE PIN BUTTS
WITH BALL TIPS AND NON-RISING PINS. POLISHED



Cut of **No. 239**, 4x4-inch

These butts are highly polished and very heavily plated and our standard for quality and workmanship. They far surpass any other steel butt made. The inner edges of the leaves are beveled, making a perfect joint. The 3½-inch and larger have five knuckles in the joint; the smaller sizes, three. The pins are prevented from rising in all sizes above 2½-inch by the little wings on the pin entering corresponding slots in the joint. They can be easily pulled out, but will not rise under the action of the door. This is a patented feature found only in the Stanley Butt. They are stamped with the No. 239 in addition to our trade-mark.

For list prices, see opposite page.

WROUGHT STEEL LOOSE PIN BUTTS WITH BALL TIPS AND NON-RISING PINS

For description, see opposite page

No. 239. HIGHLY POLISHED AND HEAVILY PLATED

Prices are per pair, and include plated screws to match

Size, Open Inches	No. 239 A Light Bronze	239 B Statuary Bronze	239 SB Statuary Bronze Sand Finish	239 D2 Antique Copper	239 SD2 Antique Copper Sand Finish
2 x 2	\$0.63	\$0.67	\$0.71	\$0.67	\$0.71
2½ x 2	.68	.72	.76	.72	.76
2½ x 2½	.70	.74	.78	.74	.78
3 x 2½	.80	.84	.88	.84	.88
3 x 3	.82	.86	.89	.86	.89
3½ x 3	.94	.98	1.02	.98	1.02
3½ x 3½	.96	1.00	1.04	1.00	1.04
4 x 4	1.12	1.15	1.19	1.15	1.19
4½ x 4½	1.80	1.84	1.88	1.84	1.88
5 x 5	1.50	1.52	1.56	1.52	1.56
5½ x 5½	1.85	1.89	1.93	1.89	1.93
6 x 6	2.04	2.08	2.12	2.08	2.12

Size, Open Inches	No. 239 F Dull Brass	239 F2 Antique Brass	239 F4 Antique Brass	239 SF2 Antique Brass Sand Finish	239 SF4 Antique Brass Sand Finish
2 x 2	\$0.67	\$0.67	\$0.67	\$0.71	\$0.71
2½ x 2	.72	.72	.72	.76	.76
2½ x 2½	.74	.74	.74	.78	.78
3 x 2½	.84	.84	.84	.88	.88
3 x 3	.86	.86	.86	.89	.89
3½ x 3	.98	.98	.98	1.02	1.02
3½ x 3½	1.00	1.00	1.00	1.04	1.04
4 x 4	1.15	1.15	1.15	1.19	1.19
4½ x 4½	1.84	1.84	1.84	1.88	1.88
5 x 5	1.52	1.52	1.52	1.56	1.56
5½ x 5½	1.89	1.89	1.89	1.93	1.93
6 x 6	2.08	2.08	2.08	2.12	2.12


Size, Open Inches	No. 239 G Bower Barff	239 H Dead Black Electro-plate	239 N Nickel	Pairs in a Case	Average Weight of Full Case Pounds
2 x 2	\$0.82	\$0.71	\$0.78	102	40
2½ x 2	.90	.76	.83	102	60
2½ x 2½	.93	.78	.85	102	66
3 x 2½	1.05	.88	.95	100	88
3 x 3	1.08	.92	1.00	100	99
3½ x 3	1.30	1.05	1.12	100	132
3½ x 3½	1.84	1.07	1.15	100	145
4 x 4	1.52	1.23	1.30	100	186
4½ x 4½	2.00	1.40	1.50	100	240
5 x 5	2.40	1.60	1.67	50	160
5½ x 5½	3.04	1.97	2.04	50	188
6 x 6	3.63	2.15	2.22	50	239

2½ x 2½-inch and smaller, three pairs in a box; larger sizes, one pair, complete with screws.
For other finishes, see page 11.

T H E S T A N L E Y W O R K S

WROUGHT STEEL LOOSE PIN BUTTS

WITH BALL TIPS. POLISHED



Cut of **No. 241 $\frac{1}{2}$** , 4x4-inch

These butts, while not as finely made as the No. 239, described on page 28, are superior to any other make on the market. They are highly finished and plated. The 3 $\frac{1}{2}$ -inch and larger have five knuckles in the joint; smaller sizes, three.

For list prices, see opposite page.

WROUGHT STEEL LOOSE PIN BUTTS WITH BALL TIPS

For cut, see opposite page

No. 241½. POLISHED

Prices are per pair, and include plated screws to match

Size, Open Inches	No. 241½ A	241½ B	241½ SB	241½ D2	241½ SD2
	Light Bronze	Statuary Bronze	Statuary Bronze Sand Finish	Antique Copper	Antique Copper Sand Finish
2 x 2	\$0.56	\$0.60	\$0.63	\$0.60	\$0.63
2½ x 2½	.68	.67	.71	.67	.71
3 x 3	.71	.74	.78	.74	.78
3½ x 3½	.74	.78	.82	.78	.82
4 x 4	.82	.86	.90	.86	.90
4½ x 4½	1.07	1.10	1.14	1.10	1.14
5 x 5	1.27	1.30	1.34	1.30	1.34
5½ x 5½	1.67	1.70	1.74	1.70	1.74
6 x 6	1.94	1.97	2.00	1.97	2.00

Size, Open Inches	No. 241½ F	241½ F2	241½ F4	241½ SF2	241½ SF4
	Dull Brass	Antique Brass	Antique Brass	Antique Brass Sand Finish	Antique Brass Sand Finish
2 x 2	\$0.60	\$0.60	\$0.60	\$0.63	\$0.63
2½ x 2½	.67	.67	.67	.71	.71
3 x 3	.74	.74	.74	.78	.78
3½ x 3½	.78	.78	.78	.82	.82
4 x 4	.86	.86	.86	.90	.90
4½ x 4½	1.10	1.10	1.10	1.14	1.14
5 x 5	1.30	1.30	1.30	1.34	1.34
5½ x 5½	1.70	1.70	1.70	1.74	1.74
6 x 6	1.97	1.97	1.97	2.00	2.00

Size, Open Inches	No. 241½ H	241½ N	Pairs in a Case	Average Weight of Full Case Pounds
	Dead Black Electro- plate	Nickel		
2 x 2	\$0.63	\$0.67	102	40
2½ x 2½	.71	.75	102	66
3 x 3	.82	.89	100	99
3½ x 3½	.86	.98	100	145
4 x 4	.95	1.00	100	186
4½ x 4½	1.17	1.25	100	240
5 x 5	1.37	1.50	50	160
5½ x 5½	1.77	1.90	50	188
6 x 6	2.04	2.17	50	239


2 x 2-inch and 2½ x 2½-inch, three pairs in a box; larger sizes, one pair, complete with screws.

For other finishes, see page 11.

T H E S T A N L E Y W O R K S

WROUGHT STEEL LOOSE PIN BUTTS

WITH BALL TIPS. PLANISHED



Cut of **No. 241**, 4 x 4-inch

These butts, while not so highly finished as the Nos. 239 and 241½, described on the preceding pages, compare favorably with any other plated butt on the market. The 8½-inch and larger have five knuckles in the joint; the smaller sizes, three.

For list prices, see opposite page.

WROUGHT STEEL LOOSE PIN BUTTS

WITH BALL TIPS

For cut, see opposite page

No. 241. PLANISHED

Prices are per pair, and include plated screws to match

Size, Open Inches	No. 241 A Light Bronze	241 B Statuary Bronze	241 SB Statuary Bronze Sand Finish	241 D2 Antique Copper	241 SD2 Antique Copper Sand Finish
2 x 2	\$0.34	\$0.37	\$0.40	\$0.34	\$0.37
2½ x 2½	.35	.38	.42	.35	.38
3 x 3	.38	.42	.45	.38	.42
3½ x 3½	.40	.44	.47	.40	.44
4 x 4	.47	.50	.54	.47	.50
4½ x 4½	.74	.77	.80	.74	.77
5 x 5	.94	.97	1.00	.94	.97
5½ x 5½	1.17	1.20	1.24	1.17	1.20
6 x 6	1.40	1.43	1.47	1.40	1.43

Size, Open Inches	No. 241 F Dull Brass	241 F2 Antique Brass	241 F4 Antique Brass	241 SF2 Antique Brass Sand Finish	241 SF4 Antique Brass Sand Finish
2 x 2	\$0.34	\$0.34	\$0.34	\$0.40	\$0.40
2½ x 2½	.35	.35	.35	.42	.42
3 x 3	.38	.38	.38	.45	.45
3½ x 3½	.40	.40	.40	.47	.47
4 x 4	.47	.47	.47	.54	.54
4½ x 4½	.74	.74	.74	.80	.80
5 x 5	.94	.94	.94	1.00	1.00
5½ x 5½	1.17	1.17	1.17	1.24	1.24
6 x 6	1.40	1.40	1.40	1.47	1.47


Size, Open Inches	No. 241 G Bower Barff	241 H Dead Black Electro-plate	241 N Nicked	Pairs in a Case	Average Weight of Full Case Pounds
2 x 2	\$0.58	\$0.48	\$0.47	102	40
2½ x 2½	.75	.45	.50	102	66
3 x 3	1.00	.48	.55	100	99
3½ x 3½	1.12	.50	.57	100	145
4 x 4	1.30	.57	.64	100	186
4½ x 4½	1.70	.84	.92	100	240
5 x 5	2.05	1.04	1.14	50	160
5½ x 5½	2.65	1.27	1.40	50	188
6 x 6	3.55	1.50	1.65	50	239

2 x 2-inch and 2½ x 2½-inch, three pairs in a box; larger sizes, one pair, complete with screws.
For other finishes, see page 11.

T H E S T A N L E Y W O R K S

WROUGHT STEEL LOOSE PIN BUTTS

WITH BALL TIPS



Cut of **No. 733**, $3\frac{1}{2}$ x $3\frac{1}{2}$ -inch Actual size

The $3\frac{1}{2}$ -inch and larger have five knuckles in the joint; the smaller sizes, three.
For list prices, see opposite page.

WROUGHT STEEL LOOSE PIN BUTTS WITH BALL TIPS

For cut, see opposite page

Size, Open Inches	No. 823 Bright Steel Per Dozen Pairs	731 Japanned Per Dozen Pairs	Screw Holes in Each Butt	Size of Screw Number	Dozen Pairs in a Case	Average Weight of Full Case, Pounds
2 x 2	\$1.30	\$1.70	4	7	25	100
2½ x 2	1.50	1.90	6	8	25	135
2½ x 2½	1.60	2.00	6	8	25	150
3 x 2½	1.80	2.10	6	9	25	192
3 x 3	1.85	2.15	6	9	20	180
3½ x 3	2.15	2.25	6	10	20	234
3½ x 3½	2.25	2.40	6	10	15	200
4 x 3½	2.55	2.75	8	10	15	240
4 x 4	2.75	2.90	8	10	12	212
4½ x 4	3.20	3.75	8	11	12	266
4½ x 4½	3.35	4.00	8	11	10	230
5 x 5	4.50	5.50	8	12	6	218
5½ x 5½	6.00	7.60	8	13	6	240
6 x 6	7.00	9.20	8	13	6	318

Size, Open Inches	No. 731 Japanned with Screws Per Pair	733 Japanned Dead Black Per Pair with Screws	1345 Galvanized with Brass Pins Galvanized Steel Tips, Per Pair with Screws	Pairs in a Case	Average Weight of Full Case Pounds
2 x 2	\$0.19	\$0.22	\$0.35	102	40
2½ x 2½	.22	.25	.40	102	62
3 x 3	.23	.26	.50	100	90
3½ x 3½	.25	.27	.65	100	128
4 x 4	.31	.34	.80	100	172
4½ x 4½	.42	.47	1.05	100	235
5 x 5	.60	.64	1.40	50	160
5½ x 5½	.82	.86	1.75	50	188
6 x 6	1.00	1.06	2.10	50	239

Nos. 823 and 731 without screws; 4 x 4-inch and smaller, one-half dozen pairs in a box; larger sizes, one-quarter dozen.

No. 731, with screws; Nos. 733 and 1345, 2 x 2 and 2½ x 2½-inch, three pairs in a box, with screws; larger sizes, one pair.

T H E S T A N L E Y W O R K S

WROUGHT STEEL EXTRA HEAVY LOOSE PIN BUTTS

WITH BALL TIPS AND NON-
RISING PINS

HIGHLY POLISHED AND
HEAVILY PLATED



Cut of **No. 249**, 8x8-inch. About two-thirds size

These butts are made in the same manner as the No. 239, described on page 28.

For cross-section showing exact thickness of metal, see page 24. For prices, see opposite page.

WROUGHT STEEL EXTRA HEAVY LOOSE PIN BUTTS WITH BALL TIPS

For cut, see opposite page

No. 249. HIGHLY POLISHED AND HEAVILY PLATED

Prices are per pair, and include plated screws to match


Size, Open Inches	No. 249A Light Bronze	249 B Statuary Bronze	249 SB Statuary Bronze Sand Finish	249 D2 Antique Copper	249 SD2 Antique Copper Sand Finish	249 F Dull Brass	249 F2 Antique Brass
6 x 4	\$4.25	\$4.35	\$4.45	\$4.35	\$4.45	\$4.35	\$4.35
6 x 5	4.60	4.70	4.80	4.70	4.80	4.70	4.70
6 x 6	5.00	5.10	5.20	5.10	5.20	5.10	5.10
6 x 7	5.55	5.65	5.75	5.65	5.75	5.65	5.65
6 x 8	6.50	6.60	6.70	6.60	6.70	6.60	6.60
7 x 6	7.05	7.12	7.25	7.12	7.25	7.12	7.12
7 x 7	7.40	7.52	7.65	7.52	7.65	7.52	7.52
7 x 8	8.15	8.26	8.40	8.26	8.40	8.26	8.26
7 x 10	9.00	9.12	9.25	9.12	9.25	9.12	9.12
8 x 6	10.20	10.30	10.45	10.30	10.45	10.30	10.30
8 x 8	11.10	11.25	11.40	11.25	11.40	11.25	11.25
8 x 10	13.00	13.15	13.30	13.15	13.30	13.15	13.15

Size, Open Inches	No. 249 F4 Antique Brass	249 SF2 Antique Brass Sand Finish	249 SF4 Antique Brass Sand Finish	249 G Bower Barff	249 H Dead Black Electro-plate	249 N Nickel	249 J1 Japanned Dead Black
6 x 4	\$4.35	\$4.45	\$4.45	\$5.60	\$4.45	\$4.50	\$3.70
6 x 5	4.70	4.80	4.80	5.75	4.80	4.85	4.10
6 x 6	5.10	5.20	5.20	5.95	5.20	5.25	4.45
6 x 7	5.65	5.75	5.75	7.60	5.75	5.80	4.80
6 x 8	6.60	6.70	6.70	9.30	6.70	6.75	5.55
7 x 6	7.12	7.25	7.25	12.05	7.25	7.30	6.10
7 x 7	7.52	7.65	7.65	13.00	7.65	7.70	6.50
7 x 8	8.26	8.40	8.40	14.80	8.40	8.50	7.05
7 x 10	9.12	9.25	9.25	15.60	9.25	9.30	7.50
8 x 6	10.80	10.45	10.45	16.10	10.45	10.45	8.30
8 x 8	11.25	11.40	11.40	17.60	11.40	11.40	9.25
8 x 10	13.15	13.30	13.30	19.80	13.30	13.30	11.10

One pair in a box, complete with screws.

For other finishes, see page 11.

WROUGHT STEEL ORNAMENTAL SURFACE
DOOR BUTTS



For description, see opposite page.
2 and 2½-inch, three pairs in a
box and 102 pairs in a case; larger
sizes, one pair in a box and 100 pairs
in a case, with oval head screws for
the surface half of butt, flat head
for the other.

Cut of 3½-inch

Prices are per pair, and include plated
screws to match.

No. 160. PLANISHED

Size, Length of Joint, Inches	No. 160 A Light Bronze	160 D2 Antique Copper	160 SD2 Antique Copper Sand Finish	160 F Dull Brass	160 F2 Antique Brass
2	\$0.35	\$0.35	\$0.38	\$0.35	\$0.35
2½	.40	.40	.43	.40	.40
3	.48	.48	.51	.48	.48
3½	.54	.54	.57	.54	.54
4	.67	.67	.70	.67	.67
4½	.89	.89	.92	.89	.89

Size, Length of Joint, Inches	No. 160 SF2 Antique Brass Sand Finish	160 H Dead Black Electro-plate	160 N Nickel	160 J1 Japanned Dead Black	160 J Japanned
2	\$0.40	\$0.40	\$0.46	\$0.30	\$0.27
2½	.46	.46	.51	.35	.32
3	.54	.57	.62	.38	.35
3½	.59	.62	.70	.43	.40
4	.73	.76	.83	.51	.48
4½	.94	.97	1.05	.75	.72

WROUGHT STEEL ORNAMENTAL SURFACE DOOR BUTTS

BEVELED EDGE

The hinges on this and the opposite page are reversible, and can be made either right or left hand by simply unscrewing the ball tip, reversing the pin and screwing the tip in the opposite end. One tip is slotted to enable it to be taken out easily with a screwdriver.

Time and labor are saved in hanging doors with these hinges, as the casement only is mortised, the door put in place and the ornamental leaf screwed to the surface of door.

The 1½-inch is made with oval head loose pins instead of ball tips and are numbered 1473.

2 and 2½-inch, three pairs in a box and 102 pairs in a case; larger sizes, one pair in a box, 100 pairs in a case, with round head screws for surface half of butt, flat head for the other.

Cut of 3½-inch



Prices are per pair, and include plated screws to match.

No. 165. PLANISHED

Size, Length of Joint, Inches	No. 165 A Light Bronze	165 D2 Antique Copper	165 SD2 Antique Copper Sand Finish	165 F Dull Brass	165 F2 Antique Brass
1½	\$0.27	\$0.27	\$0.30	\$0.27	\$0.27
2	.42	.42	.45	.42	.42
2½	.48	.48	.51	.48	.48
3	.68	.68	.66	.68	.68
3½	.69	.69	.72	.69	.69
4	.80	.80	.83	.80	.80
4½	1.04	1.04	1.07	1.04	1.04

Size, Length of Joint, Inches	No. 165 SF2 Antique Brass Sand Finish	165 H Dead Black Electro-plate	165 N Nickel	165 J1 Japanned Dead Black	165 J Japanned
1½	\$0.33	\$0.33	\$0.39	\$0.24	\$0.21
2	.48	.48	.54	.38	.33
2½	.54	.54	.60	.42	.39
3	.69	.72	.78	.51	.48
3½	.75	.78	.86	.57	.54
4	.86	.89	.98	.66	.63
4½	1.10	1.13	1.22	.89	.87

**WROUGHT STEEL LOOSE PIN BUTTS
WITH STEEPLE TIPS**



Cut of $3\frac{1}{2}$ x $3\frac{1}{2}$ -inch

No. 822. BRIGHT STEEL

Size, Open Inches	Per Doz. Pairs	Size, Open Inches	Per Doz. Pairs	Size, Open Inches	Per Doz. Pairs	Size, Open Inches	Per Doz. Pairs	Size, Open Inches	Per Doz. Pairs
2 x 2	\$1.30	3 x $2\frac{1}{2}$	\$1.80	$3\frac{1}{2}$ x $3\frac{1}{2}$	\$2.25	$4\frac{1}{2}$ x 4	\$3.20	$5\frac{1}{2}$ x $5\frac{1}{2}$	\$6.00
$2\frac{1}{2}$ x 2	1.50	3 x 3	1.85	4 x $3\frac{1}{2}$	2.55	$4\frac{1}{2}$ x $4\frac{1}{2}$	3.35	6 x 6	7.00
$2\frac{1}{2}$ x $2\frac{1}{2}$	1.60	$3\frac{1}{2}$ x 3	2.15	4 x 4	2.75	5 x 5	4.50	.	.


4 x 4-inch and smaller, one-half dozen pairs in a box; larger sizes, one-quarter dozen.
Size of screws, contents and weights of full cases, etc., same as No. 823, page 35.

T H E S T A N L E Y W O R K S

WROUGHT STEEL LOOSE PIN BUTTS

ANTI-FRICTION WASHERS

BALL TIPS. NON-RISING LOOSE PINS



Cut of 4 x 4-inch
Actual size

No. 141½. POLISHED AND PLATED


No. 141. PLANISHED AND PLATED

These butts have washers made of a metal which reduces friction to a minimum, and will not wear down. Made regularly in sizes from 3 x 3-inch to 5½ x 5½-inch inclusive. Any desired finish.


Prices on application.

WROUGHT STEEL CASEMENT HINGES

ESCHWEILER'S PATENT



Window partly open




Window closed

Number	Description	Size Length of Joint Inches	Per Pair with Screws
304 A	Polished and bronzed . .	3½	\$3.00
305 A	Planished and bronzed . .	3½	2.70
305 J1	Japanned, dead black . .	3½	2.45

These hinges are for casement windows that swing in. In operating, the sash is lifted with ordinary sash lifts, and when raised enough to clear the stop on the sill the hinge comes into action. Upon closing the window the sash drops down into place as soon as it is in line with the edge of the stop on the sill. The hinges are made right and left hand. In ordering, state hand wanted.

WROUGHT STEEL LIGHT LOOSE PIN BUTTS WITH BALL TIPS



Cut of 2½ x 2½-inch. Actual size

Prices are per dozen pairs, and include plated screws to match

Size, Open Inches	No. 289A Planished Light Bronze	289 B Planished Statuary Bronze	289 SB Sand Finish Statuary Bronze	289 D2 Planished Antique Copper	289 SD2 Sand Finish Antique Copper	289 F Planished Dull Brass
2 x 2	\$4.00	\$4.45	\$4.90	\$4.45	\$4.90	\$4.45
2 x 2½	4.10	4.55	5.00	4.55	5.00	4.55
2 x 3	4.25	4.70	5.15	4.70	5.15	4.70
2½ x 2	4.15	4.60	5.05	4.60	5.05	4.60
2½ x 2½	4.25	4.70	5.15	4.70	5.15	4.70
2½ x 3	4.50	4.95	5.40	4.95	5.40	4.95
3 x 2½	4.85	5.30	5.75	5.30	5.75	5.30
3 x 3	5.00	5.45	5.90	5.45	5.90	5.45

Prices continued on opposite page.

The 2½ x 2-inch and larger have five knuckles in the joint; smaller sizes, three.

One-half dozen pairs in a box, with screws; 25 dozen in a case.

For weight of cases, see opposite page.

WROUGHT STEEL LIGHT LOOSE PIN BUTTS WITH BALL TIPS

Continued from opposite page

Prices are per dozen pairs, and include plated screws to match

Size, Open Inches	No. 289 F2 Planished Antique Brass	289 F4 Planished Antique Brass	289 SF2 Sand Finish Antique Brass	289 SF4 Sand Finish Antique Brass	289 G Bower Barff	289 H Dead Black Electro-plate
2 x 2	\$4.45	\$4.45	\$4.90	\$4.90	\$6.80	\$5.10
2 x 2½	4.55	4.55	5.00	5.00	7.20	5.20
2 x 3	4.70	4.70	5.15	5.15	8.25	5.85
2½ x 2	4.60	4.60	5.05	5.05	8.00	5.25
2½ x 2½	4.70	4.70	5.15	5.15	8.25	5.35
2½ x 3	4.95	4.95	5.40	5.40	9.00	5.60
3 x 2½	5.80	5.80	5.75	5.75	9.80	5.95
3 x 3	5.45	5.45	5.90	5.90	10.00	6.10


Size, Open Inches	No. 289 N Planished Nickel	289½ A Polished Light Bronze	289½ B Polished Statuary Bronze	289½ D2 Polished Antique Copper	289½ F Polished Dull Brass	289½ F2 Polished Antique Brass
2 x 2	\$5.80	\$6.00	\$6.45	\$6.45	\$6.45	\$6.45
2 x 2½	5.90	6.20	6.65	6.65	6.65	6.65
2 x 3	6.05	6.75	7.20	7.20	7.20	7.20
2½ x 2	5.95	6.50	6.95	6.95	6.95	6.95
2½ x 2½	6.05	6.75	7.20	7.20	7.20	7.20
2½ x 3	6.80	7.20	7.65	7.65	7.65	7.65
3 x 2½	6.65	7.80	8.25	8.25	8.25	8.25
3 x 3	6.85	8.00	8.45	8.45	8.45	8.45

Size, Open Inches	No. 289½ F4 Polished Antique Brass	289½ N Polished Nickel	749 J1 Japanned Dead Black	749 Japanned	Average Weight of Full Cases Pounds
2 x 2	\$6.45	\$7.80	\$8.60	\$3.00	76
2 x 2½	6.65	8.00	8.75	3.15	88
2 x 3	7.20	8.60	8.95	3.35	100
2½ x 2	6.95	8.30	8.85	3.20	92
2½ x 2½	7.20	8.60	4.05	3.40	108
2½ x 3	7.65	9.00	4.30	3.65	125
3 x 2½	8.25	9.60	4.45	3.90	148
3 x 3	8.45	9.85	4.55	4.00	176

All numbers packed one-half dozen pairs in a box, with screws; 25 dozen in a case.
For other finishes, see page 11.

WROUGHT STEEL LOOSE PIN LIGHT NARROW BUTTS

WITH BALL TIPS



Cut of 2½-inch. Actual size

Prices are per dozen pairs, and include plated screws to match

Size, Length of Joint Inches	No. 295 A Planished Light Bronze	295 B Planished Statuary Bronze	295 SB Sand Finish Statuary Bronze	295 D2 Planished Antique Copper	295 SD2 Sand Finish Antique Copper	295 F Planished Dull Brass	295 F2 Planished Antique Brass
1½	\$2.90	\$3.35	\$3.80	\$3.35	\$3.80	\$3.85	\$3.35
1¾	3.20	3.65	4.10	3.65	4.10	3.65	3.65
2	3.60	4.05	4.50	4.05	4.50	4.05	4.05
2¼	3.75	4.20	4.65	4.20	4.65	4.20	4.20
2½	3.90	4.35	4.80	4.35	4.80	4.35	4.35
3	4.60	5.05	5.50	5.05	5.50	5.05	5.05
3½	5.50	6.00	6.50	6.00	6.50	6.00	6.00
4	6.50	7.00	7.50	7.00	7.50	7.00	7.00

Prices continued on opposite page.

The 2½-inch and larger have five knuckles in the joint; smaller sizes, three.

One-half dozen pairs in a box, with screws; 25 dozen in a case.

For weight of full cases, see opposite page.

T H E S T A N L E Y W O R K S

WROUGHT STEEL LOOSE PIN LIGHT NARROW BUTTS WITH BALL TIPS

Continued from opposite page

Prices are per dozen pairs, and include plated screws to match

Size Length Inches	No. 295 F4 Planished Antique Brass	295 SF2 Sand Finish Antique Brass	295 SF4 Sand Finish Antique Brass	295 G Bower Barff	295 H Dead Black Electro-plate	295 N Planished Nickeled
1½	\$8.85	\$8.80	\$8.80	\$5.00	\$4.00	\$4.70
1¾	8.65	4.10	4.10	5.50	4.30	5.00
2	4.05	4.50	4.50	6.00	4.70	5.40
2¼	4.20	4.65	4.65	6.50	4.85	5.55
2½	4.35	4.80	4.80	7.65	5.00	5.70
3	5.05	5.50	5.50	9.40	5.70	6.40
3½	6.00	6.50	6.50	11.50	6.70	8.00
4	7.00	7.50	7.50	14.00	7.70	9.00


Size Inches	No. 297 A Polished Light Bronze	297 B Polished Statuary Bronze	297 D2 Polished Antique Copper	297 F Polished Dull Brass	297 F2 Polished Antique Brass	297 F4 Polished Antique Brass
1½	\$4.60	\$5.05	\$5.05	\$5.05	\$5.05	\$5.05
1¾	5.00	5.45	5.45	5.45	5.45	5.45
2	5.40	5.85	5.85	5.85	5.85	5.85
2¼	5.90	6.35	6.35	6.35	6.35	6.35
2½	6.40	6.85	6.85	6.85	6.85	6.85
3	7.50	7.95	7.95	7.95	7.95	7.95
3½	9.00	9.50	9.50	9.50	9.50	9.50
4	10.50	11.00	11.00	11.00	11.00	11.00

Size Inches	No. 297 N Polished Nickeled	760 J1 Japanned Dead Black	760 Japanned	Width of Butts When Open Inches	Average Weight of Full Case Pounds
1½	\$6.40	\$2.80	\$2.20	1½	38
1¾	6.80	2.90	2.30	1¾	46
2	7.20	3.10	2.60	1¾	64
2¼	7.70	3.40	2.80	1¾	77
2½	8.20	3.80	3.10	1¾	83
3	9.30	4.25	3.60	2	127
3½	11.50	5.50	4.80	2¼	197
4	13.00	7.00	6.30	2¾	285

All packed one-half dozen pairs in a box, with screws; 25 dozen in a case.

For other finishes, see page 11.

WROUGHT STEEL REVERSIBLE BUTTS



Cut of 3 x 3-inch. Actual size

For list prices, see opposite page

Size, Open Inches	Screw Holes in Each Butt	Size of Screw Number	Dozen Pairs in a Case No. 804	Average Weight of Full Case Pounds	Size, Open Inches	Screw Holes in Each Butt	Size of Screw Number	Dozen Pairs in a Case No. 804	Average Weight of Full Case Pounds
2 x 2	4	7	50	162	3½ x 4	6	10	15	191
2 x 2½	4	7	50	204	4 x 3½	8	10	15	218
2½ x 2	6	8	50	226	4 x 4	8	10	12	192
2½ x 2½	6	8	50	255	4 x 4½	8	10	12	215
2½ x 3	6	8	25	155	4½ x 4	8	11	10	200
3 x 2½	6	9	25	167	4½ x 4½	8	11	10	218
3 x 3	6	9	25	196	5 x 5	8	12	8	255
3 x 3½	6	9	25	221	5½ x 5½	8	13	5	208
3½ x 3	6	10	20	207	6 x 6	8	13	5	215
3½ x 3½	6	10	20	238					

WROUGHT STEEL REVERSIBLE BUTTS

For cut, see opposite page

Size, Open Inches	No. 804 Bright Steel Per Dozen Pairs	244 A Planished Light Bronze, Per Dozen Pairs with Screws	751 Japanned Per Dozen Pairs with Screws	1334 Galvanized Brass Pins Per Dozen Pairs with Screws
2 x 2	\$1.40	\$2.80	\$1.60	\$3.25
2 x 2½	1.50	3.00	1.70	3.45
2½ x 2	1.60	3.60	1.80	3.80
2½ x 2½	1.80	3.80	2.00	4.05
2½ x 3	2.20	3.95	2.40	4.40
3 x 2½	2.40	4.20	2.60	4.60
3 x 3	2.60	4.50	2.85	4.80
3 x 3½	3.00	4.90	3.25	5.50
3½ x 3	3.60	5.80	3.85	6.30
3½ x 3½	3.80	5.60	4.00	6.90
3½ x 4	4.80	5.90	4.60	7.50
4 x 3½	4.60	6.30	5.00	8.50
4 x 4	4.70	6.80	5.10	9.40
4 x 4½	4.80	7.15	5.20	10.00
4½ x 4	5.30	7.90	5.80	11.00
4½ x 4½	5.90	8.50	6.40	11.90
5 x 5	7.70	11.00	8.80	14.35
5½ x 5½	9.60	13.00	10.20	18.00
6 x 6	11.40	14.00	12.00	22.00

No. 804, 3 x 3½-inch and smaller, one dozen pairs in a box; 3½ x 3 to 4½ x 4½-inch inclusive, one-half dozen; larger sizes, one-quarter dozen.


Other numbers, 4½ x 4½-inch and smaller, one-half dozen pairs in a box, with screws; larger sizes, one-quarter dozen.

The 3½ x 3-inch and larger have five knuckles in the joint; the smaller sizes, three.

When two dimensions are given, the first always indicates the length of joint.

WROUGHT STEEL REVERSIBLE BUTTS

WITH IMPROVED PIN AND TIPS



Cut of 3 x 3-inch. Actual size

No. 805. BRIGHT STEEL

Size, open, in.	2 x 2	2 x 2½	2½ x 2	2½ x 2½	3 x 2½	3 x 3	3½ x 3½	4 x 4	4½ x 4½	5 x 5
Per doz. pairs	\$1.40	\$1.50	\$1.60	\$1.80	\$2.40	\$2.60	\$3.80	\$4.70	\$5.90	\$7.70


No. 245 A. PLANISHED AND BRONZED

Size, open, in.	2 x 2	2 x 2½	2½ x 2	2½ x 2½	3 x 2½	3 x 3	3½ x 3½	4 x 4	4½ x 4½	5 x 5
Per doz. pairs, with screws	\$2.80	\$3.00	\$3.60	\$3.80	\$4.20	\$4.50	\$5.60	\$6.80	\$8.50	\$11.00

No. 805, 3 x 3-inch and smaller, one dozen pairs in a box; 3½ x 3½-inch and 4 x 4-inch, one-half dozen; larger sizes, one-quarter dozen.

No. 245, 4 x 4-inch and smaller, one-half dozen pairs in a box, with screws; larger sizes, one-quarter dozen.

WROUGHT STEEL LIGHT REVERSIBLE BUTTS



Cut of 2 x 2-inch. Actual size

No. 834. BRIGHT STEEL

Size, Open Inches	Per Dozen Pairs	Screw Holes in Each Butt	Size of Screw Number	Dozen Pairs in a Case	Average Weight of Full Case Pounds
2 x 2	\$1.40	4	7	50	117
2 x 2½	1.50	4	7	50	140
2 x 3	1.70	4	7	50	167
2½ x 2	1.60	6	7	50	150
2½ x 2½	1.80	6	7	50	176
2½ x 3	2.20	6	7	50	208
3 x 2½	2.40	6	8	50	240
3 x 3	2.60	6	8	25	151


Size, Open Inches	No. 288 A Planished Light Bronze Per Dozen Pairs with Screws	288 D2 Planished Antique Copper Per Dozen Pairs with Screws	288 SD2 Antique Copper Sand Finish Per Dozen Pairs with Screws	748 J1 Japanned Dead Black Per Dozen Pairs with Screws	748 Japanned Per Dozen Pairs with Screws
2 x 2	\$1.50	\$1.82	\$2.15	\$1.25	\$1.00
2 x 2½	1.60	1.92	2.25	1.35	1.05
2 x 3	1.75	2.08	2.40	1.50	1.20
2½ x 2	1.70	2.08	2.85	1.45	1.10
2½ x 2½	1.75	2.08	2.40	1.50	1.20
2½ x 3	1.95	2.28	2.60	1.65	1.35
3 x 2½	2.10	2.48	2.75	1.80	1.50
3 x 3	2.20	2.58	2.85	1.90	1.60

The 2½ x 2-inch and larger have five knuckles in the joint; smaller sizes, three.

All, one dozen pairs in a box.

For other finishes, see page 11.

WROUGHT STEEL LOOSE PIN LIGHT NARROW BUTTS



Cut of 2-inch. Actual size

No. 840. BRIGHT STEEL

Size, Length Inches	Per Dozen Pairs	Width, Open Inches	Screw Holes in Each Butt	Size of Screw Number	Dozen Pairs in a Case of No. 840	Average Weight of Full Case, Pounds
1 ½	\$0.90	1 7/8	4	5	100	100
1 ¾	1.00	1 7/8	4	5	100	132
2	1.10	1 9/8	4	6	100	191
2 ¼	1.25	1 11/8	6	6	50	110
2 ½	1.45	1 11/8	6	6	50	128
2 ¾	1.55	1 7/8	6	7	50	175
3	1.80	2	6	7	50	208
3 ¼	2.25	2 1/8	6	8	50	248
3 ½	2.70	2 ¼	6	8	25	152
3 ¾	3.30	2 ½	6	8	25	180
4	3.70	2 7/8	8	9	20	185
4 ½	4.45	3	8	10	20	227
5	5.50	3 3/8	8	10	15	202
5 ½	7.50	3 11/8	8	10	10	178
6	8.85	3 15/8	8	11	10	225

Prices continued on opposite page.

The 2 ½-inch and larger have five knuckles in the joint; smaller sizes, three.

3-inch and smaller, one dozen pairs in a box; 3 ¼ to 5 ½-inch inclusive, one-half dozen; 6-inch, one-quarter dozen.

WROUGHT STEEL LOOSE PIN LIGHT NARROW BUTTS

For cut, see opposite page

Prices are per dozen pairs, and include plated screws to match


Size Inches	No. 286 A Planished Light Bronze	286 D2 Planished Antique Copper	286 SD2 Sand Finish Antique Copper	286 F Planished Dull Brass	286 F2 Planished Antique Brass	286 F4 Planished Antique Brass	286 SF2 Sand Finish Antique Brass
1½	\$1.05	\$1.37	\$1.70	\$1.37	\$1.37	\$1.87	\$1.70
1¾	1.16	1.48	1.80	1.48	1.48	1.48	1.80
2	1.30	1.62	1.95	1.62	1.62	1.62	1.95
2¼	1.44	1.75	2.10	1.75	1.75	1.75	2.10
2½	1.57	1.90	2.20	1.90	1.90	1.90	2.20
2¾	1.65	2.00	2.30	2.00	2.00	2.00	2.30
3	1.75	2.40	3.00	2.40	2.40	2.40	3.00
3¼	2.10	2.75	3.40	2.75	2.75	2.75	3.40
3½	2.40	3.05	3.70	3.05	3.05	3.05	3.70
4	3.00	3.65	4.30	3.65	3.65	3.65	4.30

Size Inches	No. 286SF4 Sand Finish Antique Brass	286 H Dead Black Electro- plate	286 N Planished Nickel	740 J1 Japanned Dead Black	740 Japanned	Dozen Pairs in a Case	Average Weight of Full Case, Pounds
1½	\$1.70	\$1.85	\$2.85	\$0.90	\$0.70	100	122
1¾	1.80	1.95	2.95	1.00	.75	100	150
2	1.95	2.10	3.10	1.10	.80	100	214
2¼	2.10	2.25	3.25	1.20	.90	50	138
2½	2.20	2.35	3.40	1.30	1.00	50	150
2¾	2.30	2.45	3.45	1.40	1.10	50	190
3	3.00	3.00	4.00	1.60	1.30	50	230
3¼	3.40	3.40	4.35	1.95	1.60
3½	3.70	3.70	4.65	2.25	1.90
4	4.30	4.30	5.25	2.90	2.60

All packed 3-inch and smaller, one dozen pairs in a box, with screws; larger sizes, one-half dozen.

For other finishes, see page 11.

WROUGHT STEEL LOOSE JOINT BUTTS



Cut of $2\frac{1}{2} \times 2\frac{1}{2}$ -inch

No. 806. BRIGHT STEEL

Size, Open Inches	Per Dozen Pairs	Dozen Pairs in a Case	Screw Holes in Each Butt	Size of Screw Number	Size, Open Inches	Per Dozen Pairs	Dozen Pairs in a Case	Screw Holes in Each Butt	Size of Screw Number
2 x 2	\$1.40	50	4	7	$3\frac{1}{2} \times 4$	\$4.80	15	6	10
2 x $2\frac{1}{2}$	1.50	50	4	7	4 x $3\frac{1}{2}$	4.60	15	8	10
$2\frac{1}{2} \times 2$	1.60	50	6	8	4 x 4	4.70	12	8	10
$2\frac{1}{2} \times 2\frac{1}{2}$	1.80	50	6	8	4 x $4\frac{1}{2}$	4.80	12	8	10
$2\frac{1}{2} \times 3$	2.20	25	6	8	$4\frac{1}{2} \times 4$	5.30	10	8	11
3 x $2\frac{1}{2}$	2.40	25	6	9	$4\frac{1}{2} \times 4\frac{1}{2}$	5.90	10	8	11
3 x 3	2.60	25	6	9	5 x 5	7.70	8	8	12
3 x $3\frac{1}{2}$	3.00	25	6	9	$5\frac{1}{2} \times 5\frac{1}{2}$	9.60	5	8	18
$3\frac{1}{2} \times 3$	3.60	25	6	10	6 x 6	11.40	5	8	18
$3\frac{1}{2} \times 3\frac{1}{2}$	3.80	20	6	10					

No. 753. JAPANNED

Size, open, inches	2 x 2	$2\frac{1}{2} \times 2\frac{1}{2}$	3 x $2\frac{1}{2}$	3 x 3	$3\frac{1}{2} \times 3\frac{1}{2}$	4 x 4	$4\frac{1}{2} \times 4\frac{1}{2}$	5 x 5
Per dozen pairs with screws	\$1.60	\$2.00	\$2.60	\$2.85	\$4.00	\$5.00	\$6.40	\$8.80


No. 1321. GALVANIZED, WITH BRASS PINS

Size, open, inches	2 x 2	$2\frac{1}{2} \times 2\frac{1}{2}$	3 x $2\frac{1}{2}$	3 x 3	$3\frac{1}{2} \times 3\frac{1}{2}$	4 x 4	$4\frac{1}{2} \times 4\frac{1}{2}$	5 x 5
Per dozen pairs with screws	\$3.25	\$4.05	\$5.30	\$5.50	\$7.80	\$10.00	\$13.50	\$17.00

No. 806, $3 \times 3\frac{1}{2}$ -inch and smaller, one dozen pairs in a box; $3\frac{1}{2} \times 3$ to $4\frac{1}{2} \times 4\frac{1}{2}$ -inch inclusive, one-half dozen; larger sizes, one-quarter dozen.

Nos. 753 and 1321, 5 x 5-inch, one-quarter dozen pairs, with screws; smaller sizes, one-half dozen.

WROUGHT STEEL NARROW LOOSE JOINT BUTTS



Cut of 3-inch

Size, Length Inches	Width, Open Inches	No. 802 Bright Steel Per Dozen Pairs	301 A Planished and Bronzed Per Dozen Pairs	303 A Polished and Bronzed Per Dozen Pairs	Screw Holes in Each Butt	Size of Screw Number
2	1 $\frac{1}{8}$	\$1.40	\$2.00	\$5.15	4	7
2 $\frac{1}{4}$	1 $\frac{3}{8}$	1.55	2.25	5.55	6	7
2 $\frac{1}{2}$	1 $\frac{7}{8}$	1.70	2.50	5.90	6	7
2 $\frac{3}{4}$	2	2.00	2.90	6.40	6	8
3	2 $\frac{1}{4}$	2.10	3.20	7.20	6	8
3 $\frac{1}{2}$	2 $\frac{1}{2}$	3.20	4.65	9.00	6	9
4	2 $\frac{3}{4}$	3.90	5.60	10.40	8	9

No. 802, 3 $\frac{1}{2}$ -inch and smaller, one dozen pairs in a box; 4-inch, one-half dozen.

Nos. 301 and 303, 3-inch and smaller, one dozen pairs in a box, with screws; 3 $\frac{1}{2}$ and 4-inch, one-half dozen.

For other finishes, see page 11.

WROUGHT STEEL WARDROBE HINGES

LOOSE JOINT. AMERICAN PATTERN


No. 837. BRIGHT STEEL

Size, length, inches	1¾	2	2½
Per dozen pairs	\$1.00	\$1.10	\$1.45

No. 837 C. BRASS-PLATED


Size, inches	1¾	2	2½
Per dozen pairs with screws	\$1.50	\$1.90	\$2.30

Width, open, 1⅞, 1½ and 1¾ inches.
One dozen pairs in a box.



Cut of No. 837 C, 2-inch

WITH BALL TIPS



Cut of No. 835 C

No. 835. BRIGHT STEEL

Size, length, inches	2½
Per dozen pairs	\$2.40

No. 835 C. BRASS-PLATED

Size, inches	2½
Per dozen pairs with screws	\$3.50

Width, open, 1¾ inches
One dozen pairs in a box.

WROUGHT STEEL WARDROBE HINGES

LOOSE JOINT



Cut of No. 835 1/2 C

No. 835 1/2. BRIGHT STEEL

Size, length, inches	2 1/2
Per dozen pairs	\$3.25

No. 835 1/2 C. BRASS-PLATED

Size, inches	2 1/2
Per dozen pairs with screws	\$4.50

Width, open, 2 1/4 inches.
One dozen pairs in a box.

GERMAN PATTERN

No. 837 1/2. BRIGHT STEEL


Size, length, inches	2 1/2
Per dozen pairs	\$2.45

One dozen pairs in a box.

No. 837 1/2 C. BRASS-PLATED

Size, inches	2 1/2
Per dozen pairs	\$3.15


One dozen pairs in a box.



Cut of No. 837 1/2 C

WROUGHT STEEL BROAD BUTTS

FAST JOINT



Cut of **No. 291**, $2\frac{1}{2} \times 2\frac{1}{2}$ -inch. Actual size

No. 808. BRIGHT STEEL

Size, Open Inches	Per Dozen Pairs	Screw Holes in Each Butt	Size of Screw Number	Dozen Pairs in a Case	Average Weight of Full Case Pounds
2 x 2	\$1.20	4	7	50	162
2 x 2½	1.25	4	7	50	204
2½ x 2½	1.60	6	8	50	255
2½ x 3	1.90	6	8	25	152
3 x 2½	2.05	6	9	25	168
3 x 3	2.40	6	9	25	194
3 x 3½	2.70	6	9	25	219
3½ x 3	3.20	6	10	25	258
3½ x 3½	3.50	6	10	20	235
3½ x 4	4.00	6	10	20	263
4 x 4	4.30	8	10	15	236
4½ x 4½	5.60	8	11	10	230
5 x 5	6.90	8	12	8	251
5½ x 5½	9.00	8	13	5	188
6 x 6	10.20	8	13	5	215

Prices continued on opposite page.

$3 \times 3\frac{1}{2}$ -inch and smaller, one dozen pairs in a box; $3\frac{1}{2} \times 3$ to $4\frac{1}{2} \times 4\frac{1}{2}$ -inch inclusive, one-half dozen; larger sizes, one-quarter dozen.

The $3\frac{1}{2} \times 3$ -inch and larger have five knuckles in the joint; the smaller sizes, three.

WROUGHT STEEL BROAD BUTTS

Continued from opposite page

Prices are per dozen pairs, and include plated screws to match

Size, Open Inches	No. 291 A Planished Light Bronze	291 D2 Planished Antique Copper	291 SD2 Sand Finish Antique Copper	291 F Planished Dull Brass	291 F2 or F4 Planished Antique Brass	291 SF2 or SF4 Sand Finish Antique Brass
2 x 2	\$1.70	\$2.05	\$2.40	\$2.05	\$2.05	\$2.40
2½ x 2½	2.80	2.65	3.00	2.65	2.65	3.00
3 x 2½	2.50	2.85	3.20	2.85	2.85	3.20
3 x 3	2.70	3.40	4.10	3.40	3.40	4.10
3½ x 3½	3.35	4.05	4.75	4.05	4.05	4.75
4 x 4	4.10	4.80	5.50	4.80	4.80	5.50
4½ x 4½	5.10	5.80	6.50	5.80	5.80	6.50
5 x 5	6.60	7.80	8.00	7.80	7.80	8.00
5½ x 5½	8.50	9.20	9.90	9.20	9.20	9.90
6 x 6	10.50	11.20	11.90	11.20	11.20	11.90


Size, Open Inches	No. 291 G Bower Barff	291 H Dead Black Electro-plate	291 N Planished Nickeled	291½ A Polished Light Bronze	291½ D2 Polished Antique Copper	291½ F Polished Dull Brass
2 x 2	\$4.00	\$2.60	\$3.00	\$3.50	\$3.85	\$3.85
2½ x 2½	5.00	3.20	3.70	4.55	4.90	4.90
3 x 2½	6.20	3.40	4.40	4.90	5.25	5.25
3 x 3	6.50	4.10	4.70	5.25	5.95	5.95
3½ x 3½	8.00	4.75	5.30	7.10	7.80	7.80
4 x 4	10.70	5.50	6.00	8.45	9.15	9.15
4½ x 4½	13.50	6.50	7.00	10.10	10.80	10.80
5 x 5	17.50	8.00	8.50	12.50	13.20	13.20
5½ x 5½	21.50	9.90	10.50	14.50	15.20	15.20
6 x 6	28.00	11.90	12.50	16.50	17.20	17.20

Size, Open Inches	No. 291½ F2 or F4 Polished Antique Brass	291½ N Polished Nickeled	747 J1 Dead Black Japanned	747 Japanned	1319 Galvanized with Brass Pins	Dozen Pairs in a Case	Average Weight of Full Case Pounds
2 x 2	\$3.85	\$4.85	\$1.40	\$0.95	\$2.00	25	92
2½ x 2½	4.90	5.80	1.90	1.20	2.80	25	154
3 x 2½	5.25	6.80	2.10	1.50	3.40	25	193
3 x 3	5.95	7.20	2.40	1.75	3.60	20	176
3½ x 3½	7.80	9.00	3.10	2.50	5.20	15	212
4 x 4	9.15	10.40	3.85	3.10	6.80	12	214
4½ x 4½	10.80	12.00	4.75	4.00	8.50
5 x 5	13.20	14.50	6.00	4.90	12.00
5½ x 5½	15.20	16.50	8.00	6.80	14.50
6 x 6	17.20	18.50	9.75	7.20	16.80

4½ x 4½-inch and smaller, one-half dozen pairs in a box, with screws; larger sizes, one quarter dozen.

For other finishes, see page 11.

WROUGHT STEEL NARROW BUTTS



Cut of 2-inch. Actual size

No. 800. BRIGHT STEEL

Size, Length Inches	Per Dozen Pairs	Width, Open Inches	Screw Holes in Each Butt	Size of Screws Number	Dozen Pairs in a Case	Average Weight of Full Case Pounds
1	\$0.40	1 $\frac{3}{8}$	4	5	100	68
1 $\frac{1}{4}$.50	1 $\frac{5}{8}$	4	6	100	105
1 $\frac{1}{2}$.65	1 $\frac{7}{8}$	4	6	100	133
1 $\frac{3}{4}$.80	1 $\frac{9}{8}$	4	6	100	187
2	.90	1 $\frac{11}{8}$	4	7	100	223
2 $\frac{1}{4}$	1.05	1 $\frac{3}{4}$	6	7	50	134
2 $\frac{1}{2}$	1.10	1 $\frac{7}{8}$	6	7	50	163
2 $\frac{3}{4}$	1.30	2	6	8	50	204
3	1.45	2 $\frac{1}{8}$	6	8	50	234
3 $\frac{1}{4}$	1.70	2 $\frac{3}{8}$	6	8	25	145
3 $\frac{1}{2}$	2.00	2 $\frac{1}{2}$	6	9	25	188
3 $\frac{3}{4}$	2.70	2 $\frac{5}{8}$	6	9	25	224
4	2.85	2 $\frac{7}{8}$	8	9	20	204
4 $\frac{1}{2}$	3.70	3	8	10	15	192
5	4.60	3 $\frac{1}{4}$	8	11	10	164
5 $\frac{1}{2}$	6.00	3 $\frac{3}{8}$	8	11	10	204
6	7.10	4 $\frac{1}{8}$	8	12	5	125
7	11.50	4 $\frac{3}{8}$	8	13	5	212
8	19.00	4 $\frac{7}{8}$	8	14	3	180

Prices continued on opposite page.

3 $\frac{3}{4}$ -inch and smaller, one dozen pairs in a box; 4, 4 $\frac{1}{2}$ and 5-inch, one-half dozen; larger sizes, one-quarter dozen.

The 2 $\frac{3}{4}$ -inch and larger have five knuckles in the joint; the smaller sizes, three.

WROUGHT STEEL NARROW BUTTS

Continued from opposite page

Prices are per dozen pairs, and include plated screws to match

Size, Inches	No. 280 A Planished Light Bronze	280 D2 Planished Antique Copper	280 SD2 Sand Finish Antique Copper	280 F Planished Dull Brass	280 F2 Planished Antique Brass	280 F4 Planished Antique Brass
1	\$0.70	\$1.00	\$1.30	\$1.00	\$1.00	\$1.00
1¼	.75	1.07	1.40	1.07	1.07	1.07
1½	.82	1.15	1.47	1.15	1.15	1.15
1¾	.90	1.22	1.55	1.22	1.22	1.22
2	1.05	1.37	1.70	1.37	1.37	1.37
2¼	1.25	1.57	1.90	1.57	1.57	1.57
2½	1.40	1.75	2.05	1.75	1.75	1.75
3	1.70	2.35	3.00	2.35	2.35	2.35
3½	2.20	2.85	3.50	2.85	2.85	2.85
4	3.00	3.65	4.30	3.65	3.65	3.65
4½	4.00	4.65	5.30	4.65	4.65	4.65
5	5.00	5.65	6.30	5.65	5.65	5.65

Size, Inches	No. 280 SF2 Sand Finish Antique Brass	280 SF4 Sand Finish Antique Brass	280 H Dead Black Electro-plate	280 N Planished Nickel	755 J1 Japanned Dead Black	755 Japanned
1	\$1.30	\$1.30	\$1.50	\$2.60	\$0.55	\$0.40
1¼	1.40	1.40	1.55	2.65	.60	.45
1½	1.47	1.47	1.62	2.75	.65	.55
1¾	1.55	1.55	1.70	2.80	.70	.65
2	1.70	1.70	1.85	2.95	.80	.70
2¼	1.90	1.90	2.05	3.15	1.00	.80
2½	2.05	2.05	2.20	3.30	1.10	.90
3	3.00	3.00	3.00	4.40	1.35	1.10
3½	3.50	3.50	3.50	4.90	1.60	1.40
4	4.30	4.30	4.30	5.70	2.35	2.00
4½	5.30	5.30	5.30	6.70	3.05	2.60
5	6.30	6.30	6.30	7.70	3.60	3.10

No. 1315. GALVANIZED, WITH BRASS PINS

Size, Inches	Per Dozen Pairs with Screws	Size, Inches	Per Dozen Pairs with Screws
1½	\$1.00	3½	\$3.70
1¾	1.25	4	5.00
2	1.40	4½	6.00
2½	1.90	5	7.70
3	2.50		

3-inch and smaller, one dozen pairs in a box, with screws; larger sizes, one-half dozen.
For other finishes, see page 11.

WROUGHT STEEL LIGHT NARROW BUTTS



Cut of **No. 284**, 2-inch. Actual size

No. 838. BRIGHT STEEL

Size, Length Inches	Bright Steel Per Dozen Pairs	Width, Open Inches	Screw Holes in Each Butt	Size of Screws Number	Dozen Pairs in a Case	Average Weight of Full Case Pounds
$\frac{3}{4}$	\$0.40	$1\frac{1}{8}$	4	2	100	24
1	.40	1	4	3	100	51
$1\frac{1}{4}$.50	$1\frac{1}{8}$	4	4	100	69
$1\frac{1}{2}$.65	$1\frac{7}{8}$	4	5	100	99
$1\frac{3}{4}$.80	$1\frac{7}{8}$	4	5	100	181
2	.90	$1\frac{9}{8}$	4	6	100	189
$2\frac{1}{4}$	1.05	$1\frac{1}{8}$	6	6	50	108
$2\frac{1}{2}$	1.10	$1\frac{1}{8}$	6	6	50	127
$2\frac{3}{4}$	1.30	$1\frac{3}{8}$	6	7	50	176
3	1.45	2	6	7	50	204
$3\frac{1}{4}$	1.70	$2\frac{1}{8}$	6	8	50	248
$3\frac{1}{2}$	2.00	$2\frac{1}{4}$	6	8	25	152
$3\frac{3}{4}$	2.70	$2\frac{1}{2}$	6	8	25	180
4	2.85	$2\frac{3}{8}$	8	9	20	182
$4\frac{1}{2}$	3.70	3	8	10	20	227
5	4.60	$3\frac{3}{8}$	8	10	15	210
$5\frac{1}{2}$	6.00	$3\frac{1}{8}$	8	10	10	178
6	7.10	$3\frac{1}{8}$	8	11	10	226

Prices continued on opposite page.

$3\frac{3}{4}$ -inch and smaller, one dozen pairs in a box; 4, $4\frac{1}{2}$ and 5-inch, one-half dozen; $5\frac{1}{2}$ and 6-inch, one-quarter dozen.

The $2\frac{1}{2}$ -inch and larger have five knuckles in the joint; the smaller sizes, three.

T H E S T A N L E Y W O R K S

WROUGHT STEEL LIGHT NARROW BUTTS

Continued from opposite page

Prices are per dozen pairs, and include screws to match

Size, Inches	No. 284 A Planished Light Bronze	284 D2 Planished Antique Copper	284 SD2 Sand Finish Antique Copper	284 F Planished Dull Brass	284 F2 or F4 Planished Antique Brass
$\frac{3}{4}$	\$0.50	\$0.82	\$1.15	\$0.82	\$0.82
1	.65	.97	1.30	.97	.97
$1\frac{1}{4}$.70	1.02	1.35	1.02	1.02
$1\frac{1}{2}$.75	1.07	1.40	1.07	1.07
$1\frac{3}{4}$.83	1.15	1.50	1.15	1.15
2	.92	1.25	1.60	1.25	1.25
$2\frac{1}{4}$	1.03	1.35	1.70	1.35	1.35
$2\frac{1}{2}$	1.13	1.45	1.80	1.45	1.45
$2\frac{3}{4}$	1.20	1.55	1.90	1.55	1.55
3	1.25	1.65	2.50	1.65	1.65
$3\frac{1}{4}$	1.60	2.25	2.90	2.25	2.25
$3\frac{1}{2}$	1.90	2.55	3.20	2.55	2.55
$3\frac{3}{4}$	2.25	2.90	3.55	2.90	2.90
4	2.50	3.15	3.80	3.15	3.15
$4\frac{1}{2}$	3.35	4.00	4.65	4.00	4.00
5	4.20	4.85	5.50	4.85	4.85

Size, Inches	No. 284 SF2 or SF4 Sand Finish Antique Brass	284 H Dead Black Electro-plate	284 N Planished Nickel	752 J1 Dead Black Japanned	752 Japanned
$\frac{3}{4}$	\$1.15	\$1.30	\$2.40	\$0.45	\$0.85
1	1.30	1.45	2.55	.60	.40
$1\frac{1}{4}$	1.35	1.50	2.60	.65	.45
$1\frac{1}{2}$	1.40	1.55	2.65	.70	.50
$1\frac{3}{4}$	1.50	1.63	2.75	.75	.55
2	1.60	1.72	2.85	.85	.65
$2\frac{1}{4}$	1.70	1.83	2.95	.95	.80
$2\frac{1}{2}$	1.80	1.95	3.05	1.00	.90
$2\frac{3}{4}$	1.90	2.00	3.10	1.05	.95
3	2.50	2.55	3.95	1.15	1.05
$3\frac{1}{4}$	2.90	2.90	4.80	1.50	1.25
$3\frac{1}{2}$	3.20	3.20	4.60	1.75	1.40
$3\frac{3}{4}$	3.55	3.55	4.95	2.00	1.75
4	3.80	3.80	5.20	2.25	2.00
$4\frac{1}{2}$	4.65	4.65	6.05	3.00	2.50
5	5.50	5.50	6.90	3.75	3.20

No. 284 G. BOWER BARFF

Size, inches . . .	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Price	\$2.70	\$3.40	\$3.95	\$5.20	\$7.00

No. 1317. GALVANIZED, WITH BRASS PINS

Size, inches	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Price	\$0.90	\$1.30	\$1.50	\$1.70	\$2.30	\$3.50	\$4.80

8-inch and smaller, one dozen pairs in a box, with screws; larger sizes, one-half dozen.
For other finishes, see page 11.


WROUGHT STEEL LIGHT NARROW BUTTS
BEVELED EDGE



Cut of 2-inch. Actual size

Size, Length Inches	No. 284 $\frac{1}{4}$ A Planished Light Bronze Per Dozen Pairs with Screws	284 $\frac{1}{4}$ D2 Planished Antique Copper Per Dozen Pairs with Screws	284 $\frac{1}{4}$ SD2 Sand Finish Antique Copper Per Dozen Pairs with Screws	284 $\frac{1}{4}$ F Planished Dull Brass Per Dozen Pairs with Screws	283 $\frac{1}{4}$ A Polished Light Bronze Per Dozen Pairs with Screws
2	\$1.25	\$1.60	\$1.95	\$1.60	\$3.35
2 $\frac{1}{4}$	1.35	1.70	2.05	1.70	3.75
2 $\frac{1}{2}$	1.50	1.85	2.20	1.85	4.10

WROUGHT STEEL LOOSE PIN LIGHT NARROW BUTTS
BEVELED EDGE




Cut of 2 $\frac{1}{4}$ -inch. Actual size

Number	Description	Size, Inches	Per Dozen Pairs
286 $\frac{1}{4}$	Planished and bronzed, with screws	2	\$1.60
		2 $\frac{1}{4}$	1.75
		2 $\frac{1}{2}$	1.90

All, one dozen pairs in a box, with screws.

WROUGHT STEEL TABLE HINGES
FLUSH RIVETED




Cut of $1\frac{1}{4}$ -inch

No. 810. BRIGHT STEEL

Size, Length Inches	Per Dozen Pairs	Width, Open Inches	Size of Screw, Six Screw Holes in Each Hinge	Dozen Pairs in a Case	Average Weight of Full Case Pounds
$\frac{3}{4}$	\$0.70	$2\frac{1}{8}$	6	100	138
1	.75	$2\frac{3}{8}$	6	100	157
$1\frac{1}{8}$.80	$2\frac{3}{4}$	7	100	171
$1\frac{1}{4}$.90	$2\frac{7}{8}$	7	100	205
$1\frac{3}{8}$	1.00	$2\frac{1}{2}$	7	100	227
$1\frac{1}{2}$	1.05	$3\frac{1}{8}$	8	50	135
$1\frac{5}{8}$	1.20	$3\frac{1}{8}$	8	50	151
$1\frac{3}{4}$	1.30	$3\frac{1}{8}$	9	50	162
2	1.40	$3\frac{1}{4}$	9	50	231

One dozen pairs in a box.

WROUGHT STEEL LOOSE PIN LIGHT INSIDE BLIND BUTTS




Cut of $1\frac{1}{4}$ inch

Size, Length Inches	No. 844 Bright Steel Per Dozen Pairs	335 A Planished Light Bronze, Per Dozen Pairs with Screws	335 D2 Planished Antique Copper, Per Dozen Pairs with Screws	Width, Open Inches
$1\frac{1}{4}$	\$0.90	\$1.00	\$1.35	$1\frac{3}{4}$
$1\frac{1}{2}$.95	1.05	1.40	$1\frac{7}{8}$
$1\frac{3}{8}$	1.00	1.10	1.45	2
$1\frac{1}{2}$	1.05	1.15	1.50	$2\frac{1}{8}$

One dozen pairs in a box.

WROUGHT STEEL LIGHT INSIDE BLIND BUTTS



Cut of 1¼-inch


Size Length of Joint Inches	No. 842 Bright Steel Per Dozen Pairs	332 A Planished Light Bronze Per Doz. Pairs with Screws	332 D2 Planished Antique Copper Per Doz. Pairs with Screws	332 SD2 Sand Finish Antique Copper Per Doz. Pairs with Screws	332 F Dull Brass Per Dozen Pairs with Screws	332 F2 or F4 Planished Antique Brass Per Doz. Pairs with Screws	332 SF2 or SF4 Sand Finish Antique Brass Per Doz. Pairs with Screws
¾	\$0.55	\$0.70	\$1.00	\$1.85	\$1.00	\$1.00	\$1.85
1	.60	.75	1.05	1.40	1.05	1.05	1.40
1¼	.65	.80	1.10	1.45	1.10	1.10	1.45
1½	.70	.84	1.15	1.50	1.15	1.15	1.50
1¾	.75	.90	1.25	1.55	1.25	1.25	1.55
2	.80	.95	1.30	1.60	1.30	1.30	1.60
2½	.95	1.05	1.40	1.70	1.40	1.40	1.70
3	1.20	1.30	1.65	1.95	1.65	1.65	1.95
3½	1.60	1.75	2.10	2.40	2.10	2.10	2.40
4	2.00	2.25	2.60	2.90	2.60	2.60	2.90

Size Length of Joint Inches	No. 332 G Bower Barff Per Doz. Pairs with Screws	332 H Dead Black Electro-plate Per Doz. Pairs with Screws	332 N Planished Nicked Per Doz. Pairs with Screws	Width, Open Inches	Size of Screws Number	Dozen Pairs in a Case No. 842	Average Weight of Full Case No. 842 Pounds
¾	\$2.15	\$1.60	\$2.20	1½	4	100	61
1	2.25	1.65	2.25	1¾	4	100	71
1¼	2.30	1.70	2.30	2	5	100	92
1½	2.65	1.75	2.35	2½	5	100	111
1¾	2.90	1.80	2.40	3	5	100	138
2	3.05	1.85	2.50	3½	5	100	155
2½	3.35	1.95	2.60	4	5	100	218
3	3.75	2.20	3.00	4½	6	50	148
3½	4.25	2.65	3.40	5	6	50	176
4	5.00	3.15	3.80	5½	7	50	283

Six screw holes in each butt.
One dozen pairs in a box.
For other finishes, see page 11.

WROUGHT STEEL LIGHT INSIDE BLIND BUTTS

BEVELED EDGE



Cut of $1\frac{1}{4}$ -inch. Actual size

Size Length of Joint Inches	No. 843 Bright Steel Per Dozen Pairs	333 A Planished Light Bronze Per Dozen Pairs with Screws	333 D2 Planished Antique Copper Per Dozen Pairs with Screws	333 SD2 Sand Finish Antique Copper Per Dozen Pairs with Screws	333 F Planished Dull Brass Per Dozen Pairs with Screws	333 F2 Planished Antique Brass Per Dozen Pairs with Screws
1	\$1.00	\$1.00	\$1.30	\$1.65	\$1.30	\$1.30
$1\frac{1}{8}$	1.10	1.05	1.35	1.70	1.35	1.35
$1\frac{1}{4}$	1.20	1.10	1.40	1.75	1.40	1.40
$1\frac{3}{8}$	1.30	1.20	1.50	1.85	1.50	1.50
$1\frac{1}{2}$	1.55	1.30	1.60	1.95	1.60	1.60
$1\frac{3}{4}$	1.70	1.40	1.70	2.05	1.70	1.70

Size Length of Joint Inches	No. 333 F4 Planished Antique Brass Per Dozen Pairs with Screws	333 SF2 Sand Finish Antique Brass Per Dozen Pairs with Screws	333 SF4 Sand Finish Antique Brass Per Dozen Pairs with Screws	333 H Dead Black Electro-plate Per Dozen Pairs with Screws	333 N Planished Nickel Per Dozen Pairs with Screws	333 $\frac{1}{2}$ A Polished Light Bronze Per Dozen Pairs with Screws
1	\$1.30	\$1.65	\$1.65	\$1.90	\$2.50	\$2.90
$1\frac{1}{8}$	1.35	1.70	1.70	1.95	2.55	3.05
$1\frac{1}{4}$	1.40	1.75	1.75	2.00	2.60	3.20
$1\frac{3}{8}$	1.50	1.85	1.85	2.10	2.70	3.40
$1\frac{1}{2}$	1.60	1.95	1.95	2.20	2.85	3.60
$1\frac{3}{4}$	1.70	2.05	2.05	2.30	3.00	3.85

Six screw holes in each butt.

Width open, and sizes of screws, same as No. 842 on opposite page.

One dozen pairs in a box; 100 dozen in a case.

For other finishes, see page 11.

WROUGHT STEEL BACK FLAPS



Cut of $1\frac{1}{4}$ -inch. Actual size

Size, Length of Joint Inches	No. 814 Bright Steel Per Dozen Pairs	1311 Galvanized Brass Pins Per Dozen Pairs with Screws	Width, Open Inches	Screw Holes in Each Hinge	Size of Screw Number	Dozen Pairs in a Case	Average Weight of Full Case, Pounds
$\frac{3}{4}$	\$0.70	\$1.50	$2\frac{3}{4}$	4	6	100	181
$\frac{7}{8}$.75	1.60	$2\frac{1}{2}$	6	6	100	149
1	.80	1.80	$2\frac{7}{8}$	6	6	100	171
$1\frac{1}{8}$.90	2.00	3	6	6	100	196
$1\frac{1}{4}$	1.00	2.20	$3\frac{3}{16}$	6	7	100	237
$1\frac{3}{8}$	1.10	2.50	$3\frac{3}{16}$	6	7	100	261
$1\frac{1}{2}$	1.20	2.70	$3\frac{7}{16}$	6	8	50	149
$1\frac{5}{8}$	1.30	3.00	$3\frac{7}{8}$	6	8	25	95
$1\frac{3}{4}$	1.45	3.20	4	6	8	50	205
2	1.70	3.75	$4\frac{3}{8}$	6	8	50	256
$2\frac{1}{4}$	2.35	5.70	$5\frac{3}{16}$	6	9	25	206
$2\frac{1}{2}$	3.40	8.00	$5\frac{7}{8}$	6	10	20	258
$2\frac{3}{4}$	3.90	9.20	$6\frac{1}{4}$	6	11	15	227
3	4.30	10.50	$6\frac{3}{4}$	8	11	12	234


$1\frac{1}{4}$ -inch and smaller, one dozen pairs in a box; 2-inch, one-half dozen; larger sizes, one-quarter dozen.

No. 814 $\frac{1}{2}$. BRIGHT STEEL

Same as No. 814 above, except that they are flat on the back, i. e., not swaged.

Same sizes and prices as No. 814.

WROUGHT STEEL SQUARE BACK FLAPS



Cut of 1¼-inch
Actual size

Size, Length of Joint Inches	No. 816 Bright Steel Per Dozen Pairs	1313 Galvanized Brass Pins Per Dozen Pairs with Screws	Width, Open Inches	Screw Holes in Each Hinge	Size of Screw Number	Dozen Pairs in a Case	Average Weight of Full Case Pounds
1	\$0.75	\$1.60	2	6	6	100	127
1½	.80	1.75	2¼	6	6	100	152
1¾	.90	2.00	2⅝	6	7	100	174
1¾	1.00	2.25	2⅞	6	7	100	219
1½	1.05	2.50	2¾	6	8	100	237
1¾	1.20	2.75	3	6	8	50	160
1¾	1.30	3.00	3⅛	6	8	50	175
2	1.40	3.50	3½	6	8	50	220
2¼	2.10	5.00	4¼	6	9	25	168
2½	3.00	7.00	4½	6	10	25	260
2¾	3.60	8.50	5¼	6	11	15	195
3	4.00	9.80	5½	8	11	15	224

1¼-inch and smaller, one dozen pairs in a box; 2-inch, one-half dozen; larger sizes, one-quarter dozen.

No. 816½. BRIGHT STEEL

Same as No. 816 above, except that they are flat on the back, i. e., not swaged.
Same sizes and prices as No. 816 above.

WROUGHT STEEL BACK FLAPS WITH BENT LOOSE PINS


No. 813

BRIGHT STEEL

Size Inches	Per Dozen Pairs
1¼	\$1.25
1½	1.45
1¾	1.75
2	2.00

Width, open, size of
screws, etc., same as No.
814 on opposite page.

Cut of 1¼-inch
Actual size



WROUGHT STEEL CHEST HINGES



Cut of 1½-inch

No. 820. BRIGHT STEEL

Size Length of Joint Inches	Width of Offset from Joint to Bend Inches	Per Dozen Pairs	Screw Holes in Each Hinge	Size of Screw Number
1½	½	\$1.35	7	7
1½	⅝	1.35	7	7
1½	¾	1.35	8	7
1½	⅞	1.35	8	7
2	½	1.90	7	8
2	⅝	1.90	7	8
2	¾	1.90	8	8
2	⅞	1.90	8	8

One dozen pairs in a box. In ordering, state size and offset wanted.

WROUGHT STEEL PEW DOOR HINGES



Cut of 1½-inch


No. 818. BRIGHT STEEL

Size, Length of Joint Inches	Per Dozen Pairs	Width, Open, Inches	Screw Holes in Each Hinge	Size of Screw Number
1½	\$1.20	3½	6	8
2	1.70	4¾	6	9

The 1½-inch, one dozen pairs in a box; 2-inch, one-half dozen.

WROUGHT STEEL PARLIAMENT BUTTS

WITH LOOSE PINS AND BALL TIPS



Cut of 4-inch. Actual size


Size Width, Open Inches	No. 260 A Planished Light Bronze Per Dozen Pairs with Screws	260 D2 Planished Antique Copper, Per Dozen Pairs with Screws	260 F Planished Dull Brass Per Dozen Pairs with Screws	260 SF2 Sand Finish Antique Brass Per Dozen Pairs with Screws	260 H Dead Black Electro-plate Per Dozen Pairs with Screws	260 J Japanned Per Dozen Pairs with Screws	828 Bright Steel Per Dozen Pairs
3½	\$4.85	\$4.85	\$4.85	\$5.30	\$5.30	\$3.50	\$2.90
4	5.30	5.30	5.30	5.80	5.80	3.75	3.15
4½	5.80	5.80	5.80	6.50	6.50	4.80	3.60
5	6.50	6.50	6.50	7.25	7.25	4.90	4.25
6	8.00	8.00	8.00	8.75	8.75	5.60	4.75

For other dimensions, size of screws, etc., see No. 830, page 71.

3½ and 4-inch packed one dozen pairs in a box; larger sizes, one-half dozen.

For other finishes, see page 11.

WROUGHT STEEL PARLIAMENT BUTTS WITH BALL TIPS



Cut of 4-inch. Actual size

Size Width, Open Inches	No. 257 A Planished Light Bronze Per Dozen Pairs with Screws	257 D2 Planished Antique Copper Per Dozen Pairs with Screws	257 F Planished Dull Brass Per Dozen Pairs with Screws	257 F2 or F4 Planished Antique Brass Per Dozen Pairs with Screws	739 J1 Japanned Dead Black Per Dozen Pairs with Screws	739 Japanned Per Dozen Pairs with Screws
2½	\$7.50	\$8.00	\$8.00	\$8.00	\$6.75	\$4.80
3	7.80	8.80	8.80	8.80	7.00	5.30
3½	8.10	9.10	9.10	9.10	7.30	6.00
4	8.50	9.50	9.50	9.50	7.65	6.50
4½	9.50	10.50	10.50	10.50	8.55	7.50
5	10.50	11.50	11.50	11.50	9.45	8.00
5½	11.50	12.50	12.50	12.50	10.85	8.80
6	12.50	13.50	13.50	13.50	11.25	9.60
7	14.00	15.50	15.50	15.50	12.60	10.80
8	15.00	16.50	16.50	16.50	14.00	12.50

No. 829. BRIGHT STEEL

Size Width Open Inches	Per Dozen Pairs	Size Width Open Inches	Per Dozen Pairs	Size Width Open Inches	Per Dozen Pairs	Size Width Open Inches	Per Dozen Pairs	Size Width Open Inches	Per Dozen Pairs
2½	\$8.50	4	\$5.00	5½	\$6.90	8	\$10.50	11	\$15.00
3	4.00	4½	5.60	6	7.40	9	12.50	12	16.70
3½	4.50	5	6.20	7	8.90	10	13.60		

For other dimensions, numbers and sizes of screws, etc., see No. 830 on opposite page.

4-inch and smaller, one dozen pairs in a box; larger sizes, one-half dozen.

These butts can also be had with steeple tips in the same finishes and at the same prices as above.

For other finishes, see page 11.

WROUGHT STEEL PARLIAMENT BUTTS



Cut of 4-inch. Actual size

Width Open Inches	No. 830 Bright Steel Per Dozen Pairs	268 A Planished and Bronzed Per Dozen Pairs with Screws	746 Japanned Per Dozen Pairs with Screws	1333 Galvanized with Brass Pins, Per Dozen Pairs with Screws	Size of Screw Number	Width Between Flanges Inches	Length of Joint Inches	Length of Sides Inches
2½	\$1.70	\$6.20	\$2.90	\$5.60	8	1¼	1½	2¾
3	2.00	6.80	3.30	6.10	8	1½	1½	2¾
3½	2.20	7.60	3.50	6.75	9	2	1¾	2¾
4	2.50	8.10	3.90	7.30	9	2½	1¾	2¾
4½	3.10	8.80	4.60	7.90	9	2½	1¾	2¾
5	3.40	9.70	5.00	8.75	9	3½	1¾	2¾
5½	4.00	10.60	5.60	9.60	9	3½	1¾	2¾
6	4.80	11.60	6.00	10.50	10	4½	2	2½
7	5.60	13.50	7.30	12.15	10	4½	2¼	3½
8	7.10	15.00	8.90	13.50	11	5½	2¼	3½
9	8.70		10.50	15.00	12	6½	2¼	3½
10	9.80		11.10	16.00	12	7½	2½	3½
11	10.50		12.50	18.00	12	8½	2½	3½
12	12.50		14.50	21.00	13	8½	2½	3½


10, 11 and 12-inch have eight screw holes in each butt; other sizes, six.

No. 880, 5-inch and smaller, packed one dozen pairs in a box; larger sizes, one-half dozen.

Other numbers, 4-inch and smaller, one dozen pairs in a box, with screws; larger sizes, one-half dozen.

For other finishes, see page 11.


WROUGHT STEEL LIGHT PARLIAMENT BUTTS



Cut of 2½-inch. Actual size

Size Width, Open Inches	No. 832 Bright Steel Per Dozen Pairs	273 A Polished Bronzed Per Dozen Pairs with Screws	274 A Planished Bronzed Per Dozen Pairs with Screws	Size of Screw Number	Width Between Flanges Inches	Length of Joint Inches	Length of Sides Inches
2½	\$1.60	\$9.00	\$5.90	6	1½	1	1½
3	1.90	9.80	6.50	6	2	1	1½
3½	2.10	10.60	7.10	6	2¼	1½	1½
4	2.40	12.00	7.75	7	2¾	1½	1½

WROUGHT STEEL LOOSE PIN LIGHT PARLIAMENT BUTTS



Cut of 2½-inch. Actual size

Number	Description	Width, Open Inches	Per Dozen Pairs
833	Bright Steel	2½ 3	\$2.00 2.80
275 A	Planished and Bronzed, with screws	2½ 3	6.40 7.00


Six screw holes in each butt. All, one dozen pairs in a box.
For other finishes, see page 11.

T H E S T A N L E Y W O R K S

EXTRA HEAVY WROUGHT SHUTTER BUTTS

WITHOUT HOLES

FOR IRON SHUTTERS, GATES, JAIL WORK, ETC.




Cut of $3\frac{1}{2} \times 3\frac{1}{2}$ -inch. Actual size

No. 850. PLAIN STEEL

Size, Open, Inches	Per Dozen Pairs	Size, Open, Inches	Per Dozen Pairs	Size, Open, Inches	Per Dozen Pairs
2 x 2	\$1.80	$3\frac{1}{2} \times 3\frac{1}{2}$	\$6.00	4 x 4	\$8.00
$2\frac{1}{2} \times 2\frac{1}{2}$	3.00	$3\frac{1}{2} \times 4$	6.50	4 x 5	9.50
3 x 3	4.00	$3\frac{1}{2} \times 5$	7.00	$4\frac{1}{2} \times 4\frac{1}{2}$	10.00
3 x $3\frac{1}{2}$	4.50	4 x 3	7.00	5 x 5	15.00
$3\frac{1}{2} \times 3$	5.50	4 x $3\frac{1}{2}$	7.50		

WROUGHT ORNAMENTAL HINGES, CORRUGATED

IN BRASS OR STEEL



Cut actual size

Length of joint, $1\frac{3}{4}$ inches : extreme width when open, $4\frac{7}{8}$ inches

Number	Description	Per Dozen Pairs with Screws
1403	Wrought brass, dipped	\$5.60
1404	Wrought brass, polished	6.00
1404 D2	Wrought brass, antique copper	7.00
1404 N	Wrought brass, polished, nickel-plated	7.50
1405 A	Wrought steel, polished, bronzed	4.50
1405 D2	Wrought steel, polished antique copper	5.00
1405 N	Wrought steel, polished, nickel-plated	5.50
1406 A	Wrought steel, planished, bronzed	3.50

One-half dozen pairs in a box, with oval head screws. The brass hinges with brass screws, the steel hinges with plated iron screws.


The corrugations about the joint greatly increase the strength of the hinges.

Brass screws to match finish are now furnished with all brass hinges.

T H E S T A N L E Y W O R K S

WROUGHT ORNAMENTAL HINGES, CORRUGATED

$\frac{3}{8}$ -INCH OFFSET IN SHORT LEAF, FOR REFRIGERATORS



Cut actual size

Length of joint, $1\frac{3}{4}$ inches; extreme width when open, $4\frac{5}{8}$ inches


Number	Description	Per Dozen Pairs with Screws
1407	Wrought brass, dipped	\$5.80
1408	Wrought brass, polished	6.20
1408 D2	Wrought brass, antique copper	7.20
1408 N	Wrought brass, nickel-plated	7.70
1409 A	Wrought steel, polished, bronzed	4.70
1409 D2	Wrought steel, polished antique copper	5.20
1409 N	Wrought steel, polished, nickel-plated	5.70
1410 A	Wrought steel, planished, bronzed	3.70

The wrought brass hinges have steel washers in the joints and hardened brass pins to prevent any possible wear.

One-half dozen pairs in a box, with oval head screws. The brass hinges with brass screws, the steel hinges with plated iron screws.

The corrugations about the joint greatly increase the strength of the hinges.

WROUGHT ORNAMENTAL HINGES, CORRUGATED



Cut actual size


Length of joint, $1\frac{3}{4}$ inches;
extreme width when open,
 $5\frac{7}{8}$ inches.

Number	Wrought Brass	Per Dozen Pairs with Screws	Number	Wrought Steel	Per Dozen Pairs with Screws
1411	Dipped	\$6.00	1413 A	Polished, bronzed . . .	\$4.70
1412	Polished	6.50	1413 D2	Polished, antique copper .	5.20
1412 D2	Antique copper	7.50	1413 N	Polished, nickel-plated .	5.70
1412 N	Nickel-plated	8.00	1414 A	Planished, bronzed . . .	3.70

One-half dozen pairs in a box, with oval head screws. The brass hinges with brass screws; the steel hinges with plated iron screws.

The corrugations about the joint greatly increase the strength of the hinges.

WROUGHT ORNAMENTAL HINGES, CORRUGATED




Cut actual size

Length of joint, $1\frac{3}{4}$ inches; extreme width when open, $3\frac{7}{8}$ inches

Number	Description	Per Dozen Pairs with Screws
1415	Wrought brass, dipped	\$5.80
1416	Wrought brass, polished	6.20
1416 D2	Wrought brass, antique copper	7.20
1416 N	Wrought brass, nickel-plated	7.70
1417 A	Wrought steel, polished, bronzed	4.70
1417 D2	Wrought steel, polished, antique copper	5.20
1417 N	Wrought steel, polished, nickel-plated	5.70
1418 A	Wrought steel, planished, bronzed	3.70

One-half dozen pairs in a box, with oval head screws. The brass hinges with brass screws; the steel hinges with plated iron screws. The corrugations about the joint greatly increase the strength of the hinges.

WROUGHT ORNAMENTAL HINGES




Cut of $2\frac{1}{2} \times 2\frac{1}{2}$ -inch. Actual size

Number	Description	Size, Open Inches	Per Dozen Pairs with Screws
1420 A	Wrought steel, planished and bronzed . . .	$1\frac{3}{4} \times 1\frac{3}{4}$	\$2.00
		$2\frac{1}{2} \times 2\frac{1}{2}$	2.20
		3 x 3	2.80
1420 D2	Wrought steel, planished antique copper . . .	$1\frac{3}{4} \times 1\frac{3}{4}$	2.35
		$2\frac{1}{2} \times 2\frac{1}{2}$	2.55
		3 x 3	3.20
1421 A	Wrought steel, polished and bronzed . . .	$1\frac{3}{4} \times 1\frac{3}{4}$	3.00
		$2\frac{1}{2} \times 2\frac{1}{2}$	4.00
		3 x 3	4.75
1421 N	Wrought steel, polished, nickel-plated . . .	$1\frac{3}{4} \times 1\frac{3}{4}$	4.00
		$2\frac{1}{2} \times 2\frac{1}{2}$	5.20
		3 x 3	6.00
1421 $\frac{1}{4}$	Wrought brass, polished, with brass screws . . .	$1\frac{3}{4} \times 1\frac{3}{4}$	3.50
		$2\frac{1}{2} \times 2\frac{1}{2}$	5.00
		3 x 3	6.50
1421 $\frac{1}{2}$	Wrought brass, dipped, with brass screws . . .	$1\frac{3}{4} \times 1\frac{3}{4}$	2.70
		$2\frac{1}{2} \times 2\frac{1}{2}$	4.50
		3 x 3	6.00

One dozen pairs in a box, with screws.

WROUGHT ORNAMENTAL HINGES

WITH $\frac{3}{8}$ -INCH OFFSET, FOR REFRIGERATORS




Cut of $2\frac{1}{2}$ x $2\frac{1}{2}$ -inch. Actual size

Number	Description	Size, Open Inches	Per Dozen Pairs with Screws
1422 A	Wrought steel, planished and bronzed . . .	$1\frac{3}{4}$ x $1\frac{3}{4}$	\$2.10
		$2\frac{1}{2}$ x $2\frac{1}{2}$	2.30
		3 x 3	3.00
1422 D2	Wrought steel, planished antique copper . . .	$1\frac{3}{4}$ x $1\frac{3}{4}$	2.45
		$2\frac{1}{2}$ x $2\frac{1}{2}$	2.65
		3 x 3	3.40
1423 A	Wrought steel, polished and bronzed . . .	$1\frac{3}{4}$ x $1\frac{3}{4}$	3.40
		$2\frac{1}{2}$ x $2\frac{1}{2}$	4.40
		3 x 3	5.20
1423 N	Wrought steel, polished, nickel-plated . . .	$1\frac{3}{4}$ x $1\frac{3}{4}$	4.40
		$2\frac{1}{2}$ x $2\frac{1}{2}$	5.60
		3 x 3	6.50
1423$\frac{1}{2}$	Wrought brass, polished, with brass screws . . .	$1\frac{3}{4}$ x $1\frac{3}{4}$	3.75
		$2\frac{1}{2}$ x $2\frac{1}{2}$	5.70
		3 x 3	7.20
1423$\frac{3}{4}$	Wrought brass, dipped, with brass screws . . .	$1\frac{3}{4}$ x $1\frac{3}{4}$	2.90
		$2\frac{1}{2}$ x $2\frac{1}{2}$	5.20
		3 x 3	6.70

One dozen pairs in a box, with screws.

WROUGHT STEEL REFRIGERATOR HINGES




Cut about two-thirds size

Length of long strap, $4\frac{5}{8}$ inches; width of short end, $2\frac{7}{8}$ inches; width at joint, $1\frac{3}{4}$ inches

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1424 A	Planished and bronzed . .	\$4.40	1424 ½ A	Polished and bronzed . .	\$6.60
1424 C	Planished and brass-plated .	4.40	1424 ½ C	Polished and brass plated .	6.60
1424 D2	Planished antique copper .	5.00	1424 ½ D2	Polished antique copper .	7.20
1424 N	Planished, nickel-plated .	6.00	1424 ½ N	Polished, nickel-plated .	8.20

One-half dozen pairs in a box, with screws.

WITH $\frac{3}{8}$ -INCH OFFSET




Cut about two-thirds size

Length of long strap, $4\frac{5}{8}$ inches; width of short end, $2\frac{7}{8}$ inches; width at joint, $1\frac{3}{4}$ inches

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1425 A	Planished and bronzed . .	\$4.70	1425 ½ A	Polished and bronzed . .	\$6.90
1425 C	Planished and brass plated .	4.70	1425 ½ C	Polished and brass-plated .	6.90
1425 D2	Planished antique copper .	5.30	1425 ½ D2	Polished antique copper .	7.50
1425 N	Planished, nickel-plated .	6.30	1425 ½ N	Polished, nickel-plated .	8.50

One-half dozen pairs in a box, with screws.

WROUGHT STEEL REFRIGERATOR HINGES




Cut half size

Length of long strap, 7 inches; width of short end, 4 inches; length of joint, 2 inches

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1460 A	Planished and bronzed . .	\$10.50	1461 A	Polished and bronzed . .	\$16.00
1460 C	Planished and brass-plated .	10.50	1461 C	Polished and brass-plated .	16.00
1460 D2	Planished antique copper .	11.00	1461 D2	Polished antique copper .	16.50
1460 N	Planished, nickel-plated .	11.50	1461 N	Polished, nickel-plated .	17.50

WITH 3/4-INCH OFFSET




Cut half size

Length of long strap, 7 inches; width of short end, 4 inches; length of joint, 2 inches

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1462 A	Planished and bronzed . .	\$11.00	1463 A	Polished and bronzed . .	\$16.50
1462 C	Planished and brass-plated .	11.00	1463 C	Polished and brass-plated .	16.50
1462 D2	Planished antique copper .	11.50	1463 D2	Polished antique copper .	17.00
1462 N	Planished, nickel-plated .	12.00	1463 N	Polished, nickel-plated .	18.00

All, one-half dozen pairs in a box, with screws.

WROUGHT STEEL REFRIGERATOR HINGES




Cut half size

Length of long strap, $5\frac{1}{4}$ inches; width of short end, 4 inches; length of joint, $3\frac{1}{4}$ inches

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1465 A	Planished and bronzed	\$9.50	1466 A	Polished and bronzed	\$14.00
1465 C	Planished and brass-plated	9.50	1466 C	Polished and brass-plated	14.00
1465 D2	Planished antique copper	10.00	1466 D2	Polished antique copper	14.50
1465 N	Planished, nickel-plated	10.50	1466 N	Polished, nickel-plated	15.00

One-quarter dozen pairs in a box, with screws.

WROUGHT STEEL ORNAMENTAL HINGES PLANISHED AND BRONZED



No. 1400 A

Cut of 4-inch. Actual size


Size (Length of Ornamental Strap), Inches	Length of Joint, Inches	Per Dozen Pairs, with Screws
4	$1\frac{3}{4}$	\$3.00
$4\frac{3}{4}$	$1\frac{3}{4}$	3.30

One dozen pairs in a box, with round head screws.

T H E S T A N L E Y W O R K S

HEAVY WROUGHT STEEL GARAGE HINGES

WITH BALL-BEARING WASHERS



Cut of **No. 1457**, about half size

Number	Finish	Per Pair with Screws
1457	Plain Steel, without screws	\$3.70
1457 C	Brass-plated, with screws	5.00
1457 D2	Antique copper, with screws	5.00
1457 J	Japanned, with screws	4.20
1457 J1	Japanned, dead black, with screws	4.70
1457 Z	Stanley Sherardized, with screws	5.50

Length of strap, 10 inches; width of T, $2\frac{3}{4}$ inches; length of joint, 7 inches; width of strap at joint, 3 inches.

One pair in a package.


These hinges are designed particularly for garage or other heavy doors. The T leaf is fastened on the inside of the casing, and the strap to the surface of the door. The ball-bearing washers permit the doors to swing smoothly and easily without friction.

Also made with 24-inch strap; prices on application.

T H E S T A N L E Y W O R K S

HEAVY WROUGHT STEEL REFRIGERATOR HINGES

WITH BRASS PINS AND STEEL WASHERS




Cut of No. 1341, 8-inch. About half size

Size (Length of Strap) Inches	No. 1455 J1 Dead Black Japanned Per Pair	1340 Galvanized Per Pair	1341 Tinned Per Pair
8	\$2.35	\$2.50	\$2.50
10	2.65	2.80	2.80
12	3.10	3.30	3.30

Width of T, $2\frac{3}{4}$ inches; length of joint, 7 inches; width of strap at joint, 3 inches.
One pair in a package.

HEAVY WROUGHT STEEL ORNAMENTAL BALL-BEARING REFRIGERATOR HINGES




Cut one-fourth size

Length of long strap, 16 inches; width of short strap, $3\frac{1}{2}$ inches; length of joint, 8 inches. One pair in a package.

Number	Description	Per Pair	Number	Description	Per Pair
1450 N	Nickel-plated	\$20.00	1339	Tinned	\$16.50
1338	Galvanized	16.50	1450 J1	Dead black, Japanned	15.00

WROUGHT BRASS ORNAMENTAL HINGES




Length of joint, 2 inches; width, open, $3\frac{3}{8}$ inches.

Cut actual size

Number	Description	Per Dozen Pairs
1445	Wrought brass, polished, with brass screws	\$5.00
1445 N	Wrought brass, nickel-plated, with brass screws	6.00

One dozen pairs in a box, with screws.

WROUGHT BRASS STRAP HINGES, CORRUGATED




Cut of 5-inch. Half size

Size, Length of Each Leaf, Inches	No. 1433	1434	Width at Joint
	Wrought Brass, Dipped Per Dozen Pairs with Brass Screws	Wrought Brass, Polished Per Dozen Pairs with Brass Screws	
4	\$6.50	\$7.50	1 $\frac{9}{8}$
5	9.00	10.50	1 $\frac{3}{4}$
6	14.50	16.00	2 $\frac{1}{2}$

4-inch, one dozen pairs in a box, with screws; 5 and 6-inch, one-half dozen.
For these hinges in plain steel, galvanized, etc., see page 97.

WROUGHT BRASS T-HINGES, CORRUGATED




Cut of 5-inch. Half size

Size, Length of Strap, Inches	No. 1437	1438	Width of Strap at Joint	Length of Joint
	Wrought Brass, Dipped Per Dozen Pairs with Brass Screws	Wrought Brass, Polished Per Dozen Pairs with Brass Screws		
4	\$7.50	\$9.00	1 $\frac{3}{8}$	8 $\frac{1}{2}$
5	10.50	12.00	1 $\frac{3}{4}$	4
6	16.00	18.00	2 $\frac{1}{8}$	4 $\frac{1}{2}$

4-inch, one dozen pairs in a box, with screws; 5 and 6-inch, one-half dozen.
For these hinges in plain steel, galvanized, etc., see page 101.

T H E S T A N L E Y W O R K S

WROUGHT BRASS AND PLATED STEEL STRAP HINGES




Cut of 5-inch. Half size

Size. Length of Each Leaf, Inches	No. 1442 A Wrought Steel Bronze-plated Per Dozen Pairs with Screws	1442 C Wrought Steel Brass-plated Per Dozen Pairs with Screws	1850 Wrought Brass Polished Per Dozen Pairs with Brass Screws	Width at Joint Inches
3	\$1.50	\$1.50	\$4.50	1 $\frac{1}{8}$
4	1.80	1.80	6.00	1 $\frac{1}{8}$
5	2.50	2.50	8.00	1 $\frac{3}{8}$

One dozen pairs in a box, with screws.

For these hinges in plain steel, galvanized, etc., see page 95.

WROUGHT BRASS AND PLATED STEEL T-HINGES



Cut of 5-inch. Half size


Size. Length of Strap, Inches	No. 1444 A Wrought Steel Bronze-plated Per Dozen Pairs with Screws	1444 C Wrought Steel Brass-plated Per Dozen Pairs with Screws	1854 Wrought Brass Polished Per Dozen Pairs with Brass Screws	Width of Strap at Joint, Inches	Length of Joint Inches
3	\$1.50	\$1.50	\$3.40	1 $\frac{1}{8}$	2 $\frac{1}{2}$
4	1.80	1.80	4.80	1 $\frac{1}{8}$	2 $\frac{3}{4}$
5	2.50	2.50	5.60	1 $\frac{3}{8}$	3

One dozen pairs in a box, with screws.

For these hinges in plain steel, galvanized, etc., see page 98.

WROUGHT ORNAMENTAL HINGES, CORRUGATED

“BUTTERFLY” PATTERN




Cut actual size

Length of joint, $1\frac{1}{4}$ inches; extreme width when open, $2\frac{3}{4}$ inches

Number	Wrought Brass	Per Dozen Pairs with Screws	Number	Wrought Steel	Per Dozen Pairs with Screws
1430	Polished	\$2.70	1431 A	Planished and bronzed . .	\$2.85
1429	Dipped	2.40	1431 D2	Planished antique copper . .	2.60
1430 D2	Antique copper	3.00	1431 F	Planished dull brass . . .	2.60
1430 F	Dull brass	3.00	1431 N	Planished, nickel-plated . .	3.20
1430 N	Nickel-plated	4.15	1431 J1	Japanned, dead black . . .	2.20

One dozen pairs in a box, with screws. The brass hinges with brass screws, the plated steel hinges with plated iron screws.

WROUGHT STEEL ORNAMENTAL HINGES




Cut of $1\frac{1}{2}$ -inch. Actual size

Number	Description	Size, Length of Joint, Inches	
		$1\frac{1}{2}$	2
1475 A	Bronze-plated	\$2.10	\$2.85
1475 D2	Antique copper	2.10	2.85
1475 SD2	Antique copper, sand finish	2.40	3.15
1475 F	Dull brass	2.10	2.85
1475 F2	Antique brass	2.10	2.85
1475 SF2	Antique brass, sand finish	2.40	3.15
1475 H	Dead black, electroplate	2.40	3.15
1475 N	Nickel-plated	2.40	3.15

Per dozen pairs with screws. Width, open, $2\frac{1}{2}$ and 3 inches. One dozen pairs in a box, with oval head screws.

WROUGHT STEEL ORNAMENTAL HINGES

THE "LOTUS" PATTERN



The ornamentation is produced by a raised surface, and they are packed with oval head screws to carry out the contour of the design.

Length of joint, 1½ inches; extreme width when open, 2½ inches.

No. 1478

Cut actual size

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1478 A	Bronze-plated	\$2.10	1478 F2	Antique brass	\$2.10
1478 D2	Antique copper	2.10	1478 SF2	Antique brass, sand finish	2.40
1478 SD2	Antique copper, sand finish	2.40	1478 H	Dead black, electro-plate	2.40
1478 F	Dull brass	2.10	1478 N	Nickel-plated	2.40



Cut actual size


No. 1480

Length of joint, 1½ inches; extreme width when open, 3⅛ inches.

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1480 A	Bronze-plated	\$2.10	1480 F2	Antique brass	\$2.10
1480 D2	Antique copper	2.10	1480 SF2	Antique brass, sand finish	2.40
1480 SD2	Antique copper, sand finish	2.40	1480 H	Dead black, electro-plate	2.40
1480 F	Dull brass	2.10	1480 N	Nickel-plated	2.40

One dozen pairs in a box, with oval head screws.

WROUGHT STEEL ORNAMENTAL HINGES THE "LOTUS" PATTERN



No. 1482

Cut actual size


Length of joint, 1½ inches; extreme width when open, 3¾ inches

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1482 A	Bronze-plated	\$2.10	1482 F2	Antique brass	\$2.10
1482 D2	Antique copper	2.10	1482 SF2	Antique brass, sand finish	2.40
1482 SD2	Antique copper, sand finish	2.40	1482 H	Dead black, electro-plate	2.40
1482 F	Dull brass	2.10	1482 N	Nickel-plated	2.40

One dozen pairs in a box, with oval head screws.

WROUGHT STEEL HALF-SURFACE HINGES WITH LOOSE PINS

Number	Description	Per Dozen Pairs with Screws
1481 A	Bronze-plated	\$2.10
1481 D2	Antique copper	2.10
1481 SD2	Antique copper, sand finish	2.40
1481 F	Dull brass	2.10
1481 F2	Antique brass	2.10
1481 SF2	Antique brass, sand finish	2.40
1481 H	Dead black, electro-plate	2.40
1481 N	Nickel-plated	2.40




No. 1481. Actual size

Length of joint, 1½ inches; width, open, 2¾ inches

One dozen pairs in a box; complete with oval head screws for the ornamental leaf, flat head for the plain leaf.


WROUGHT STEEL HALF-SURFACE HINGES WITH LOOSE PINS



Length of joint, $1\frac{1}{2}$ inches
Width, open, $1\frac{7}{8}$ inches

No. 1479
Cut actual size

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1479 A	Bronze-plated	\$2.10	1479 F2	Antique brass	\$2.10
1479 D2	Antique copper	2.10	1479 SF2	Antique brass, sand finish	2.40
1479SD2	Antique copper, sand finish	2.40	1479 H	Dead black, electro-plate	2.40
1479 F	Dull brass	2.10	1479 N	Nickel-plated	2.40



Length of joint, $1\frac{1}{2}$ inches, 2 inches
Width, open, $1\frac{3}{8}$ inches, $2\frac{3}{8}$ inches


No. 1474
Cut of $1\frac{1}{2}$ -inch. Actual size

Number	Description	$1\frac{1}{2}$ -Inch	2-Inch	Number	Description	$1\frac{1}{2}$ -Inch	2-Inch
1474 A	Bronze-plated	\$2.10	\$2.85	1474 SF2	Antique brass, sand finish	\$2.40	\$3.15
1474 D2	Antique copper	2.10	2.85	1474 H	Dead black, electro-plate	2.40	3.15
1474SD2	Antique copper, sand finish	2.40	3.15	1474 N	Nickel-plated	2.40	3.15
1474 F	Dull brass	2.10	2.85				
1474F2	Antique brass	2.10	2.85				

Prices are per dozen pairs with screws.
All, one dozen pairs in a box, with oval head screws for the ornamental leaf, flat head for the other.

WROUGHT STEEL ORNAMENTAL HINGES

"GREEK KEY" DESIGN




Cut actual size

No. 1485

Length of joint, $1\frac{1}{2}$ inches; extreme width, open, $3\frac{3}{4}$ inches

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1485 A	Bronze-plated	\$2.10	1485 F2	Antique brass	\$2.10
1485 D2	Antique copper	2.10	1485 SF2	Antique brass, sand finish	2.40
1485 SD2	Antique copper, sand finish	2.40	1485 H	Dead black, electro-plate	2.40
1485 F	Dull brass	2.10	1485 N	Nickel-plated	2.40



Cut actual size

No. 1486


Length of joint, $1\frac{1}{2}$ inches; extreme width, open, $2\frac{3}{4}$ inches

Number	Description	Per Dozen Pairs with Screws	Number	Description	Per Dozen Pairs with Screws
1486 A	Bronze-plated	\$2.10	1486 F2	Antique brass	\$2.10
1486 D2	Antique copper	2.10	1486 SF2	Antique brass, sand finish	2.40
1486 SD2	Antique copper, sand finish	2.40	1486 H	Dead black, electro-plate	2.40
1486 F	Dull brass	2.10	1486 N	Nickel-plated	2.40

All, one dozen pairs in a box, with screws.

WROUGHT STEEL ORNAMENTAL HINGES

"CLOVER LEAF" PATTERN



Prices are per dozen pairs and include screws to match

Number	Description	Size, Inches	
		$\frac{3}{4}$	1
1490 A	Bronze-plated	\$1.25	\$1.50
1490 C	Brass-plated	1.25	1.50
1490 D2	Antique copper	1.25	1.50
1490 F	Dull brass	1.25	1.50
1490 F2	Antique brass	1.25	1.50
1490 N	Nickel-plated	1.50	1.80

Width when open, the $\frac{3}{4}$ -inch, $2\frac{1}{4}$ inches; the 1-inch, 8 inches.


One dozen pairs in a box, with screws.

No. 1490. Cut of 1-inch. Actual size

Number	Description	Per Dozen Pairs with Screws
1492 A	Bronze-plated	\$2.00
1492 C	Brass-plated	2.00
1492 D2	Antique copper	2.00
1492 F	Dull brass	2.00
1492 F2	Antique brass	2.00
1492 N	Nickel-plated	2.30

Length of joint, 1 inch; extreme width when open, 3 inches.

One dozen pairs in a box, with screws.




No. 1492. Cut actual size

WROUGHT STEEL ORNAMENTAL HINGES

“CLOVER LEAF” T PATTERN

Number	Description	Per Dozen Pairs with Screws
1494 A	Bronze-plated	\$1.50
1494 C	Brass-plated	1.50
1494 D2	Antique copper	1.50
1494 F	Dull brass	1.50
1494 F2	Antique brass	1.50
1494 N	Nickel-plated	1.80




No. 1494. Cut actual size

Length of joint, 1 inch; extreme width when open, $2\frac{1}{4}$ inches.

One dozen pairs in a box, with screws.

“SHELL” PATTERN




No. 1495. Cut actual size

Number	Description	Per Dozen Pairs with Screws
1495 A	Bronze-plated . . .	\$2.10
1495 D2	Antique copper . . .	2.10
1495 SD2	Antique copper, sand finish	2.40
1495 F	Dull brass	2.10
1495 F2	Antique brass . . .	2.10
1495 SF2	Antique brass, sand finish	2.40
1495 H	Dead black, electro- plate	2.40
1495 N	Nickel-plated . . .	2.40

Length of joint, $1\frac{1}{2}$ inches; extreme width when open, $2\frac{1}{2}$ inches.


One dozen pairs in a box, with screws.

WROUGHT STEEL WASH-TRAY HINGES



Cut of 1½-inch. Actual size

The 1¾-inch is similar



Cut of 2-inch. Actual size

Size Length of Joint Inches	No. 1312 Galvanized Brass Pins, Per Dozen Pairs with Screws	1426 A Planished, Bronze-plated Per Dozen Pairs with Screws	Width Open, Inches
1½	\$2.25	\$1.80	2¾
1¾	2.70	2.00	3⅝
2	8.25	2.25	4⅞

One dozen pairs in a box, with screws.

WROUGHT STEEL LIGHT STRAP HINGES



Cut of 5-inch. Half size

Size, Length of Each Leaf, Inches	No. 900 Plain Steel Per Dozen Pairs	952 Japanned Per Dozen Pairs	1300* Galvanized Per Dozen Pairs	1300½* Galvanized, with Brass Pins, Per Dozen Pairs
3	\$.85	\$.95	\$1.30	\$1.45
4	1.10	1.20	1.75	2.00
5	1.35	1.50	2.35	2.80
6	1.70	1.90	3.15	3.75
7	2.10	2.30	3.90	4.50
8	2.40	2.65	4.80	5.00
10	3.30	3.65	5.90	6.90
12	4.90	5.40	9.20	10.80
14	6.40	7.05	12.60	15.00
16	7.90	8.70	15.80	18.80

Size, Inches	Width at Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrel Pounds	Average Weight Per Dozen Pairs Pounds
3	1½	6	225	607	2½
4	1½	7	150	604	4
5	1¾	8	100	648	6¼
6	1¾	9	80	740	9
7	1¾	10	50	669	13
8	1¾	10	48	716	14½
10	2¼	10	32	666	20
12	2¾	12	16	553	33
14	2¾	13	13	643	48
16	3	13	10	630	61

For small sizes of these hinges, bronze-plated and in wrought brass, see page 86.

*In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts. We recommend the galvanized hinges with brass pins as being well worth the difference in price.

T H E S T A N L E Y W O R K S

WROUGHT STEEL HEAVY STRAP HINGES



Cut of 5-inch. Half size

Size, Length of Each Leaf, Inches	No. 902 Plain Steel Per Dozen Pairs	954 Japanned Per Dozen Pairs	1302 * Galvanized Per Dozen Pairs	1302½* Galvanized, with Brass Pins, Per Dozen Pairs
4	\$1.60	\$1.75	\$2.85	\$3.80
5	2.15	2.35	4.25	5.00
6	2.80	3.10	6.40	7.80
8	4.50	4.95	10.25	12.35
10	6.80	7.50	15.50	19.00
12	10.40	11.45	23.50	27.50
14	12.20	13.40	25.70	30.40
16	14.00	15.40	29.50	34.80

Size, Inches	Width at Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrel Pounds	Average Weight per Dozen Pairs Pounds
4	1 ⁹ / ₁₆	9	100	610	6
5	1 ¹¹ / ₁₆	10	70	696	10
6	2 ¹ / ₂	11	38	742	19
8	3	12	20	700	34
10	3 ⁷ / ₁₆	14	12½	663	51
12	4	16	8½	666	82
14	4½	16	6	563	91
16	4 ⁵ / ₈	16	5	579	112

* In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts. We recommend the galvanized hinges with brass pins as being well worth the difference in price.

T H E S T A N L E Y W O R K S

WROUGHT STEEL CORRUGATED HEAVY STRAP HINGES



Cut of 5-inch. Half size

Size, Length of Each Leaf, Inches	No. 935 Plain Steel Per Dozen Pairs	955 Japanned Per Dozen Pairs	1305* Galvanized Per Dozen Pairs	1305 $\frac{1}{4}$ * Galvanized, Brass Pins Per Dozen Pairs
4	\$1.60	\$1.75	\$2.85	\$3.30
5	2.15	2.35	4.25	5.00
6	2.80	3.10	6.40	7.80
8	4.50	4.95	10.25	12.35
10	6.80	7.50	15.50	19.00
12	10.40	11.45	23.50	27.50


Size Inches	Width at Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrels Pounds	Average Weight Per Dozen Pairs Pounds
4	1 $\frac{3}{4}$	9	100	538	5 $\frac{1}{4}$
5	1 $\frac{1}{2}$	10	65	550	8 $\frac{1}{4}$
6	2 $\frac{1}{2}$	11	36	551	15
8	3	12	19	493	25
10	3 $\frac{7}{8}$	14	11	434	37 $\frac{1}{2}$
12	4	16	8	502	60

These hinges have many points of superiority over the old style hinges. The corrugations about the joints greatly *increase the strength* of the hinge, at the same time rendering it *impossible for it to bind upon the pin, no matter how rusty it may get*. At the same time they are somewhat lighter than corresponding sizes of the regular heavy strap hinges, thus saving unnecessary expense for freight, and making them easier to handle than the regular hinges of corresponding sizes.

For small sizes of these hinges in wrought brass, see page 85.

* In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts. We recommend the galvanized hinges with brass pins as being well worth the difference in price.

WROUGHT STEEL LIGHT T-HINGES



Cut of 6-inch. Half size

Size Length of Strap Inches	No. 904 Plain Steel Per Dozen Pairs	956 Japanned Per Dozen Pairs	1303* Galvanized Per Dozen Pairs	1303½* Galvanized with Brass Pins Per Dozen Pairs
3	\$0.75	\$0.85	\$1.20	\$1.50
4	.80	.90	1.35	1.70
5	1.00	1.10	1.70	2.10
6	1.20	1.30	2.10	2.50
7	1.35	1.50	2.35	2.90
8	1.50	1.65	2.55	3.25
9	1.90	2.10	3.35	4.10
10	2.20	2.40	3.70	4.60
12	3.00	3.30	5.50	6.70
14	3.90	4.80	7.70	10.50
16	5.15	5.65	9.50	11.60


Size Inches	Width of Strap at Joint Inches	Length of Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrel Pounds	Average Weight Per Dozen Pairs Pounds
3	1⅛	2½	7	200	560	2¾
4	1⅛	2¾	7	130	471	3½
5	1⅜	3	8	100	492	4¾
6	1¾	3½	8	80	514	6¼
7	1½	3½	9	60	545	8¾
8	1⅞	4	9	48	471	9½
9	1⅞	4½	10	40	539	13
10	1¾	4½	10	33	442	13½
12	2⅞	4¾	11	22	470	20½
14	2¼	5½	12	12	415	33
16	2¾	6	12	14	559	38½

For small sizes of these hinges, bronze-plated and in wrought brass, see page 86.

* In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts. We recommend the galvanized hinges with brass pins as being well worth the difference in price.

T H E S T A N L E Y W O R K S

WROUGHT STEEL HEAVY T-HINGES




Cut of 6-inch. Half size

Size, Length of Strap Inches	No. 906 Plain Steel Per Dozen Pairs	958 Japanned Per Dozen Pairs	1304* Galvanized Per Dozen Pairs	1304½* Galvanized, with Brass Pins, Per Dozen Pairs
4	\$0.90	\$1.00	\$1.50	\$1.85
5	1.05	1.15	1.95	2.50
6	1.25	1.35	2.30	2.90
8	1.55	1.70	2.80	3.50
10	2.30	2.55	4.20	5.15
12	3.20	3.50	6.20	7.75
14	4.45	4.90	8.80	11.00
16	5.40	5.95	10.20	12.75
18	5.75	6.35	11.30	14.15

Size Inches	Width of Strap at Joint Inches	Length of Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrels Pounds	Average Weight Per Dozen Pairs Pounds
4	1½	3	8	100	498	4¾
5	1¾	3½	8	65	455	6¾
6	1¾	3½	9	55	497	8¾
8	1¾	4	10	40	500	12
10	2	4½	11	25	500	19
12	2½	5½	12	15	481	31
14	3½	6	18	10	471	45
16	3½	6	14	7	370	50
18	3½	6	14	5	800	56

* In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts. We recommend the galvanized hinges with brass pins as being well worth the difference in price.

WROUGHT STEEL EXTRA HEAVY T-HINGES




Cut of 6-inch. Half size

Size, Length of Strap Inches	No. 908 Plain Steel Per Dozen Pairs	960 Japanned Per Dozen Pairs	1306* Galvanized Per Dozen Pairs	1306 $\frac{1}{4}$ * Galvanized, with Brass Pins, Per Dozen Pairs
4	\$1.80	\$2.00	\$3.20	\$3.90
5	2.45	2.70	4.65	6.00
6	3.00	3.30	6.00	8.50
8	5.00	5.50	10.00	13.50
10	7.40	8.15	14.25	19.00
12	10.70	11.75	21.20	28.00
14	11.80	13.00	28.00	30.00
16	12.60	13.85	24.50	31.50

Size Inches	Width of Strap at Joint Inches	Length of Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrels Pounds	Average Weight Per Dozen Pairs Pounds
4	1 $\frac{5}{8}$	3 $\frac{1}{2}$	10	65	512	7 $\frac{1}{2}$
5	1 $\frac{11}{16}$	4	10	37	517	13 $\frac{1}{2}$
6	2 $\frac{5}{16}$	4 $\frac{1}{2}$	11	25	540	21
8	2 $\frac{3}{8}$	5 $\frac{1}{2}$	13	15	556	36
10	3 $\frac{1}{8}$	7	14	9	473	50
12	3 $\frac{3}{8}$	7 $\frac{1}{4}$	16	6 $\frac{1}{2}$	529	78
14	3 $\frac{5}{8}$	7 $\frac{3}{4}$	17	5 $\frac{1}{2}$	472	82
16	3 $\frac{7}{8}$	7 $\frac{3}{4}$	17	5	486	93

* In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts. We recommend the galvanized hinges with brass pins as being well worth the difference in price.

WROUGHT STEEL CORRUGATED EXTRA HEAVY T-HINGES



Cut of 6-inch. Half size

Size, Length of Strap, Inches	No. 937 Plain Steel Per Dozen Pairs	961 Japanned Per Dozen Pairs	1307* Galvanized Per Dozen Pairs	1307 $\frac{1}{4}$ * Galvanized with Brass Pins Per Dozen Pairs
4	\$1.80	\$2.00	\$3.20	\$3.90
5	2.45	2.70	4.65	6.00
6	3.00	3.30	6.00	8.50
8	5.00	5.50	10.00	13.50
10	7.40	8.15	14.25	19.00
12	10.70	11.75	21.20	28.00

Size, Inches	Width of Strap at Joint, Inches	Length of Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrel Pounds	Average Weight Per Dozen Pairs Pounds
4	1 $\frac{1}{8}$	3 $\frac{1}{2}$	10	65	420	6 $\frac{1}{2}$
5	1 $\frac{3}{8}$	4	10	35	382	10 $\frac{1}{2}$
6	2 $\frac{1}{8}$	4 $\frac{1}{2}$	11	28	400	17
8	2 $\frac{3}{8}$	5 $\frac{1}{2}$	13	13 $\frac{1}{2}$	388	27
10	3 $\frac{1}{8}$	7	14	8 $\frac{1}{2}$	361	40
12	3 $\frac{1}{2}$	7	16	7	350	50

These hinges have many points of superiority over the old style hinges. The corrugations about the joints greatly *increase the strength* of the hinge, at the same time rendering it *impossible for it to bind upon the pin, no matter how rusty it may get*. At the same time they are somewhat lighter than corresponding sizes of the regular heavy strap hinges, thus saving unnecessary expense for freight and duties, and making them easier to handle than the regular hinges of corresponding sizes.

For small sizes of these hinges in wrought brass, see page 85.

* In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts. We recommend the galvanized hinges with brass pins as being well worth the difference in price.

WROUGHT STEEL MEDIUM STRAP HINGES



Cut of 5-inch. Half size


Size, Length of Each Leaf Inches	No. 901 Plain Steel Per Dozen Pairs	901 J Japanned Per Dozen Pairs	1301½* Galvanized Brass Pins, Per Dozen Pairs
3	\$0.75	\$0.85	\$1.40
4	.90	1.00	2.00
5	1.25	1.35	2.80
6	1.70	1.80	4.00
8	2.70	2.95	6.00
10	3.90	4.25	9.00
12	6.20	6.80	14.00
14	7.00	7.50	17.00

Size Inches	Width at Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrel Pounds	Average Weight Per Dozen Pairs Pounds
3	1½	6	225	583	2½
4	1⅞	9	100	620	6
5	1⅞	10	70	700	9¾
6	2	12	46	750	16
8	2¼	12	27	708	25½
10	2¾	14	16	660	40
12	3¼	14	12	680	55
14	3¾	14	8¾	645	71½

These hinges are offered to meet the demand for a hinge between the light and heavy strap in weight. They are made of the same gauges of steel as the regular heavy strap hinges of corresponding sizes, but are narrower in the joint, making them better proportioned and saving weight without sacrificing strength.

*In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts.

WROUGHT STEEL MEDIUM T-HINGES



Cut of 6-inch. Half size

Size, Length of Strap Inches	No. 907 Plain Steel Per Dozen Pairs	907 J Japanned Per Dozen Pairs	1309½* Galvanized Brass Pins, Per Dozen Pairs
4	\$1.00	\$1.15	\$2.50
5	1.40	1.60	3.50
6	1.85	2.00	4.25
8	2.85	3.10	6.60
10	4.10	4.40	10.20
12	6.25	6.80	15.00

Size, Inches	Width of Strap at Joint, Inches	Length of Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrels Pounds	Average Weight Per Dozen Pairs Pounds
4	1¾	3¼	9	82	518	6
5	1⅞	3½	9	51	498	9½
6	1⅞	4	11	40	578	14
8	2⅞	5	18	27	766	27½
10	2⅞	6	18	17	747	43
12	2¾	7	14	10½	651	60

These hinges are intermediate in weight, between the regular light and extra heavy T-hinges.

* In order to secure easy working joints and prevent rust, these hinges are galvanized before putting together, thus insuring a complete coating of all parts.

WROUGHT STEEL HEAVY STRAP HINGES

HART'S PATENT



Cut of **No. 929**, 5-inch. Half size

End view of joint with
pin partly driven out, show-
ing construction.




Size, Length of Each Strap Inches	No. 929	1342
	Per Dozen Pairs	Galvanized Entire, Per Dozen Pairs
4	1.65	1.90
5	2.10	2.50
6	2.90	3.60
8	4.75	6.00
10	7.10	9.20
12	10.00	12.70
14	12.50	16.00

Size Inches	Width at Joint Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrel Pounds
4	1 $\frac{5}{16}$	9	100	745
5	1 $\frac{11}{16}$	10	65	844
6	2 $\frac{1}{2}$	11	36	740
8	3	12	19	680
10	3 $\frac{5}{16}$	14	11	584
12	4	16	8	575
14	4	16	6	488

Two thicknesses of steel surround the pin throughout its length and extend back upon the straps of the hinge, thus giving double thickness of steel at the points where most needed, and more than double the strength of an ordinary strap hinge. The short or *inside leaves* of Nos. 929 and 931 are *galvanized*, thus insuring easy working joints and preventing *breakage on account of rust*.

WROUGHT STEEL EXTRA HEAVY T-HINGES

HART'S PATENT




Cut of No. 931, 5-inch. Half size

Size Length of Strap Inches	No. 931 Per Dozen Pairs	1343 Galvanized Entire Per Dozen Pairs	Width of Strap at Joint Inches	Length of Joint, Inches	Size of Screw Number	Dozen Pairs in a Barrel	Average Weight of Full Barrel Pounds
5	\$2.85	\$3.45	1 $\frac{1}{8}$	3 $\frac{1}{2}$	10	35	586
6	3.50	4.50	1 $\frac{1}{8}$	3 $\frac{1}{8}$	11	23	565
8	5.60	7.00	2	4 $\frac{3}{4}$	13	18 $\frac{1}{2}$	497
10	8.10	10.45	2 $\frac{1}{8}$	5 $\frac{1}{2}$	14	8 $\frac{1}{2}$	477
12	11.70	15.50	3 $\frac{1}{8}$	6 $\frac{1}{8}$	16	6	541
14	18.85	17.85	3 $\frac{1}{8}$	6 $\frac{1}{8}$	16	5	470
16	15.85	20.00	3 $\frac{1}{8}$	6 $\frac{1}{8}$	16	5	529

For detail of construction, see No. 929 on opposite page.

WROUGHT EXTRA HEAVY HINGE HASPS



Cut about two-thirds size


Extreme length, 7 $\frac{1}{2}$ inches; width, 1 $\frac{3}{4}$ inches; thickness, $\frac{1}{8}$ -inch

No. 941 Plain Steel Per Single Dozen	941 A Bronze-plated, with Screws Per Single Dozen	941 J Japanned, with Screws Per Single Dozen	1356 Galvanized, Brass Pins with Screws Per Single Dozen
\$6.75	\$8.50	\$7.75	\$10.00

No. 941, in bulk; other numbers, one-half dozen in a box, with screws.

T H E S T A N L E Y W O R K S

WROUGHT STEEL HINGE HASPS



Cut of 4½-inch. Half size

Size Length of Strap Inches	No. 912 Plain Steel Per Single Dozen	964 Japanned Per Single Dozen	1308 Galvanized Per Single Dozen	1308½ Galvanized, Brass Pins Per Single Dozen
8	\$0.50	\$0.55	\$0.75	\$0.85
4½	.60	.65	1.00	1.15
6	.80	.90	1.35	1.55
8	1.05	1.15	1.80	2.10
10	1.50	1.65	2.70	3.20
12	2.10	2.80	3.80	4.60

Size Inches	Width at Joint Inches	Size of Screw Number	Dozens in a Barrel No. 912	Average Weight of Full Barrel Pounds	Average Weight Per Dozen Pounds
8	1½	6	250	520	2
4½	1½	7	180	516	2¼
6	1½	9	96	500	5
8	1½	10	60	500	7¾
10	2⅞	10	40	518	12½
12	2¾	12	30	589	19

HINGE HASP STAPLES




No. 913

Size of Plates Inches	Projection of Staple Inches	For Hasps Inches	Per Single Dozen
1½ x 1½	¾	8 and 4½	\$0.20
1½ x 1¼	¾	6	.28
2 x 1½	¾	8	.30
2¾ x 2	1½	10 and 12	.38

The 2¾ x 2-inch, two dozen in a package; other sizes, three dozen.

**WROUGHT STEEL HINGE HASPS
WITH SWIVEL PADLOCK STAPLES**




Cut of $4\frac{1}{2}$ -inch. Half size

No. 914. PLAIN STEEL

Size, Length of Strap, Inches	Per Single Dozen	Width at Joint, Inches	Size of Screw, Number
3	\$0.50	$1\frac{1}{8}$	6
$4\frac{1}{2}$.60	$1\frac{1}{8}$	7
6	.80	$1\frac{1}{2}$	9
8	1.05	$1\frac{1}{2}$	10

**WROUGHT STEEL WASHING MACHINE HINGES
WITH STOP**



Cut of **No. 860**
Actual size


Length of joint, $2\frac{1}{4}$ inches; extreme width, open, $4\frac{1}{4}$ inches

Number	Description	Per Dozen Pairs
860	Plain steel	\$1.20
860 Z	Stanley Sherardized	2.00

For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S


WROUGHT STEEL END GATE HINGES



Cut of **No. 938**
Actual size

Length of joint, $2\frac{1}{8}$ inches; width, open, $4\frac{3}{4}$ inches.

Number	Description	Per Dozen Pairs
938	Plain Steel	\$1.20
938 Z	Stanley Sherardized	2.00



Cut of **No. 939**
Actual size

Length of joint, $2\frac{1}{4}$ inches; width, open, 5 inches.


Number	Description	Per Dozen Pairs
939	Plain Steel	\$1.20
939 Z	Stanley Sherardized	2.00

For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WROUGHT STEEL "SAFETY" HASPS

PATENTED



Cut of 4½-inch. Actual size

Size Length of Strap, Inches	No 915 Plain Steel Per Single Dozen	915 J Japanned Per Dozen with Screws	915 A Bronze-plated Per Dozen with Screws	915 C Brass-plated Per Dozen with Screws	915 D2 Antique Copper Per Dozen with Screws	915 Z Stanley Sherardized Per Dozen with Screws	1310 Galvanized Brass Pins Per Dozen with Screws
3	\$0.90	\$1.10	\$1.75	\$1.75	\$1.75	\$1.50	\$1.80
4½	1.20	1.50	2.20	2.20	2.20	1.90	2.25
6	1.70	2.20	3.00	3.00	3.00	2.80	3.50

Size, Inches	Width at Joint Inches	Size of Screw Number	Dozen in a Case No. 915	Average Weight of Full Case, Pounds
3	1½	7	50	166
4½	1½	7	40	168
6	1¾	8	25	222

No. 915, one dozen (single) in a box; other numbers, 3 and 4½-inch, one dozen, with screws; 6-inch, one-half dozen.


No. 915½. Same as No. 915 above, except that they are extra heavy

Size Length of Strap, Inches	Width at Joint Inches	No. 915½ Plain Steel Per Dozen	915½ J Japanned Per Dozen with Screws	915½ A Bronze-plated Per Dozen with Screws	915½ C Brass-plated Per Dozen with Screws	915½ D2 Antique Copper Per Dozen with Screws	915½ Z Stanley Sherardized Per Dozen with Screws	1310½ Galvanized Brass Pins Per Dozen with Screws
7	2½	\$3.50	\$4.25	\$5.75	\$5.75	\$5.75	\$5.50	\$6.50

One-quarter dozen in a box.

As will be seen from above cut, these hasps are made with concealed screws holes, rendering it impossible to take hasp off when locked, also movable staple to take shrinking of door without resetting plate.

WROUGHT STEEL STORM AND SCREEN DOOR HINGES



No. 942. FOR STORM DOORS



No. 1645. FOR SCREEN DOORS


The No. 942 hinge (8-inch) is for hanging storm doors. In the spring, when the storm doors are taken off, screen doors fitted with the No. 1645 hinges can be hung on the same hook. Both hinges are well made and strong, the corrugation increasing the strength and improving the appearance. They are interchangeable and sold with or without hooks. They have a 2½-inch throw to bring the door around flush with the side of brick building where the frame of the door is set in beyond the line of the wall.

Number	Description	Per Dozen Pairs with Screws
942 J	Japanned, with hooks	\$4.60
942 Z	Stanley Sherardized, with hooks	7.00
1645 J	Japanned, without hooks	8.15
1645 Z	Stanley Sherardized, without hooks	5.00

For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

SOLID LINK WROUGHT TRAP DOOR HINGES




Cut of 8-inch. One-fourth size

No. 923. PLAIN STEEL

Size, Length of Each Leaf, Inches	Per Dozen Pairs	Width of Strap at Joint, Inches
8	\$8.00	2 $\frac{3}{4}$
10	11.00	3 $\frac{1}{4}$

WROUGHT ROLLED PLATE HINGES




Cut of 8-inch. Half size

No. 940. PLAIN STEEL

Size, Inches	Per Dozen Pairs	Size, Inches	Per Dozen Pairs
6	\$2.85	14	\$5.25
8	3.20	16	6.85
10	3.70	18	8.00
12	4.40		

WROUGHT STEEL CRATE HINGES



Cut half size

Length of each leaf, 3 inches; width at joint, 1 1/4 inches. For No. 6 screw

Number	Description	Per Dozen Pairs
916	Plain Steel	\$0.65
970	Japanned	.75

WROUGHT STEEL CRATE HASPS FOR BERRY BOXES, ETC.

Seal Hasps

Swivel Hasps



Cut of No. 919. Half size

Cut of No. 920. Half size

Length of strap, 3 inches; width at joint, 1 1/4 inches

Number	Description	Per Single Dozen
919	Plain Steel	\$0.85
920	Plain Steel	.65

No. 920 countersunk for No. 6 screws.

WROUGHT STEEL LIGHT CRATE HINGES AND HASPS
SWIVEL STAPLES



Cut of No. 921 Hinge. Half size

PLAIN STEEL

Per Dozen Sets (24 Hinges, 12 Hasps)	No. 921 Hinges Separate Per Dozen Pairs	921½ Hasps Separate Per Single Dozen
\$0.55	\$0.29	\$0.26

Hinges, 2½ inches each leaf. Width at joint, 1½ inches.

Hasps, 2½ inches long (5 inches, extreme). Width at joint, 1½ inches.



Cut of No. 921½ Hasp
Half size



Cut of No. 922 Hinge. Actual size

NEW PATTERN

PLAIN STEEL

Per Dozen Sets (24 Hinges 12 Hasps)	No. 922 Hinges Separate Per Dozen Pairs	922½ Hasps Separate Per Single Dozen
\$0.45	\$0.24	\$0.21

Hinges and hasps, each 3¾ inches long (extreme). Width at joint, 1 inch.




Cut of No. 922½ Hasp. Actual size

WROUGHT STEEL LIGHT BASKET HASPS



Cut of **No. 345.** Actual size




Cut of
No. 349
2-inch
Actual size

Size Extreme Length Inches	Width at Joint, Inch	No. 345 A Bronze-plated Per Single Dozen with Screws	345 C Brass-plated Per Single Dozen with Screws	Size Inches	Width at Joint Inches	No. 349 A Bronze-plated Per Single Dozen with Screws	349 C Brass-plated Per Single Dozen with Screws
2 3/4	1	\$0.90	\$0.90	2 2 1/4	3/4 7/8	\$0.80 .90	\$0.80 .90

One dozen in a box, with screws.

WROUGHT STEEL "SAFETY" BASKET HASPS



Cut actual size

Number	Description	Per Single Dozen with Screws
346 A	Bronze-plated . . .	\$0.90
346 C	Brass-plated90


Length, 2 1/2 inches; width at joint, 7/8 inch.

When the hasp is closed and locked, the screw heads are covered, and the screws cannot be removed.

One dozen in a box, with screws.

T H E S T A N L E Y W O R K S

WROUGHT STEEL LONG CHEST HINGES



Cut of 8-inch. Half size

Size, Length of Strap Inches	No. 910 Plain Steel Per Dozen Pairs	962 Japanned Per Dozen Pairs	Width of Offset from Joint to Bend Inches	Width of Strap at Joint Inches	Length of Joint, Inches	Size of Screws Number	Average Weight Per Dozen Pairs Pounds
6	\$1.15	\$1.25	$\frac{1}{2}$	$1\frac{1}{8}$	$1\frac{1}{2}$	8	5
6	1.15	1.25	$\frac{3}{4}$	$1\frac{1}{8}$	$1\frac{1}{2}$	8	5
8	1.50	1.65	$\frac{3}{4}$	$1\frac{1}{8}$	2	9	9
10	1.65	1.80	1	$1\frac{3}{4}$	$2\frac{1}{4}$	10	11
12	2.45	2.70	1	2	$2\frac{1}{2}$	11	18
14	3.00	3.30	1	2	$2\frac{1}{2}$	11	19

WROUGHT STEEL LINK HINGES FOR BOXES, ETC.




Cut of $1\frac{1}{2}$ -inch. Half size

Size, Length of Joint Inches	No. 1825 Plain Steel Per Dozen Pairs	1825 Z* Stanley Sherardized Per Dozen Pairs	Length of Each Strap Inches	Width of Link Inches
$\frac{3}{4}$	\$1.15	\$1.50	$2\frac{3}{4}$	$\frac{3}{4}$
$1\frac{1}{2}$	2.25	3.00	4	$\frac{3}{4}$

* For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

ATWOOD'S WROUGHT STEEL HINGES AND FASTS




We illustrate herewith a box fitted with Atwood's box hinges and fasts. The hinge is so constructed that the leaves are secured to the inside of the box and lid, and is double jointed so as to allow the lid to swing back and hang perpendicularly against the back of the box. The fast is applied as shown in the cut. Boxes trimmed with these hinges and fasts have no projecting parts to prevent piling upon one another closely, as the woodwork is flush on all sides.

These hinges being made to exact size, boxes can be made up in any quantities with the assurance that the hinges will fit when applied.

Illustrations in detail and prices on following pages.

ATWOOD'S WROUGHT STEEL HINGES AND FASTS

ATWOOD'S "LITTLE DAISY" HINGES




Cut half size

No. 1800. PLAIN STEEL

Length of Joint, Inches	Length of Strap, Inches	Per Dozen Pairs
1½	8	\$1.75

For ⅝-inch wood



No. 1

Cut No. 1 shows inside of box with lid open, flat against back; No. 2, outside of box with cover closed.



No. 2

ATWOOD'S LIGHT "DOUBLE CHAMPION" HINGES



Cut half size

No. 1804. PLAIN STEEL


Length of Joint, Inches	Length of Strap, Inches	Per Dozen Pairs
1¾	8	\$2.50

Can be had for either ⅝ or ¾-inch wood



No. 3


Cut No. 3 shows inside of box when lid is open, at right angles to back of box; No. 4, outside of box with cover closed.



No. 4

ATWOOD'S WROUGHT STEEL HINGES AND FASTS

ATWOOD'S HEAVY "DOUBLE CHAMPION" HINGES



Cut showing box closed



Cut showing box open, with lid flat against back

No. 1816. PLAIN STEEL

No. 1817. GALVANIZED

Length of straps, inches	6	7½	Length of straps, inches	6	7½
Per dozen pairs	\$4.00	\$4.30	Per dozen pairs	\$6.00	\$6.50

For either ¾-inch or ⅞-inch wood. Length of joint, 2 inches.

ATWOOD'S WROUGHT STEEL HINGES AND FASTS

ATWOOD'S FASTS



Cut half size


No. 1808. PLAIN STEEL

Three pieces

Per dozen, \$0.95

Can be had for either $\frac{1}{8}$ or $\frac{3}{4}$ -inch wood

For cut showing box with hinges and fasts applied, see page 116.




Cut half size

No. 1812. PLAIN STEEL

Five pieces

Per dozen, \$1.35

Can be had for either $\frac{1}{8}$ or $\frac{3}{4}$ -inch wood



ATWOOD'S HEAVY HASPS AND STAPLES

No. 1820	1821
Plain Steel	Galvanized
Per Single Dozen	Per Single Dozen
\$2.30	\$3.75

Length of strap, 6 inches.

Size of plate, 4 x 4 inches.

WROUGHT STEEL LIGHT STRAP TRUNK HINGES



Cut of 5 x 4-inch. Half size

Size, Inches	No. 943 Plain Steel Per Gross Pairs	943 J Japanned Per Gross Pairs	943 C Brass-plated Per Gross Pairs	943 Z * Stanley Sherardized Per Gross Pairs	Width at Joint Inches	Dozen Pairs in a Barrel
5 x 4	\$6.60	\$7.60	\$8.60	\$9.20	1 ³ / ₈	80
6 x 4	7.10	8.10	9.10	10.20	1 ⁵ / ₈	55
6 x 5	7.70	8.70	9.70	11.00	1 ⁷ / ₈	55

Made from No. 16 gauge steel.

These hinges will be furnished with offset to go over valance of trunks, if so ordered.

WROUGHT STEEL EXTRA LIGHT TRUNK HINGES




Cut of 6 x 4-inch. Half size

Size, Inches	No. 944 Plain Steel Per Gross Pairs	944 J Japanned Per Gross Pairs	944 C Brass-plated Per Gross Pairs	944 Z * Stanley Sherardized Per Gross Pairs	Width at Joint Inches	Dozen Pairs in a Barrel
3 x 3	\$2.90	\$3.40	\$5.60	\$6.20	1 ¹ / ₄	256
4 x 3	3.40	3.90	6.00	6.60	1 ¹ / ₄	185
5 ¹ / ₂ x 2 ³ / ₄	4.00	4.50	6.80	7.80	1 ¹ / ₄	159
6 x 4	4.80	5.25	7.50	8.70	1 ¹ / ₂	112

Made from No. 18 gauge steel. Made with offset.

WROUGHT STEEL HEAVY STRAP TRUNK HINGES




Cut of 4-inch. Half size

Size, Length of Each Leaf Inches	No. 943 ¹ / ₂ Plain Steel Per Gross Pairs	943 ¹ / ₂ J Japanned Per Gross Pairs	943 ¹ / ₂ C Brass-plated Per Gross Pairs	943 ¹ / ₂ Z * Stanley Sherardized Per Gross Pairs	Width at Joint Inches	Dozen Pairs in a Barrel
3	\$5.80	\$6.80	\$7.80	\$8.80	1 ³ / ₈	100
4	6.60	7.60	8.60	9.50	1 ⁵ / ₈	75

Made from No. 16 gauge steel.

* For description of Stanley Sherardized finish, see page 10.

HART'S PATENT WROUGHT STEEL TRUNK HINGES




Cut of 6 x 4-inch. Half size

Size, Inches	No. 945 Plain Steel Per Gross Pairs	945 J Japanned Per Gross Pairs	945 C Brass-plated Per Gross Pairs	945 Z* Stanley Sherardized Per Gross Pairs	Width at Joint Inches	Dozen Pairs in a Barrel
5 x 4	\$11.60	\$12.60	\$13.60	\$14.80	1½	80
6 x 4	12.10	13.10	14.10	15.00	1½	55
6 x 5	12.60	13.60	14.60	16.00	1½	55

Made from No. 15 gauge steel.

HART'S PATENT WROUGHT STEEL EXTRA HEAVY TRUNK HINGES .

FOR SOLE LEATHER AND RAWHIDE TRUNKS



Cut about half size

Size, Length of Each Leaf, Inches	No. 946 Plain Steel Per Gross Pairs	946 J Japanned Per Gross Pairs	946 C Brass-plated Per Gross Pairs	946 Z* Stanley Sherardized Per Gross Pairs	Width at Joint Inches
2½	\$24.00	\$25.00	\$26.00	\$27.50	2

Made from No. 18 gauge steel.

In an examination of the construction of Hart's patent hinges it will be noticed that two thicknesses of steel surround the pin throughout its length and extend back upon the straps of the hinge, thus giving double thickness of steel at the points where most needed, and more than double the strength of an ordinary strap hinge.

* For description of Stanley Sherardized finish, see page 10.

HART'S PATENT WROUGHT STEEL TRUNK STOP HINGES




Cut of 6 x 4-inch. Half size

Size, Inches	No. 945½ Plain Steel Per Gross Pairs	945½ J Japanned Per Gross Pairs	945½ C Brass-plated Per Gross Pairs	945½ Z* Stanley Sherardized Per Gross Pairs	Width at Joint Inches
5 x 4	\$14.25	\$15.25	\$16.25	\$17.00	1½
6 x 4	14.75	15.75	16.75	17.75	1½
6 x 5	15.25	16.25	17.25	18.50	1½

Made from No. 15 gauge steel.

WROUGHT STEEL LAP JOINT TRUNK HINGES



Cut of 5 x 4-inch. Half size


Size, Inches	No. 947 Plain Steel Per Gross Pairs	947 J Japanned Per Gross Pairs	947 C Brass-plated Per Gross Pairs	947 Z* Stanley Sherardized Per Gross Pairs	Width at Joint Inches
5 x 4	\$11.60	\$12.60	\$13.60	\$14.80	1½
6 x 4	12.10	13.10	14.10	15.00	1½

Made from No. 15 gauge steel.

In an examination of the construction of Hart's patent hinges it will be noticed that two thicknesses of steel surround the pin throughout its length and extend back upon the straps of the hinge, thus giving double thickness of steel at the points where most needed and more than double the strength of an ordinary strap hinge.

*For a description of Stanley Sherardized finish, see page 10.

WROUGHT STEEL LIGHT TRUNK HINGES




Cut of 4-inch. Actual size

Size Inches	No. 1830 Plain Steel Per Gross Pairs	1830 J Japanned Per Gross Pairs	1830 C Brass-plated Per Gross Pairs	Width at Joint Inches	Gross Pairs in a Barrel
4	\$2.80	\$3.20	\$4.80	1 $\frac{5}{8}$	30
1 $\frac{3}{4}$	4.80	5.20	7.90	1 $\frac{3}{4}$	20
6	3.75	4.15	6.80	1 $\frac{5}{8}$	24
7	5.50	5.90	9.00	1 $\frac{1}{2}$	14

Size given is width, when open, except the 1 $\frac{3}{4}$ -inch, which is length of joint.

WROUGHT STEEL TRUNK OR BAG HINGES




Cut of 1 $\frac{3}{4}$ -inch

Size, Length of Joint Inches	No. 1832 Plain Steel Per Gross Pairs	1832 C Brass-plated Per Gross Pairs	Width, Open Inches	Gross Pairs in a Barrel
1	\$1.75	\$2.80	2 $\frac{1}{2}$	60
1 $\frac{3}{4}$	2.65	3.70	2 $\frac{1}{2}$	45

WROUGHT TRUNK OR BAG HINGES

Cuts full size




Number	Description	Per Gross Pairs
1834	Plain steel	\$1.75
1834 C	Brass-plated	2.80

Length of joint, 1 inch.
Width, open, $2\frac{1}{8}$ inches.



Number	Description	Per Gross Pairs
1836	Plain steel	\$1.75
1836 C	Brass-plated	2.80

Length of joint, 1 inch.
Width, open, $2\frac{1}{8}$ inches.



Number	Description	Per Gross Pairs
1838	Plain steel	\$2.50
1838 C	Brass-plated	3.60

Length of joint, $1\frac{1}{4}$ inches.
Width, open, $1\frac{1}{8}$ inches.


T H E S T A N L E Y W O R K S

PART II

WROUGHT STEEL
D O O R B O L T S
B A R R E L B O L T S
S H U T T E R B O L T S
E T C.

WROUGHT MORTISE FLUSH BOLTS WITH PLAIN KNOBS

No. 361. POLISHED



Cut of 12-inch
half size

Size Inches	No. 361 A Light Bronze Per Dozen with Screws	361 D2 Antique Copper Per Dozen with Screws	361 SD2 Antique Copper Sand Finish Per Dozen with Screws	361 F Dull Brass Per Dozen with Screws
12	\$9.00	\$9.50	\$10.00	\$9.50
18	9.20	9.70	10.20	9.70
24	9.40	9.90	10.40	9.90
30	9.60	10.10	10.60	10.10
36	9.80	10.30	10.80	10.30
42	10.00	10.50	11.00	10.50
48	10.20	10.70	11.20	10.70
54	10.40	10.90	11.40	10.90
60	10.60	11.10	11.60	11.10
66	10.80	11.30	11.80	11.30

Size Inches	No. 361 F2 or F4 Antique Brass	361 SF2 or SF4 Antique Brass Sand Finish	361 H Dead Black Electro-plate
12	\$9.50	\$10.00	\$10.00
18	9.70	10.20	10.20
24	9.90	10.40	10.40
30	10.10	10.60	10.60
36	10.30	10.80	10.80
42	10.50	11.00	11.00
48	10.70	11.20	11.20
54	10.90	11.40	11.40
60	11.10	11.60	11.60
66	11.30	11.80	11.80

1½-inch plates. Bolts, ½-inch square. Bolts have ⅜-inch throw.
One-half dozen in a box, with screws.
For other finishes, see page 11.

WROUGHT STEEL FLUSH BOLTS WITH PLAIN KNOBS

Size Inches	No. 393 A Polished Light Bronze Per Dozen with Screws	393 D2 Polished Antique Copper Per Dozen with Screws	393 F Dull Brass Per Dozen with Screws	1020 Plain Steel Brass Knobs Per Dozen
6	\$6.70	\$7.50	\$7.50	\$4.00
9	7.50	8.30	8.30	4.50
12	8.30	9.10	9.10	5.00
15	9.15	10.00	10.00	5.50
18	10.00	10.80	10.80	6.00
24	11.70	12.50	12.50	7.00
30	18.80	14.60	14.60	8.25
36	15.85	16.65	16.65	9.50
42	18.00	18.80	18.80	10.75
48	20.00	20.80	20.80	12.00



Cut of
No. 1014
9-inch
Half size

1½-inch plates.
Bolts, ½-inch square.
Bolts have ¾-inch
throw.

6, 9 and 12-inch,
packed with flat strike
plates; larger sizes, with
bent strike plates. 6-
inch, packed one dozen
in a box; larger sizes,
one-half dozen.

Cut of **No. 393**
9-inch. Half size



WITH PLATED KNOBS AND SLIDES


No. 1014		1014	
Size Inches	Polished Plates with Bronzed Knobs and Slides Per Dozen	Size Inches	Polished Plates with Bronzed Knobs and Slides Per Dozen
6	\$11.50	30	\$16.50
9	12.00	36	18.50
12	12.50	42	20.50
15	13.00	48	23.00
18	13.50	60	28.00
24	15.00		

Polished plates, 1½ inches wide. Bolts, ½ inch round.
Bolts have ¾-inch throw and are offset so as to be used
with flat strike plates.

6-inch, one dozen in a box; other sizes, one-half dozen.

For other finishes, see page 11.

WROUGHT STEEL FLUSH BOLTS WITH PLAIN KNOBS



Size Inches	No. 395 A Planished Light Bronze Per Dozen with Screws	395 D2 Antique Copper Per Dozen with Screws	395 SD2 Antique Copper, Sand Finish, Per Dozen with Screws	395 F Dull Brass Per Dozen with Screws	395 H Dead Black Electro-plate Per Dozen with Screws
6	\$6.00	\$6.80	\$7.60	\$6.80	\$7.60
9	6.75	7.50	8.30	7.50	8.30
12	7.50	8.30	9.10	8.30	9.10
15	8.25	9.00	9.80	9.00	9.80
18	9.00	9.80	10.60	9.80	10.60
24	10.50	11.80	12.10	11.80	12.10
30	12.40	13.20	14.00	13.20	14.00
36	14.25	15.00	15.80	15.00	15.80
42	16.20	17.00	17.80	17.00	17.80
48	18.00	19.00	20.00	19.00	20.00
60	22.00	23.00	24.00	23.00	24.00


1-inch plates. $\frac{1}{2}$ -inch round bolts.

Bolts have $\frac{3}{4}$ -inch throw.

6, 9 and 12-inch, packed with flat strike plates; larger sizes, with bent strike plates. 6-inch, packed one dozen in a box; larger sizes, one-half dozen.

Cut of No. 395

9-inch. Half size



WROUGHT STEEL FLUSH BOLTS

WITH PLAIN KNOBS

Number	Description	4-inch Per Dozen with Screws	6-inch Per Dozen with Screws
397 A	Planished light bronze	\$3.00	\$3.40
397 D2	Antique copper	3.60	4.00
397 SD2	Antique copper, sand finish	4.00	4.40
397 F	Dull brass	3.60	4.00
397 H	Dead black, electro-plate	4.00	4.40
397 N	Nickel-plate	4.00	4.40

1-inch plates. $\frac{1}{4}$ -inch round bolt.

Bolts have $\frac{1}{2}$ -inch throw.

One dozen in a box, with screws.

For other finishes, see page 11.

Cut of No. 397

4-inch. Actual size

WROUGHT STEEL SUNK FLUSH BOLTS

Bolts have 1-inch throw

Nos. 1026 and 396 have 1-inch plates, and $\frac{3}{8}$ -inch square bolts.

Nos. 1028 and 400 have $1\frac{1}{4}$ -inch plates, and $\frac{1}{2}$ -inch square bolts.

Size Inches	No. 1026 Plain Steel Polished Plates Per Dozen	396 A Polished Light Bronze Per Dozen with Screws	396 D2 Polished Antique Copper Per Dozen with Screws	396 F Polished Dull Brass Per Dozen with Screws	396 H Dead Black Electro Plate Per Dozen with Screws
6	\$3.60	\$7.10	\$7.80	\$7.80	\$8.50
9	4.05	8.20	8.90	8.90	9.60
12	4.60	9.25	10.00	10.00	10.70
15	5.05	10.25	11.00	11.00	11.70
18	5.50	11.25	12.00	12.00	12.70
24	6.50	13.25	14.00	14.00	14.70
30	7.45	15.25	16.00	16.00	16.70
36	8.40	17.25	18.00	18.00	18.70
42	9.60	19.50	20.20	20.20	21.00
48	10.80	22.00	22.80	22.80	23.60

Size Inches	No. 1028 Plain Steel Polished Plates Per Dozen	400 A Polished Light Bronze Per Dozen with Screws	400 D2 Polished Antique Copper Per Dozen with Screws	400 F Polished Dull Brass Per Dozen with Screws	400 H Dead Black Electro Plate Per Dozen with Screws
6	\$4.50	\$8.50	\$9.20	\$9.20	\$10.00
9	5.10	9.50	10.20	10.20	11.00
12	5.70	10.50	11.20	11.20	12.00
15	6.80	11.50	12.20	12.20	13.00
18	6.90	12.50	13.20	13.20	14.00
24	8.10	14.50	15.20	15.20	16.00
30	9.80	16.25	17.00	17.00	17.80
36	10.50	18.50	19.20	19.20	20.00
42	12.00	21.00	21.70	21.70	22.50
48	13.50	23.25	24.00	24.00	24.80

All sizes packed with flat strike plates.

6 and 9-inch, packed one dozen in a box; larger sizes, one-half dozen.

For other finishes, see page 11.



Cut of No. 396
6-inch. Actual size

WROUGHT STEEL SUNK FLUSH BOLTS



Cut of No. 393 $\frac{1}{2}$, 9-inch
Half size

	No. 393 $\frac{1}{2}$ A	393 $\frac{1}{2}$ D2	393 $\frac{1}{2}$ F	393 $\frac{1}{2}$ H	1030	1034
Size Inches	Polished Light Bronze Plates, $\frac{3}{4}$ -inch Wide, Bolts $\frac{1}{4}$ -inch Round Per Dozen with Screws	Polished Antique Copper Per Dozen with Screws	Polished Dull Brass Per Dozen with Screws	Dead Black Electro- plate, Per Dozen with Screws	Plain Steel Plates $\frac{3}{4}$ -inch Wide Bolts $\frac{1}{4}$ -inch Round Per Dozen	Plain Steel Plates $\frac{1}{2}$ -inch Wide Bolts $\frac{1}{4}$ -inch Round Per Dozen
6	\$5.00	\$5.65	\$5.65	\$6.30	\$2.50	\$3.50
9	5.75	6.40	6.40	7.00	2.80	3.95
12	6.50	7.15	7.15	7.80	3.10	4.40
15	7.15	7.80	7.80	8.50	3.45	4.80
18	7.90	8.55	8.55	9.20	3.80	5.25
24	9.25	9.90	9.90	10.50	4.60	6.15
30	11.00	11.70	11.70	12.40	5.80	7.20
36	13.00	13.70	13.70	14.50	6.10	8.30
42	15.00	15.75	15.75	16.60	7.00	9.40
48	18.00	18.80	18.80	19.70	8.00	10.50

Bolts have $\frac{3}{4}$ -inch throw.

All sizes packed with flat strike plates.

6 and 9-inch, one dozen in a box; larger sizes, one-half dozen.

	No. 394 A	394 D2	394 F	394 H	1032
Size Inches	Planished Light Bronze Plates, $\frac{1}{2}$ -inch Wide, Bolts $\frac{3}{8}$ -inch Round Per Dozen with Screws	Planished Antique Copper, Per Dozen with Screws	Planished Dull Brass Per Dozen with Screws	Dead Black Electro- plate, Per Dozen with Screws	Plain Steel Plates $\frac{1}{2}$ - inch Wide Bolts $\frac{3}{8}$ -inch Round, Per Dozen
4	\$4.25	\$4.90	\$4.90	\$5.50	\$2.00
6	4.50	5.15	5.15	5.80	2.25
8	5.00	5.65	5.65	6.30	2.50

Bolts have $\frac{1}{2}$ -inch throw.

One dozen in a box with flat strike plates.

For other finishes, see page 11.

WROUGHT STEEL BOLTS **FOR CASEMENT WINDOWS, FRENCH DOORS, ETC.**

Plates, $1\frac{1}{4}$ inches wide

The bolt is shaped up from a flat piece of steel

Size Inches	No. 1065 Japanned Plate Polished Bolt Per Dozen	362 A Planished Light Bronze Per Dozen with Screws	362 D2 Planished Antique Copper Per Dozen with Screws	362 F Planished Dull Brass Per Dozen with Screws
8	\$4.50	\$7.50	\$8.30	\$8.30
12	5.00	8.30	9.10	9.10
15	5.50	9.15	10.00	10.00
18	6.00	10.00	10.80	10.80
24	7.00	11.70	12.50	12.50
30	8.25	13.80	14.60	14.60
36	9.50	15.85	16.65	16.65
42	10.75	18.00	18.80	18.80
48	12.00	20.00	20.80	20.80
60	15.00	25.00	26.00	26.00


8-inch, one dozen; 12, 15, 18 and 24-inch, one-half dozen in a box; larger sizes, one-half dozen in a package.



Cut of **No. 1065**
12-inch. Half size

T H E S T A N L E Y W O R K S

WROUGHT STEEL EXTRA HEAVY SPRING FLAT BOLTS FOR WAREHOUSE DOORS, ETC.




Size, Inches	No. 1050 Plain Steel Plates $1\frac{1}{4}$ -inch Wide Bolts $\frac{3}{4}$ -inch Square Per Dozen	350 A Polished Light Bronze Per Dozen with Screws	350 D2 Polished Antique Copper Per Dozen with Screws
8	\$7.15	\$18.00	\$19.00
10	7.60	19.00	20.00
12	8.10	20.00	21.00
15	8.80	22.00	23.00
18	9.25	24.00	25.00
24	9.80	27.00	28.00
30	10.80	30.00	31.00
36	11.55	33.00	34.00
42	13.20	36.00	37.00
48	13.85	38.50	39.50
54	15.40	41.00	42.00
60	17.15	45.00	46.00

Size, Inches	No. 350 F Polished Dull Brass Per Dozen with Screws	1051 Japanned Plates $1\frac{1}{4}$ -inch Wide Bronzed Bolts $\frac{3}{4}$ -inch Square Per Dozen	1054 Plain Steel Plates, $1\frac{1}{4}$ -inch Wide Bolts, $\frac{3}{4}$ -inch Square Per Dozen
8	\$19.00	\$7.90	\$6.40
10	20.00	8.40	6.80
12	21.00	8.90	7.40
15	23.00	9.70	7.80
18	25.00	10.20	8.15
24	28.00	10.80	8.90
30	31.00	11.80	9.70
36	34.00	12.70	10.60
42	37.00	14.50	. . .
48	39.50	15.20	. . .
54	42.00
60	46.00

36-inch and smaller, one-half dozen in a box; larger sizes, one-quarter dozen.

8, 10 and 12-inch bolts are packed with No. 1 staples; larger sizes with No. 2 staples. We will substitute No. 3 staples when ordered.

Cut of No. 1050, 12-inch. Half size



Staple No. 1

No. 2

No. 3

WROUGHT STEEL CANADA BOLTS

Size, Inches	No. 1061 Steel Knobs Japanned Plates Plates, 1 Inch Wide Bolts, $\frac{1}{2}$ x $\frac{1}{4}$ Inch Per Dozen	1063 Steel Knobs Japanned Plates Plates, $1\frac{1}{4}$ Inches Wide Bolts, $\frac{1}{2}$ x $\frac{1}{4}$ Inch Per Dozen
6	\$4.60	\$4.75
9	4.85	5.15
12	5.15	5.40
15	5.25	5.55
18	5.55	5.80
24	6.10	6.35
30	6.50	6.75
36	7.00	7.30

Size, Inches	No. 360 Polished, Bronzed Plates, $1\frac{1}{4}$ Inches Wide Bolts, $\frac{1}{2}$ x $\frac{1}{4}$ Inch Per Dozen with Screws	360 D2 Polished Antique Copper Per Dozen with Screws
6	\$13.00	\$13.50
9	13.50	14.00
12	14.00	14.50
15	14.25	14.75
18	15.00	15.50
24	15.75	16.25
30	16.50	17.00
36	17.25	17.80

One-half dozen in a box.



Cut of No. 1061
12-inch. Half size

WROUGHT STEEL FLAT TAIL BOLTS

Plates, $2\frac{1}{4}$ inches wide


Bolts, $1\frac{1}{4}$ x $\frac{1}{2}$ -inch

No. 1048. JAPANNED PLATES POLISHED BOLTS

Size, Inches	Per Dozen
12	\$12.00
15	13.25
18	14.25
24	16.00
30	17.50
36	19.00
42	20.50
48	22.00
54	23.50
60	25.00
72	28.00
84	31.00

12 and 15-inch are packed with flat staples;
larger sizes, with strap staples.

24-inch and smaller, one-half dozen in a
box; larger sizes, one-quarter dozen.



Cut of No. 1048, 12-inch
Half size

T H E S T A N L E Y W O R K S

WROUGHT STEEL AUTOMATIC "DICKEY" BOLT

PATENTED AUGUST 24, 1909, AND OCTOBER 4, 1910



Cut of No. 1070, one-half size

Length of bolt, $7\frac{1}{2}$ inches with 2-inch throw

Length of plate, $5\frac{1}{2}$ inches ; width of plate, $1\frac{3}{4}$ inches

Number	Finish	Price per Dozen
1070	Plain steel	\$1.70
1070 J	Japanned plates, plain bolts	2.00
1070 Z	Stanley Sherardized	2.20

Prices for 1070 J and 1070 Z include screws to match.

Packed regularly with ordinary staples, one dozen in a box ; flat plates can be furnished in place of staples, if desired.

Weight per dozen pairs, $5\frac{3}{4}$ pounds.

This bolt is particularly suitable for use on outside doors, gates, sheds, etc., as it can be securely locked by a padlock. On the inside of a door it locks automatically. The bolt can be used on either right or left hand doors, by simply changing the staple from one side to the other. It can also be used as a foot bolt.



Cut of
No. 1055
10-inch
Half size

WROUGHT STEEL CHAIN BOLTS

PATENTED APRIL 27, 1910

10-inch size
For garage, warehouse and
other heavy doors

Number	Finish	Size Inches
		10
1055 J	Japanned . .	\$20.00
355 A	Light bronze	23.35
355 D2	Antique cop- per	24.00
355 F	Dull brass . .	24.00
355 F2	Antique brass	24.00
355 H	Dead black electro-plate	25.40

Prices are per dozen and in-
clude plated screws to match.

Extreme width of plate, $2\frac{7}{8}$
inches.

Bolt, $\frac{7}{8}$ inch round; chain,
24 inches long.

Packed $\frac{1}{4}$ dozen in a box,
with two staples for each bolt,
one round and one angle plate.

WROUGHT STEEL CHAIN BOLTS

PATENTED APRIL 27, 1909



Cut of **No. 355**, 5-inch. Half size

Prices are per dozen, and include screws to match

Number	Finish	Size, Inches	
		3	5
1055 J	Japanned	\$5.00	\$7.30
355 A	Light bronze	7.50	10.00
355 D 2	Antique copper	8.20	10.70
355 F	Dull brass	8.20	10.70
355 F 2	Antique brass	8.20	10.70
355 H	Dead black, electro-plate	8.90	11.40

Width of plate, $1\frac{9}{16}$ inches for the 3-inch; 2 inches for the 5-inch.

Bolts, $\frac{3}{4}$ -inch round; chain, 24 inches long.


One half dozen in a box, with screws.

These bolts can be reversed by simply pulling the bolt out and turning it around. They are packed with two staples, one round and one flat. The round staple is extra heavy and beveled.

WROUGHT STEEL FOOT BOLTS

PATENTED APRIL 27, 1909

Plates 5 inches long, 2 inches wide
 $\frac{5}{8}$ -inch round bolts with $1\frac{1}{4}$ -inch stroke



Number	Finish	Per Dozen with Screws
1056 J	Japanned	\$5.85
356 A	Bronze-plated	8.00
356 D 2	Antique copper	8.70
356 F	Dull brass	8.70
356 F 2	Antique brass	8.70
356 H	Dead black, electro-plate .	9.40

Packed with square floor plates with round holes.

One-half dozen in a box, with screws.

Cut of **No. 356**
 Actual size

WROUGHT STEEL DOOR HOLDERS

Plates, 5 inches long, 2 inches wide
 $\frac{3}{4}$ -inch round bolts with $1\frac{1}{4}$ -inch throw

Number	Finish	Per Dozen with Screws
455 A	Bronze-plated	\$12.00
455 D2	Antique copper	12.70
455 F	Dull brass	12.70
455 F2	Antique brass	12.70
455 H	Dead black, electro-plate . .	13.50

One-half dozen in a box, with screws.

These holders are superior to other styles, from the fact that the bolt is operated from the side near the floor instead of from the top, making them easier to operate, and giving a firmer purchase on the floor. They have a composition rubber tip which holds door firmly, and are self-adjusting to overcome any unevenness of floor. A pressure of the foot on the spring releases the holder.



Cut of No. 455. Actual size

WROUGHT STEEL CREMONE BOLTS

For door or windows opening in or out
Plates, $1\frac{3}{8}$ inches wide. Bolts, $\frac{5}{8}$ -inch half round
For list prices, see opposite page



Cut of **No. 373**



Staple No. 1



Staple No. 2



Staple No. 3



Staple No. 4

Bolts are regularly packed with two center guides, two end guides, two No. 2 staples and one No. 1 staple. We will substitute No. 3 or No. 4 staples when so ordered.

One handle and staples in a box.

Rods in paper packages.

We carry 3, $3\frac{1}{2}$, 4 and $4\frac{1}{2}$ -foot rods in stock, and can furnish any other length desired.

In ordering, state either exact length of door or window, or length of rods wanted.



Cut of **No. 374**

WROUGHT STEEL CREMONE BOLTS

For doors or windows opening in or out

For cuts, see opposite page

No. 373. LEVER HANDLE. PLANISHED

No. 373 A	373 D2	373 SD2	373 F	373 F2	373 SF2	373 H
Light Bronze Per Dozen with Screws	Antique Copper Per Dozen with Screws	Antique Copper Sand Finish Per Dozen with Screws	Dull Brass Per Dozen with Screws	Antique Brass Per Dozen with Screws	Antique Brass Sand Finish Per Dozen with Screws	Dead Black Electro Plate Per Dozen with Screws
\$50.00	\$55.00	\$60.00	\$55.00	\$55.00	\$60.00	\$60.00


Plates, $1\frac{3}{8}$ inches wide. Bolts, $\frac{5}{8}$ -inch half round.

No. 374. S HANDLE. PLANISHED

No. 374 A	374 D2	374 SD2	374 F	374 F2	374 SF2	374 H
Light Bronze Per Dozen with Screws	Antique Copper Per Dozen with Screws	Antique Copper Sand Finish Per Dozen with Screws	Dull Brass Per Dozen with Screws	Antique Brass Per Dozen with Screws	Antique Brass Sand Finish Per Dozen with Screws	Dead Black Electro Plate Per Dozen with Screws
\$50.00	\$55.00	\$60.00	\$55.00	\$55.00	\$60.00	\$60.00

For details of packing, see opposite page.

WROUGHT STEEL CELLAR WINDOW BOLTS PLAIN STAPLES




Cut of No. 1076, 3-inch. Actual size

Size, Inches	No. 1076 Japanned Plates Polished Bolts Per Dozen	405 A Planished Light Bronze Per Dozen with Screws	405 D2 Antique Copper Per Dozen with Screws	405 F2 Antique Brass Per Dozen with Screws
$2\frac{1}{2}$	\$0.85	\$1.40	\$1.65	\$1.65
3	1.10	1.75	2.00	2.00
$3\frac{1}{2}$	1.50	2.50	2.75	2.75

One dozen in a box.

WROUGHT STEEL LIGHT BARREL BOLTS




Cut of **No. 1078**, 4-inch. Actual size

BRASS KNOBS. COMMON STAPLES. RIVETED PLATES

Size, Inches	No. 1078 Japanned Plates Polished Bolts Per Dozen	406 A Planished, Bronzed Per Dozen with Screws	406 D2 Planished Antique Copper, Per Dozen with Screws	406 F Dull Brass Per Dozen with Screws	406 F2 Planished Antique Brass, Per Dozen with Screws
2½	\$1.50	\$1.25	\$1.50	\$1.50	\$1.50
3	1.90	1.50	1.75	1.75	1.75
4	2.15	1.75	2.00	2.00	2.00
5	2.50	2.00	2.25	2.25	2.25
6	2.90	2.25	2.50	2.50	2.50

One dozen in a box.

BRASS KNOBS. SQUARE ENDS




Cut actual size

No. 1078½ Japanned Plates Polished Bolts Per Dozen	406½ A Planished Light Bronze Per Dozen with Screws	406½ D2 Planished Antique Copper Per Dozen with Screws	406½ F Planished Dull Brass Per Dozen with Screws
\$1.50	\$1.25	\$1.50	\$1.50

Size, 2-inch. Bolts, ¼-inch round.
One dozen in a box.

**WROUGHT BRASS LIGHT BARREL BOLTS
RIVETED PLATES**



Cut of 4-inch. Actual size


No. 1077. POLISHED BRASS

Size, inches	2½	3	4	5	6
Per dozen with brass screws .	\$4.00	\$5.60	\$6.50	\$9.00	\$11.00

One dozen in a box, with brass screws.

**WROUGHT STEEL LIGHT BARREL BOLTS
BRASS KNOBS. COMMON STAPLES**

These plates are struck up from a sheet of steel and are without rivets, giving them a very neat appearance.



Cut of 3-inch. Actual size


No. 1075. JAPANNED PLATES, POLISHED BOLTS

Size, inches	2½	3	4	5	6
Per dozen	\$0.70	\$0.85	\$0.95	\$1.15	\$1.35

One dozen in a box.

WROUGHT STEEL BARREL BOLTS

BRASS KNOBS BENT STAPLES




Cut of **No. 1080**, 4-inch. Actual size

Size Inches	No. 1080 Japanned Plates Polished Bolts Per Dozen	404 A Planished Light Bronze Per Dozen with Screws	404 D2 Planished Antique Copper Per Dozen with Screws	404 F Dull Brass Per Dozen with Screws	1324 Galvanized Per Dozen with Screws
3	\$2.25	\$1.80	\$2.05	\$2.05	\$3.00
4	2.60	2.00	2.25	2.25	3.50
5	3.15	2.30	2.55	2.55	4.00
6	3.60	2.80	3.05	3.05	4.50
8	6.75	3.50	3.75	3.75	8.00

8-inch, one-half dozen in a box; other sizes, one dozen.

WROUGHT BRASS BARREL BOLTS




Cut of **No. 1108**, 4-inch. Actual size

No. 1108. POLISHED BRASS

Size, inches	3	4	5	6
Per dozen, with brass screws	\$7.60	\$9.70	\$11.50	\$13.00

One dozen in a box, with brass screws.

WROUGHT STEEL BARREL BOLTS COMMON STAPLES




Cut of **No. 1084**
4-inch. Actual size

Size, Inches	No. 1084 Japanned Plates Polished Bolts Brass Knobs Per Dozen	1082 Japanned Plates Polished Bolts Tinned Knobs Per Dozen	408 A Planished Light Bronze Per Dozen with Screws	408 D2 Planished Antique Copper Per Dozen with Screws	408 F Dull Brass Per Dozen with Screws
3	\$2.15	\$2.15	\$1.70	\$1.95	\$1.95
4	2.45	2.45	1.85	2.10	2.10
5	3.00	3.00	2.15	2.40	2.40
6	3.40	3.40	2.60	2.85	2.85
8	6.50	6.50	3.80	3.55	3.55

8-inch, one-half dozen in a box ; other sizes, one dozen. For other finishes, see page 11.

WROUGHT STEEL BARREL BOLTS BRASS KNOBS. NECKED STAPLES

Substitute for Neck Bolts




Cut of **No. 1081**
4-inch. Actual size

No. 1081. JAPANNED PLATES. POLISHED BOLTS					
Size, inches	3	4	5	6	8
Per dozen	\$2.25	\$2.60	\$3.15	\$3.60	\$6.75

8-inch, one-half dozen in a box ; other sizes, one dozen.

T H E S T A N L E Y W O R K S

WROUGHT STEEL BARREL BOLTS POLISHED WROUGHT IRON KNOBS. PLAIN STAPLES




Cut of **No. 1086**, 4-inch. Actual size

Size, inches . . .	3	4	5	6	8
Per dozen . . .	\$2.05	\$2.85	\$2.80	\$3.80	\$6.00

8-inch, one-half dozen in a box; other sizes, one dozen.

WROUGHT STEEL LIGHT SQUARE BOLTS




Cut of 3-inch. Actual size

Number	Finish	Per Dozen with Screws
414 A	Planished light bronze	\$3.80
414 D2	Planished antique copper	4.80
414 F	Dull brass	4.80
414 N	Planished nickeled	7.00

One dozen in a box, with screws.

WROUGHT STEEL ROUND NECK BOLTS
BRASS KNOBS




Cut of 4-inch. Actual size

No. 1100. JAPANNED PLATES, POLISHED BOLTS

Size, inches	4	5	6
Per dozen	\$3.65	\$3.85	\$4.10

One dozen in a box.

WROUGHT STEEL SQUARE NECK BOLTS—STEEL SPRINGS




Cut of 4-inch. Actual size

Size, Inches	No. 1102 Japanned Plates, Polished Bolts Per Dozen	1332 Galvanized, with Galvanized Screws, Per Dozen
4	\$2.90	\$4.50
6	4.80	6.50
8	5.50	8.00

One-half dozen in a box.

WROUGHT STEEL SQUARE BOLTS



Cut of 6-inch. Two-thirds size

No. 1088. JAPANNED PLATES, POLISHED BOLTS, STEEL SPRINGS AND PLAIN STAPLES


Size, inches	3	4	5	6	7	8	9	10	12
Per dozen	\$2.00	\$2.50	\$2.65	\$2.85	\$3.75	\$4.00	\$4.35	\$6.50	\$7.00

No. 1336. GALVANIZED

Size, inches	3	4	5	6	7	8	9	10	12
Per dozen, with screws	\$3.35	\$4.70	\$5.00	\$5.40	\$7.00	\$7.50	\$8.00	\$12.30	\$13.30

6-inch and smaller, one dozen in a box ; larger sizes, one-half dozen.

WROUGHT STEEL SQUARE BOLTS



Cut of 6-inch. Two-thirds size

No. 1090. JAPANNED PLATES, POLISHED BOLTS, STEEL SPRINGS AND FLOOR PLATES

Size, inches	3	4	5	6	7	8	9	10	12
Per dozen	\$2.00	\$2.50	\$2.65	\$2.85	\$3.75	\$4.00	\$4.35	\$6.50	\$7.00

No. 1337. GALVANIZED

Size, inches	3	4	5	6	7	8	9	10	12
Per dozen, with screws	\$3.35	\$4.70	\$5.00	\$5.40	\$7.00	\$7.50	\$8.00	\$12.30	\$13.30

6-inch and smaller, one dozen in a box ; larger sizes, one-half dozen.


The 3-inch of all of above have bolts $\frac{3}{8}$ -inch square ; the 4, 5 and 6-inch, $\frac{3}{8}$ -inch square ; the 7, 8 and 9-inch, $\frac{1}{2}$ -inch square ; the 10 and 12-inch, $\frac{3}{4}$ -inch square.

EXTRA HEAVY WROUGHT STEEL SQUARE BOLTS STEEL SPRINGS

Size Inches	No. 1092 Japanned Plates Polished Bolts and Plain Staples Per Dozen	1329 Galvanized Per Dozen with Galvanized Screws
4	\$3.25	\$6.75
5	3.40	7.25
6	3.60	7.80
7	4.75	10.00
8	5.25	11.00
9	6.00	12.50
10	8.00	16.00
12	9.75	19.00
14	11.00	22.00


Size Inches	No. 1094 Japanned Plates Polished Bolts Floor Plates Per Dozen	1328 Galvanized with Floor Plates Per Dozen with Galvanized Screws
4	\$3.25	\$6.75
5	3.40	7.25
6	3.60	7.80
7	4.75	10.00
8	5.25	11.00
9	6.00	12.50
10	8.00	16.00
12	9.75	19.00
14	11.00	22.00

4, 5 and 6-inch have bolts $\frac{1}{4}$ -inch square.
 7, 8 and 9-inch have bolts $\frac{3}{8}$ -inch square.
 10, 12 and 14-inch have bolts $\frac{1}{2}$ -inch square.
 6-inch and smaller, one-dozen in a box;
 7, 8, 9 and 10-inch, one-half dozen; 12 and
 14-inch, one-quarter dozen.



Cut of **No. 1094**, 6-inch. Actual size
No. 1092 are the same except that they
 have plain staples


WROUGHT STEEL SPRING BOLTS



Cut of 3-inch. Actual size

No. 1150. JAPANNED PLATES, POLISHED BOLTS, PLATE STAPLES


Size, inches	2	2½	3	3½	4	4½	5	6
Per dozen	\$1.10	\$1.20	\$1.35	\$1.60	\$1.80	\$2.10	\$2.25	\$2.70



Cut of 3-inch. Actual size

No. 1152. JAPANNED PLATES, POLISHED BOLTS, NARROW STAPLES

Size, inches	2	2½	3	3½	4	4½	5	6
Per dozen	\$1.10	\$1.20	\$1.35	\$1.60	\$1.80	2.10	\$2.25	\$2.70




Cut of 4-inch. Actual size

No. 1154. JAPANNED PLATES, POLISHED NECKED BOLTS

Size, inches	2½	3	3½	4	4½	5	6
Per dozen	\$1.20	\$1.35	\$1.60	\$1.80	\$2.10	\$2.25	\$2.70

All, one dozen in a box.


WROUGHT BRASS SPRING BOLTS



Cut of 3-inch. Actual size

No. 1151. WROUGHT BRASS


Size, inches	2	2½	3	3½	4	4½	5
Per dozen	\$2.25	\$2.70	\$3.25	\$4.00	\$4.30	\$5.15	\$5.40



Cut of 3-inch. Actual size

No. 1153. WROUGHT BRASS

Size, inches	2	2½	3	3½	4	4½	5
Per dozen	\$2.25	\$2.70	\$3.25	\$4.00	\$4.30	\$5.15	\$5.40




Cut of 4-inch. Actual size

No. 1155. WROUGHT BRASS

Size, inches	2½	3	3½	4	4½	5
Per dozen	\$2.70	\$3.25	\$4.00	\$4.30	\$5.15	\$5.40

All, one dozen in a box.

WROUGHT STEEL SHUTTER BOLTS



Cut of **No. 1112**
12-inch. Half size

Size Inches	No. 1110 Japanned Plates Polished Bolts Per Dozen	1112 Japanned Plates Galvanized Bolts Per Dozen	1326 All Galvanized Per Dozen	Average Weight Per 100 Dozen Pounds
6	\$2.75	\$2.75	\$3.75	950
7	3.00	3.00	4.13	1020
8	3.38	3.38	4.50	1390
9	3.75	3.75	5.13	1510
10	4.25	4.25	5.75	1820
12	4.75	4.75	6.75	2100
14	7.25	7.25	10.00	8880

Size Inches	No. 1325 Extra Heavy Galvanized Per Dozen	Size Inches	1113 Necked Shutter Japanned Plates Galvanized Bolts Per Dozen	1327 Necked Shutter All Galvanized Per Dozen
10	\$15.50	6	\$5.00	\$6.70
12	18.00	8	6.00	8.00
14	27.00	10	7.50	10.25
16	30.00			


Nos. 1110, 1112, 1113, 10-inch and smaller, one dozen in a box;
larger sizes, one-half dozen.

Nos. 1326 and 1327, 6 and 7-inch, one dozen in a box; 8 to
12-inch inclusive, one-half dozen; 14-inch, one-quarter dozen.

No. 1325, all sizes, one-quarter dozen.

WROUGHT STEEL SHUTTER BOLTS

BRASS KNOBS, JAPANNED PLATES, POLISHED BOLTS



Cut of 8-inch. Half size

No. 1114

Size, inches	6	7	8	9	10	12
Per dozen	\$1.65	\$1.90	\$2.15	\$2.40	\$2.65	\$3.15

One-half dozen in a box.

WROUGHT STEEL LOCK SHUTTER BOLTS

TINNED KNOBS, JAPANNED PLATES, POLISHED BOLTS



Cut of 8-inch. Half size

No. 1118

Size, inches	6	8	10	12
Per dozen	\$1.75	\$2.25	\$2.75	\$3.25

One-half dozen in a box.


T H E S T A N L E Y W O R K S

WROUGHT STEEL FLOOR PLATES

FOR WROUGHT SQUARE BOLTS

No. 1126

For Bolts Inches	Per Dozen	Size Outside Inches	Size of Hole Inches
3	\$0.40	1½ x 1	⅞ x ⅜
4, 5 and 6	.45	1½ x 1½	½ x ⅞
7, 8 and 9	.60	2 x 1½	⅝ x ⅞
10 and 12	.75	2¼ x 1½	⅞ x ⅞



No. 1128

SAME AS No. 1126, FOR EXTRA HEAVY WROUGHT SQUARE BOLTS

For Bolts Inches	Per Dozen	Size Outside Inches	Size of Hole Inches
4, 5 and 6	\$0.60	2 x 1½	⅝ x ⅞
7, 8 and 9	.75	2¼ x 1½	⅞ x ⅞
10, 12 and 14	.85	2¾ x 2⅛	1½ x ⅞


WROUGHT STEEL STAPLES

FOR WROUGHT SQUARE BOLTS

JAPANNED

No. 1130

For Bolts Inches	Per Dozen	Size Outside Inches	Size Inside Inches
3	\$0.40	1½ x ⅞	⅞ x ⅞
4, 5 and 6	.45	2½ x ⅝	½ x ½
7, 8 and 9	.60	2½ x 1	⅞ x ⅞
10 and 12	.75	2¾ x 1	⅞ x ⅞




No. 1132

SAME AS No. 1130, FOR EXTRA HEAVY WROUGHT SQUARE BOLTS


For Bolts Inches	Per Dozen	Size Outside Inches	Size Inside Inches
4, 5 and 6	\$0.60	2½ x 1	⅞ x ⅞
7, 8 and 9	.75	2¾ x 1	⅞ x ⅞
10, 12 and 14	.85	2¾ x 1¼	⅞ x ⅞

All packed 3 dozen in a box.

WROUGHT STEEL SHUTTER BARS



Cut of 1 3/4-inch. Actual size




Cut of 2-inch. Actual size

Size Inches	No. 450 A Planished Light Bronze Per Dozen with Screws	450 D2 Planished Antique Copper Per Dozen with Screws	450 F Planished Dull Brass Per Dozen with Screws	452 A Polished Light Bronze Per Dozen with Screws	452 D2 Polished Antique Copper Per Dozen with Screws	452 F Polished Dull Brass Per Dozen with Screws
1 3/4	\$1.00	\$1.30	\$1.30	\$1.60	\$2.00	\$2.00
2	1.20	1.50	1.50	1.80	2.25	2.25

One dozen in a box, with screws.

T H E S T A N L E Y W O R K S


WROUGHT STEEL STEAMBOAT SHUTTER FASTS



Cut two-thirds size
Size, 3-inch

No. 1122. JAPANNED

Per dozen, with screws \$0.85



Cut two-thirds size
Size, 3-inch

No. 1124. JAPANNED WITH BRASS KNOBS

Per dozen, with screws \$1.15


PART III

MISCELLANEOUS GOODS

WROUGHT SHELF BRACKETS
THUMB LATCHES, HANDLES
HASPS AND STAPLES
CORNER IRONS, WASHERS
BACK BAND BUCKLES, ETC.

WROUGHT STEEL SHELF BRACKETS

PATENTED



Size Inches	No. 790 Japaned Per Dozen Pairs	490 A Bronze-plated 490 C Brass-plated 490 D2 Antique Copper 490 N Nickel-plated Per Dozen Pairs with Screws	Dozen Pairs in a Case	Average Weight of Full Case No. 790 Pounds
3 x 4	\$1.20	\$3.75	18	61
4 x 5	1.60	4.40	15	84
5 x 6	2.20	5.00	15	110
5 x 7	2.40	6.20	12	94
6 x 8	3.00	8.20	8	106
7 x 9	3.60	8.70	5	78
8 x 10	4.20	9.00	5	92
10 x 12	6.00	12.00	3½	99
12 x 14	9.00	13.00	3½	123

Cut of **No. 490**
8 x 10-inch
Half size


No. 790, 3 x 4, 4 x 5-inch, one dozen pairs in a box; 5 x 6 to 7 x 9-inch inclusive, one-half dozen; larger sizes, one-quarter dozen.

No. 490, etc., 7 x 9-inch and smaller, one-half dozen; larger sizes, one-quarter dozen.

NOTICE THE FOLLOWING POINTS OF SUPERIORITY IN THIS BRACKET

1. The use of the arched or angle forms of steel in the wall and shelf plates, which gives much more strength with less metal than if made flat.
2. The corrugation of the brace, which renders it secure against buckling or bending sideways under the severest strain.

The application of these principles makes a light but very strong bracket.



Cut of No. 490
About one-third
size


**WROUGHT STEEL
SHELF BRACKETS**
PATENTED
EXTRA HEAVY

Number	Finish	Size Inches	Per Dozen Pairs
790	Japanned	16x18	\$26.00
490 A	Bronze-plated, with screws .	16x18	60.00
490 C	Brass-plated, with screws .	16x18	60.00
490 D2	Ant. cop.-plated, with screws	16x18	60.00
490 N	Nickel-plated, with screws .	16x18	60.00

Section of bracket, full size, showing
end of wall plate, method of attaching
brace, and corrugation.

Each pair of 490 C and 490 N packed with four $\frac{3}{8}$ -inch dowels, which can be screwed into
screw holes in place of screws for supporting marble.
One pair in a package.

WROUGHT STEEL SHELF BRACKETS
PATENTED




Cut of **No. 792**
8 x 10-inch
Half size

Size Inches	No. 792 Japanned Per Dozen Pairs	492 A Bronze-plated 492 C Brass-plated 492 D2 Antique Copper 492 N Nickel-plated Per Dozen Pairs with Screws	Dozen Pairs in a Case	Average Weight of Full Case Pounds
3 x 4	\$1.20	\$3.75	18	60
4 x 5	1.60	4.40	15	80
5 x 6	2.20	5.00	15	100
5 x 7	2.40	6.20	12	85
6 x 8	3.00	8.20	8	76
7 x 9	3.60	8.70	5	60
8 x 10	4.20	9.00	5	74
10 x 12	6.00	12.00	3½	85
12 x 14	9.00	18.00	3½	120
16 x 18	20.00	30.00	1½	92

No. 792, 3 x 4, 4 x 5-inch, one dozen pairs in a box; 5 x 6 to 7 x 9-inch inclusive, one-half dozen; larger sizes, one-quarter dozen.

No. 492, etc., 7 x 9-inch and smaller, one-half dozen; larger sizes, one-quarter dozen.

WROUGHT STEEL SINK BRACKETS



Cut of 11 x 14-inch. About one-third size

No. 797. JAPANNED

Size, inches	11 x 14	12 x 17
Per dozen pairs	\$9.30	\$11.30

No. 797N. NICKEL-PLATED

Size, inches	11 x 14	12 x 17
Per dozen pairs, with screws	\$28.10	\$32.30

No. 797Z.* STANLEY SHERARDIZED

Size, inches	11 x 14	12 x 17
Per dozen pairs, with screws	\$15.00	\$18.00

The 11 x 14, one-fourth dozen pairs in a box; the 12 x 17, one pair in a paper.

These brackets are made of U-shaped steel, which adds materially to their strength. The brace can be detached without taking the bracket from the wall. The 11 x 14-inch have slots $\frac{5}{8}$ x 4 inches and are for sinks 14 to 18 inches. The 12 x 17-inch have slots $\frac{5}{8}$ x 4 $\frac{1}{4}$ inches and are for sinks 18 to 20 inches.

*For description of Stanley Sherardized finish, see page 10.


WROUGHT STEEL FOLDING BRACKETS

This is the best bracket made for folding shelves.


Locks automatically when open and can be let down out of the way quickly and easily.

No. 794. JAPANNED

Size, Inches	Per Dozen Pairs
8 x 8	\$8.00
12 x 12	12.00
16 x 16	20.00



Cut of 8 x 8-inch
Half size



No. 494A. PLANISHED BRONZED

Size, Inches	Per Dozen Pairs with Screws
8 x 8	\$12.00
12 x 12	17.00
16 x 16	25.00

No. 494N. NICKEL-PLATED

Size, Inches	Per Dozen Pairs with Screws
8 x 8	\$14.00
12 x 12	20.00
16 x 16	30.00

One pair in a box.

WROUGHT STEEL DESK SLIDES
BRASS-PLATED



Cut of No. 430, 7½-inch. Half size


No. 430. WITH SWIVEL BASE

Size, inches	7½	10	12
Per dozen pairs	\$2.20	\$2.40	\$2.60

No. 431. WITHOUT BASE

Size, inches	7½	10	12
Per dozen pairs	\$1.70	\$1.80	\$2.00

One dozen pairs in a box.



Cut half size

No. 432. JOINTED


Size, inches	10
Per dozen pairs	\$2.00

One dozen pairs in a box.

WROUGHT STEEL THUMB LATCHES



Catch for No. 4



Catch for Nos.
1, 2 and 3

Cut of **No. 3.** Half size

Size Number	No. 1250 J Japanned Per Dozen with Screws	1250 A Light Bronze Per Dozen with Screws	1250 D2 Antique Copper Per Dozen with Screws	1250 Z* Stanley Sherardized Per Dozen with Screws	Length of Handle Extreme Inches	Dozen in a Case	Average Weight of Full Cases Pounds
1	\$1.90	\$3.25	\$3.60	\$2.30	5½	20	76
2	2.30	3.75	4.10	2.80	6¾	20	104
3	3.50	5.20	5.60	4.50	7¾	10	87
4	6.00	8.00	8.45	8.00	8¾	6	104


No. 4, one-half dozen in a box, with screws; other sizes, one dozen.

These latches, being made of wrought steel, will not break. Their advantages over the old style cast-iron latches are obvious.

* For description of Stanley Sherardized finish, see page 10.

WROUGHT STEEL THUMB LATCHES

FOR PADLOCKS



Cut of **No. 3.** Half size


Size Number	No. 1260 J Japanned Per Dozen with Screws	1260 A Light Bronze Per Dozen with Screws	1260 D2 Antique Copper Per Dozen with Screws	1260 Z* Stanley Sherardized Per Dozen with Screws	Length of Handle Extreme Inches	Dozen in a Case	Average Weight of Full Case Pounds
3	\$3.50	\$5.20	\$5.60	\$4.50	7 $\frac{1}{2}$	10	87
4	6.00	8.00	8.45	8.00	8 $\frac{1}{2}$	6	104

No. 3, one dozen in a box, with screws; No. 4, one-half dozen.

These latches are made from wrought steel and will not break. They are much better in every way than the old style cast-iron latches.

* For description of Stanley Sherardized finish, see page 10.

WROUGHT STEEL HANDLES OR PULLS



Cut of **No. 2**
Half size

Size Number	No. 1257 J Japanned Per Dozen with Screws	1257 A Light Bronze Per Dozen with Screws	1257 D2 Antique Copper Per Dozen with Screws	1257 Z* Stanley Sherardized Per Dozen with Screws	Length of Handle Extreme Inches	Dozen in a Case
1	\$0.75	\$1.10	\$1.20	\$1.00	5½	20
2	1.00	1.40	1.55	1.30	6¾	20
3	1.45	1.80	2.00	1.80	7¾	10
4	2.80	2.85	3.10	3.00	8¾	6

No. 4, one-half dozen in a box, with screws;
other sizes, one dozen.

Sizes 3 and 4 have two screw holes in
each end.

* For description of Stanley Sherardized
finish, see page 10.



Cut of **No. 1265**
Half size

WROUGHT STEEL HEAVY DOOR HANDLES

No. 1265 J Japanned Per Dozen with Screws	1265 Z* Stanley Sherardized Per Dozen with Screws	Size Length Extreme Inches	Width Inches	Width of Ends Inches
\$5.00	\$6.00	10½	1¾	2½

One-half dozen in a box, with screws.

* For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WINDOW SHUTTER HANDLES FRENCH PATTERN. WROUGHT STEEL PLATE



No. 1200 J. JAPANNED

Size. Number	Per Dozen Pairs with Screws	Size of Plates Inches	Width of Handles Inches	Size of Wire Inches
1	\$2.50	6 ¹ / ₈ x 1	2 ¹ / ₄	¹ / ₄
2	2.75	6 ³ / ₈ x 1	2 ³ / ₄	³ / ₄
3	3.00	7 ¹ / ₄ x 1	3 ³ / ₄	⁵ / ₈

One dozen pairs in a box, with screws.

WROUGHT STEEL LIFTING HANDLES



Size Number	No. 1202 J Japanned Per Dozen Pairs with Screws	1202 A Light Bronze Per Dozen Pairs with Screws	1202 D2 Antique Copper, Per Dozen Pairs with Screws	1202 N Nickel Per Dozen Pairs with Screws	1202 Z* Stanley Sher- ardized, Per Dozen Pairs with Screws	Size of Plates Inches	Width of Handles Inches	Size of Wire
1	\$2.50	\$3.50	\$4.00	\$4.50	\$8.20	5 x 1	2 ³ / ₄	¹ / ₄
2	2.75	4.00	4.60	5.20	8.50	5 ¹ / ₂ x 1	3	³ / ₄
3	3.00	4.50	5.10	5.70	4.20	6 ¹ / ₂ x 1	4	⁵ / ₈


One dozen pairs in a box, with screws.

*For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WROUGHT STEEL TUB HANDLES

CURVED PLATES



Cut of No. 1210
Actual size

Number	Finish	Per Dozen Pairs with Screws
1210 J	Japanned	\$7.50
1210 Z*	Stanley Sherardized	9.00
1348	Galvanized	10.00

Size of plate, $4\frac{1}{8}$ x $3\frac{1}{4}$ inches. Size of wire, $\frac{3}{8}$ -inch.

One-half dozen pairs in a box, with screws.



Cut of No. 1209. Half size

Number	Finish	Per Dozen Pairs with Screws
1209 J	Japanned	\$5.50
1209 Z*	Stanley Sherardized	8.00
1323	Galvanized	9.00

Length of handle, $3\frac{1}{2}$ inches.

Size of wire, $\frac{5}{16}$ -inch.

*For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WROUGHT STEEL CHEST HANDLES

"PERFECTED" DESIGN

FLAT PLATES. TUBULAR GRIPS



Cut of **No. 1214 J.** Actual size


Size Width of Handle Inches	No. 1214 J Japanned Per Dozen Pairs with Screws	No. 1214 A Light Bronze Per Dozen Pairs with Screws	No. 1214 D2 Antique Copper Per Dozen Pairs with Screws	No. 1214 N Nickel Per Dozen Pairs with Screws	No. 1214 Z* Stanley Sherardized Per Dozen Pairs with Screws	Size of Plates Inches	Size of Wire Inches
4½	\$3.15	\$4.00	\$4.40	\$6.25	\$5.30	3½ x 3	5/16

Packed one-quarter dozen pairs in a box, with screws.

*For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WROUGHT STEEL HEAVY CHEST HANDLES




Cut of **No. 1205 J**, 3½-inch. Actual size

Size Width of Handle Inches	No. 1205 J Japaned Per Dozen Pairs with Screws	1205 A Light Bronze Per Dozen Pairs with Screws	1205 D2 Antique Copper Per Dozen Pairs with Screws	1205 N Nickel Per Dozen Pairs with Screws	1205 Z* Stanley Sherardized Per Dozen Pairs with Screws	1331 Galvanized Per Dozen Pairs with Screws	Size of Plates Inches	Size of Wire Inches
3¼	\$2.50	\$4.40	\$5.00	\$5.60	\$3.50	\$4.00	3½x3	⅝
3½	3.60	5.50	6.20	6.90	5.00	5.60	3¼x3½	⅝
4	5.00	6.50	7.20	7.90	6.50	7.50	4½x3¼	¾
4¾	7.00	8.70	9.40	10.10	9.50	10.50	5 x4¼	⅞

One-half dozen pairs in a box, with screws.

*For description of Stanley Sherardized finish, see page 10.

WROUGHT STEEL CHEST HANDLES
HEAVY




Cut of **No. 1206**, No. 8

For list prices, see opposite page

Size of plates Nos. 1 and 2, $1\frac{3}{4} \times 4$ inches; Nos. 3 and 4, $1\frac{3}{4} \times 4\frac{1}{2}$ inches; No. 5, 2×5 inches

LIGHT

Holes not countersunk



Cut of **No. 1208**, No. 3

For list prices, see opposite page

Size of plates Nos. 1 and 2, $1\frac{3}{4} \times 4$ inches; Nos. 3 and 4, $1\frac{3}{4} \times 4\frac{1}{2}$ inches; No. 5, $1\frac{3}{4} \times 5$ inches

WROUGHT STEEL CHEST HANDLES

For cuts, see opposite page

Size Number	No. 1206 Heavy Japanned Per Dozen Pairs with Screws	1206 Z* Stanley Sherardized Per Dozen Pairs with Screws	1322 Heavy Galvanized Per Dozen Pairs with Screws	1208 Light Japanned Per Dozen Pairs	Length of Handles All Numbers Inches	Size of Wire Nos. 1206, 1322 Inches	Size of Wire No. 1208 Inches
1	\$2.75	\$3.50	\$4.70	\$2.25	3	$\frac{1}{4}$	$\frac{3}{16}$
2	3.30	4.30	5.25	2.70	3	$\frac{5}{16}$	$\frac{1}{4}$
3	3.70	4.80	6.00	3.00	$3\frac{1}{2}$	$\frac{5}{16}$	$\frac{1}{4}$
4	4.20	5.60	7.00	3.40	$3\frac{1}{2}$	$\frac{3}{8}$	$\frac{5}{16}$
5	4.70	6.40	7.70	3.85	$3\frac{3}{4}$	$\frac{3}{8}$	$\frac{5}{16}$

No. 5, one-half dozen pairs in a box; other sizes, one dozen.

WROUGHT STEEL TRAP DOOR RINGS FLUSH



Cut of No. 1215 J. No. 1

Size Number	No. 1215 J Japanned Per Dozen with Screws	1215 A Light Bronze Per Dozen with Screws	1215 D2 Antique Copper Per Dozen with Screws	1215 Z* Stanley Sherardized Per Dozen with Screws	1347 Galvanized Per Dozen with Screws	Size of Plates Inches	Size of Wire Inches
1	\$2.60	\$4.70	\$5.80	\$8.20	\$4.00	8 x $3\frac{1}{2}$	$\frac{1}{8}$
2	3.30	5.50	6.20	4.00	5.00	$8\frac{1}{2}$ x $3\frac{3}{4}$	$\frac{3}{8}$
3	4.50	6.00	6.70	5.50	6.60	$3\frac{3}{4}$ x $4\frac{1}{4}$	$\frac{7}{8}$

One dozen in a box, with screws.

*For description of Stanley Sherardized finish, see page 10

WROUGHT STEEL PULLS




Cut of **No. 460.** Actual size

Size, 3-inch

Number	Finish	Per Dozen with Screws
460 A	Planished and bronzed	\$0.50
460 D2	Antique copper75
460 C	Brass-plated50
763	Japanned45

Six dozen in a box, with screws.

WROUGHT STEEL LIFTS



Cut of **No. 465.** Actual size

Size, 3½-inch

Number	Finish	Per Dozen with Screws
465 A	Planished and bronzed	\$0.40
465 D2	Antique copper65
465 C	Brass-plated40
765	Japanned35
765 Z*	Stanley Sherardized45

Six dozen in a box, with screws.

*For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WROUGHT STEEL SASH LIFTS



Nos. 481 and 483

No. 488


Nos. 485 and 487

Cuts actual size

Finish	Straight Edge Number	Per Gross with Screws	Beveled Edge Number	Per Gross with Screws
Bronzed, planished	483 A	\$4.10	487 A	\$5.20
Antique copper, planished	483 D2	4.10	487 D2	5.20
Antique copper, sand finish	483 SD2	4.50	487 SD2	5.60
Dull brass	483 F	4.10	487 F	5.20
Antique brass	483 F2	4.10	487 F2	5.20
Antique brass, sand finish	483 SF2	4.50	487 SF2	5.60
Dead black electro-plate	483 H	4.85	487 H	5.95
Bronzed, polished	481 A	6.90	485 A	7.30
Antique copper, polished	481 D2	6.90	485 D2	7.30
Antique brass, polished	481 F2	6.90	485 F2	7.30
Figured A 3 finish	488	8.15	489	8.30

Three dozen in a box, with screws.

WROUGHT STEEL BEVELED SASH LIFTS




Cut of **No. 486.** Actual size

Number	Finish	Per Gross with Screws
486 A	Bronzed, planished	\$4.85
486 D2	Antique copper, planished	4.85
486 SD2	Antique copper, sand finish	6.00
486 F	Dull brass	5.30
486 F2	Antique brass	5.30
486 SF2	Antique brass, sand finish	6.00
486 H	Dead black electro-plate	6.00
486 N	Nickel-plated	6.60

Three dozen in a box, with screws.

WROUGHT STEEL SCREEN DOOR HARDWARE
COMPLETE SETS FOR SCREEN DOORS IN CONVENIENT PACKAGES



Cut half size

Set No. 1750

Each set consists of one pair of ornamental wrought steel loose-pin butts 3 x 3, to screw on the surface; one wrought steel pull, 5 inches long; one wire spring; one gate hook and eye. The spring is a No. 3, of a much better quality than is usually furnished for screen doors, has been carefully tested, and we believe the best for the purpose that it is possible to produce.

Number	Finish	Per Gross Sets with Screws
1750 J	Japanned	\$35.50
1750 D2	Antique copper	42.60
1750 F	Dull brass	42.60
1750 Z*	Stanley Sherardized	43.50

Each set in a paper box; 12 sets in a carton, with screws.

One gross sets in a case.

* For description of Stanley Sherardized finish, see page 10.

WROUGHT STEEL SCREEN DOOR HARDWARE

Complete sets for screen doors in convenient packages



Cut half size

Set No. 1752

Each set consists of one pair of ornamental wrought steel loose-pin butts, $2\frac{1}{2} \times 2\frac{1}{2}$; one wrought steel pull, $8\frac{1}{2}$ inches long; one wire spring No. 2; one gate hook and eye.

Number	Finish	Per Gross Sets with Screws
1752 J	Japanned	\$29.60
1752 D2	Antique copper	37.00
1752 F	Dull brass	37.00
1752 Z*	Stanley Sherardized	36.50


Each set in a box; 12 sets in a carton, with screws.

One gross sets in a case.

* For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WROUGHT STEEL CELLAR WINDOW SETS



Cuts actual size


Number	Finish	Per Gross Sets, with Screws
1760 J	Japanned	\$29.00
1760 Z*	Stanley Sherardized	32.00

One set in a box, with screws; **12 sets in a carton**; one gross sets in a case.

Each set consists of one pair of wrought light narrow butts, $2\frac{1}{2}$ -inch; one hook and eye and two $2\frac{1}{2}$ -inch bolts. The sets usually sold contain only one bolt. The advantage of having two, one for each side of the window, is apparent.

* For description of Stanley Sherardized finish, see page 10.

WROUGHT STEEL TRANSOM PLATES AND CHAINS



Cut of **No. 1280.** Half size

Cut of **No. 1282.** Half size

SINGLE CHAIN

DOUBLE CHAIN

Number	Finish	Per Dozen with Screws	Number	Finish	Per Dozen with Screws
1280 J	Japanned	\$4.00	1282 J	Japanned	\$7.00
1280 A	Light bronze	5.00	1282 A	Light bronze	8.00
1280 D2	Antique copper	5.25	1282 D2	Antique copper	8.50
1280 F	Dull brass	5.25	1282 F	Dull brass	8.50
1280 Z*	Stanley Sherardized	4.50	1282 Z*	Stanley Sherardized	8.00


Length of plates, $8\frac{1}{4}$ inches; width, $1\frac{1}{4}$ inches. Length of chain, 16 inches. Size of staples, 2 x $1\frac{1}{4}$ inches.

No. 1280, one dozen in a box, with screws; No. 1282, one-half dozen.

* For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WROUGHT STEEL SLIDING DOOR RAIL



Width, Inches	No. 491 Plain Steel, per Foot	491 C Brass-plated, per Foot
$\frac{3}{4}$	\$0.10	\$0.12
$1\frac{1}{8}$.14	.16

In lengths of 2, $2\frac{1}{2}$, 3, $3\frac{1}{2}$, 4, $4\frac{1}{2}$, 5, $5\frac{1}{2}$, 6, 7 and 8 feet.
12 pieces in a package.

WROUGHT STEEL BAR HOLDERS



No. 1230 Plain Steel, per 100 Pounds	1230 J Japanned, per 100 Pounds	1230 Z* Stanley Sherardized, per 100 Pounds	1344 Galvanized, per 100 Pounds
\$11.00	\$12.50	\$16.00	\$18.50

Size, width, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$ and 2 inches. Projection, 2 inches. Length of sides, $2\frac{1}{2}$ inches.
In bulk.


* For description of Stanley Sherardized finish, see page 10.

SCHROEDER'S PATENT WROUGHT STEEL HANGERS AND FASTENERS FOR STORM SASH AND WINDOW SCREENS

PATENTED




Cut of **No. 1716**, half size. Visible hanger




Cut showing hangers applied



Cut of **No. 1714**, half size Invisible hanger



Cuts showing **No. 1718** in use



Cut of **No. 1718**. Schroeder's Patent Fastener. 10 inches long

Number	Finish	Per Gross Sets with Screws	Number	Finish	Per Gross Sets with Screws
1714	Japanned	\$18.00	1716 Z*	Stanley Sherardized . . .	\$22.00
1714 Z*	Stanley Sherardized . . .	22.00	1718	Japanned	24.00
1716	Japanned	18.00	1718 Z*	Stanley Sherardized . . .	30.00

No. 1720. Similar to No. 1716, but with eyes made without any offset, for use where storm sash is a little thicker than casing. \$18.00 per gross sets with screws.

Hooks or eyes separate for either hanger, one-half the price of the complete set.

Nos. 1714, 1716, 1720. One dozen sets in a box, with screws.

No. 1718. One dozen pairs in a box, with screws.

Eyes only, one dozen pairs in a box, with screws.


With these hangers, storm sash can be easily and quickly put up or taken down without the aid of ladder, nails, screws or tools. The fastener permits the sash to be swung out for ventilation or cleaning.

*For description of Stanley Sherardized finish, see page 10.


SCHROEDER'S "PEERLESS" WROUGHT STEEL HANGERS
AND FASTENERS FOR STORM SASH AND
WINDOW SCREENS—PATENTED




Cut of **No. 1717.** Actual size
Peerless hanger



Cut showing hanger applied



Window closed



Cut showing fastener applied

Number	Finish	Per Gross Sets with Screws
1717	Japanned	\$18.00
1717 Z*	Stanley Sherardized .	22.00
1719	Japanned	24.00
1719 Z*	Stanley Sherardized .	30.00


Eyes or hooks of No. 1717 separate, one-half the price of the complete set.
No. 1717, one dozen sets in a box; five gross sets in a case, with screws.
No. 1719, one dozen pairs in a box, with screws.
These are the easiest hangers and fasteners to apply. Sash can be hung from the inside without tools. They hold the sash firmly, permitting no rattling, and the fastener allows the window to be pushed out for cleaning and for ventilation. In the summer, full length screens fitted with No. 1717 eyes can be hung on the same hooks.

*For description of Stanley Sherardized finish, see page 10.



Cut of **No. 1719**
Fastener
Length, 10 inches

SCHROEDER'S "PEERLESS" WROUGHT STEEL SCREEN
HANGERS AND FASTENERS—PATENTED




Cut of **No. 1724**. Half size
"Peerless" Screen Hanger
For full size screens only


Number	Finish	Per Gross Sets with Screws
1724	Japanned	\$12.00
1724 Z*	Stanley Sherardized	14.00



Cut of **No. 1725**
"Peerless" Half-screen Hanger



Number	Finish	Per Gross Sets with Screws
1725	Japanned	\$12.00
1725 Z*	Stanley Sherardized	14.00



Number	Finish	Per Gross Pairs with Screws and Pins
1726	Japanned	\$12.00
1726 Z*	Stanley Sherardized	14.00

Nos. 1724 and 1725, one dozen sets
in a box. No. 1726, one dozen pairs
with screws and pins.

Screens hung with these hangers
last much longer than those that slide.

*For description of Stanley Sherardized
finish, see page 10.




Cut of **No. 1726**
"Peerless" Rotary
Fastener
Can be used either on
the side or the sill


WROUGHT STEEL STORM SASH FASTENERS

To be used with Schroeder's Hangers. See pages 177, 178

SILL FASTENER




Cut No. 1



Cut No. 2

These fasteners are easily adjusted, and hold the storm window firmly when opened as in cut No. 1. When closed the fastener can be folded around as in cut No. 2, so that the flange prevents the window from being opened from the outside.




Number	Finish	Per Gross (single) with Screws
1722	Japanned	\$21.00
1722 Z	Stanley Sherardized	26.00

One dozen in a box, with screws.

T H E S T A N L E Y W O R K S

MOORE'S WROUGHT STEEL STORM WINDOW FASTENERS PATENTED



Cut showing **No. 1706** inside fastener applied



Cut showing **No. 1708**
outside fastener applied

Number	Finish	Per Dozen Sets with Screws and Pins
1706	Japanned	\$3.00
1706 Z*	Stanley Sherardized	4.00
1708	Japanned	8.00
1708 Z*	Stanley Sherardized	4.00
1706 1/2	Japanned	1.50
1706 1/2 Z*	Stanley Sherardized	2.00

Nos. 1706 and 1708 have 4 to a set; No. 1706 1/2 are the same as No. 1706 except that they are intended to be used with Schroeder's Hangers (pages 177, 178) and are put up 2 in a set.

One dozen sets in a box with round head screws and pins.

Ten dozen sets in a case.

*For description of Stanley Sherardized finish see page 10.


WROUGHT STEEL CORNER BRACES



Size, Length of Sides Inches	No. 997 Plain Steel Per Dozen	997 Z* Stanley Sherardized Per Dozen	Width, Inches	Size of Screws Number
1	\$0.20	\$0.28	$\frac{1}{2}$	7
1½	.30	.40	$\frac{1}{2}$	7
2	.40	.55	$\frac{3}{8}$	8
2½	.50	.65	$\frac{3}{8}$	8
3	.60	.80	$\frac{3}{4}$	9
3½	.80	1.05	$\frac{3}{4}$	9
4	1.00	1.30	$\frac{7}{8}$	10
5	1.50	2.00	1	11
6	1.80	2.40	1½	12
8	3.10	4.15	1½	12

3½-inch and smaller, two dozen in a box ; 4, 5 and 6-inch, one dozen ; 8-inch, one-half dozen

CORRUGATED



Size Length of Each Side Inches	No. 997½ Plain Steel Per Dozen	997½ J Japanned Per Dozen	997½ A Bronze Plated Per Dozen (no Screws)	997½ Z* Stanley Sherardized Per Dozen	Width Inches	Size of Screw Number
1	\$0.27	\$0.35	\$0.40	\$0.36	1	6
1½	.30	.40	.45	.40	1½	8
2½	.40	.50	.55	.55	1¾	10

Two dozen in a box.

*For description of Stanley Sherardized finish, see page 10.

WROUGHT STEEL CORNER IRONS




Made of No. 14 steel. Length of sides, 4½ inches

No. 996

Size, width, inches	¾	7⁄8	1	1¼	1½	1¾	1½
Per dozen	\$0.56	\$0.56	\$0.56	\$0.63	\$0.71	\$0.78	\$0.85

All for No. 9 screw. Two dozen in a box




No. 998 C. BRASS-PLATED

Length of sides, inches	¾	1	1½	2	2½	3	3½	4
½ inch wide, per dozen	\$0.50	\$0.55	\$0.60	\$0.65	\$0.70	\$0.75
¾ inch wide, per dozen	..	.60	.65	.70	.75	.80
1 inch wide, per dozen	..	.65	.70	.75	.80	.85	.90	1.00

Two dozen in a box


WROUGHT STEEL STEP-LADDER JOINTS



No. 992. PLAIN STEEL

Size, inches	17	20	24
Per pair	\$0.25	\$0.31	\$0.37

WROUGHT STEEL FLAT CORNER IRONS




Cut of $\frac{1}{2} \times 2\frac{1}{2}$ -inch.
Actual size

No. 999. PLAIN STEEL

Length of Sides Inches	$\frac{1}{2}$ -inch Wide Per Dozen	$\frac{3}{4}$ -inch Wide Per Dozen	$1\frac{1}{2}$ -inch Wide Per Dozen	$2\frac{1}{2}$ -inch Wide Per Dozen	$3\frac{1}{2}$ -inch Wide Per Dozen	1-inch Wide* Per Dozen
2	\$0.22					
2½	.24	\$0.27				
3	.25	.29	\$0.33			
3½	.27	.31	.36	\$0.40		
4			.38	.43	\$0.50	
5					.58	\$0.60
6					.65	.67

Two dozen in a box.

WROUGHT STEEL MENDING PLATES



Cut of 4-inch. Actual size


Size Length Inches	No. 995 Plain Steel Per Dozen	995 Z* Stanley Sherardized Per Dozen	Width, Inches	Screw Holes in Each Plate	Size of Screw Number
2	\$0.30	\$0.37	$\frac{3}{4}$	2	7
2½	.35	.43	$\frac{3}{4}$	2	7
3	.40	.50	$\frac{3}{4}$	4	7
3½	.45	.56	$\frac{3}{4}$	4	8
4	.50	.65	$\frac{7}{8}$	4	8
5	.60	.78	1	4	8
6	.70	.95	1½	4	9
8	.90	1.25	1¾	4	10

Two dozen in a box.

*For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

WROUGHT STEEL "T" PLATES



Cut of **No. 995½**, 5 x 5-inch
Half size

Size Inches	No. 995½ Plain Steel Per Dozen	No. 995½ Z* Stanley Sherardized Per Dozen	Width Inches	Screw Holes in each Plate	Size of Screw Number
3 x 3	\$0.50	\$0.59	¾	5	8
4 x 4	.63	.79	¾	5	9
5 x 5	.75	.95	1	5	9

Two dozen in a box.

WROUGHT STEEL ANGLE BRACE



Cut of **No. 1272**
Actual size


Size Length Inches	No. 1272 J Japanned Per 1000 Single	No. 1272 Z* Stanley Sherardized Per 1000 Single
5	\$10.10	\$12.40

*For description of Stanley Sherardized finish, see page 10.

H E S T A N L E Y W O R K S

WROUGHT STEEL WAGON STAKE HOLDERS

FOR ROUND STAKES



Cut of No. 3

No. 993. PLAIN STEEL

Size, Number	For Stake, Inches	Width, Inches	Number of Holes in Each
0	1½	2	2
1	1½	2½	2
2	1¾	2½	2
3	2	2¾	4
4	2	3¼	4
5	2¼	3¼	4

Per pound, 10 cents. We will furnish No. 2 with four holes when so ordered.

FOR SQUARE STAKES




Cut half size

No. 993½. PLAIN STEEL

Size inside, 1¾ x 3 inches. Outside, 7 inches long. 2½ inches high. Per pound, 10 cents.

WROUGHT STAPLES



Cut of 2½-inch. Actual size

Size, Inches	No. 976 Plain, per Gross	978 Japanned, per Gross	1314 Galvanized, per Gross
1	\$1.20	\$1.40	\$1.80
1¼	1.20	1.40	2.00
1½	1.25	1.50	2.25
1¾	1.50	1.75	2.50
2	1.70	2.00	3.00
2¼	2.00	2.35	3.50
2½	2.35	2.75	4.00
2¾	2.65	3.10	5.00
3	3.20	3.75	6.00
3½	3.70	4.35	7.00
4	5.25	6.20	9.00
4½	6.50	7.60	11.00
5	8.00	9.00	13.00


ASSORTED

Sizes	No. 976 Plain Per Gross	978 Japanned Per Gross	1314 Galvanized Per Gross	Sizes	No. 976 Plain Per Gross	978 Japanned Per Gross	1314 Galvanized Per Gross
1½				1½			
1¾				1¾			
2	\$2.00	\$2.40	\$3.75	2	\$2 10	\$2.60	\$4.00
2½				2½			
3				3			
				3½			

2¼-inch and smaller, one gross in a box; larger sizes, one-half gross.

T H E S T A N L E Y W O R K S

WROUGHT HASPS AND STAPLES




Cut of 4-inch. Actual size

Number	Finish	Sizes, Inches								
		4	5	6	7	8	9	10	11	12
980	Plain, per dozen . . .	\$0.84	\$0.90	\$1.00	\$1.10	\$1.80	\$1.70	\$2.00	\$2.80	\$2.60
986	Japanned, per dozen . . .	1.00	1.10	1.20	1.80	1.60	2.00	2.30	2.60	3.10
1316	Galvanized, per dozen . . .	1.50	1.60	1.80	2.00	2.50	3.00	3.50	4.00	4.50

One dozen in a box.

WROUGHT HASPS AND STAPLES

WITH DOUBLE HOOKS



Cut of 5-inch. Actual size


Number	Finish	Sizes, Inches							
		5	6	7	8	9	10	11	12
982	Plain, per dozen	\$1.20	\$1.40	\$1.60	\$1.80	\$2.20	\$2.50	\$3.00	\$3.84
988	Japanned, per dozen	1.40	1.65	1.90	2.10	2.60	3.00	3.75	4.50
1318	Galvanized, per dozen	2.25	2.50	3.00	3.50	4.00	4.50	6.00	7.00

One dozen in a box.

T H E S T A N L E Y W O R K S

WROUGHT HASPS AND STAPLES

WITH STAPLES ON PLATES TO SCREW




Cut of 8-inch. Half size

Size, Inches	No. 983 Plain Per Dozen	983 J Japanned Per Dozen with Screws	983 Z* Stanley Sherardized Per Dozen with Screws
5	\$1.60	\$2.30	\$2.50
6	1.70	2.50	2.75
7	1.80	2.70	3.00
8	1.90	2.80	3.15
9	2.60	4.00	4.50
10	2.80	4.25	4.75
11	3.00	4.60	5.10
12	3.15	4.80	5.35

One dozen in a box.

*For description of Stanley Sherardized finish, see page 10.

WROUGHT AUTOMATIC HASPS AND STAPLES



Cut of 8-inch. Half size


Size, Inches	No. 981 Plain Per Dozen	981 J Japanned Per Dozen	981 Z* Stanley Sherardized Per Dozen
6	\$0.65	\$0.75	\$0.90
8	.77	.90	1.00
10	1.00	1.20	1.50

One dozen in a box.

These hasps and staples do away with the need of hooks. When the hasp is closed, it hooks itself automatically.

* For description of Stanley Sherardized finish, see page 10.

WROUGHT FLOOR CLIPS FOR FIREPROOF BUILDINGS




Cut of 3½-inch. Full size

No. 1225. PLAIN STEEL						
Size, inches	2½	3	3½	4	4½	5
Per 1,000	\$7.75	\$9.40	\$11.00	\$14.10	\$16.00	\$17.90

Packed in cases containing 500 of a size.

T H E S T A N L E Y W O R K S

WROUGHT STEEL WASHERS



Cut of $2\frac{1}{2} \times 1\frac{1}{8}$ -inch
Actual size

U. S. Standard Sizes. In 200-pound Kegs

Outside Diameter Inches	Diameter Hole Inches	Size of Bolt Inches	No. 994 Plain Steel Per 100 Pounds	994 Z* Stanley Sherardized Per 100 Pounds	Gauge Number	Approximate Number of Washers in 100 Pounds
$\frac{9}{16}$	$\frac{1}{4}$	$\frac{9}{16}$	\$14.00	\$15.75	18	36,200
$\frac{3}{4}$	$\frac{5}{8}$	$\frac{3}{4}$	12.20	13.95	16	14,900
$\frac{7}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	11.40	13.15	16	11,100
1	$\frac{7}{8}$	$\frac{3}{4}$	10.50	12.25	14	6,700
$1\frac{1}{4}$	$\frac{1}{2}$	$\frac{7}{8}$	9.80	11.50	14	4,100
$1\frac{3}{8}$	$\frac{9}{8}$	$\frac{1}{2}$	9.40	11.00	12	2,600
$1\frac{1}{2}$	$\frac{5}{8}$	$\frac{9}{8}$	9.30	10.90	12	2,200
$1\frac{3}{4}$	$\frac{11}{8}$	$\frac{5}{8}$	9.20	10.80	10	1,300
2	$\frac{11}{8}$	$\frac{3}{4}$	9.10	10.70	10	1,000
$2\frac{1}{4}$	$\frac{11}{8}$	$\frac{7}{8}$	9.00	10.50	9	728
$2\frac{1}{2}$	$1\frac{1}{8}$	1	9.00	10.50	9	595
$2\frac{3}{4}$	$1\frac{1}{4}$	$1\frac{1}{8}$	9.00	10.50	9	507
3	$1\frac{3}{8}$	$1\frac{1}{4}$	9.20	10.70	9	428
$3\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{8}$	9.20	10.70	8	328
$3\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{1}{2}$	9.20	10.70	8	284
$3\frac{3}{4}$	$1\frac{3}{4}$	$1\frac{3}{8}$	9.50	11.00	8	248
4	$1\frac{7}{8}$	$1\frac{3}{4}$	9.50	11.00	8	218
$4\frac{1}{4}$	2	$1\frac{7}{8}$	9.50	11.00	8	194
$4\frac{1}{2}$	$2\frac{1}{8}$	2	9.50	11.00	8	178

Special sizes to order

Add \$0.10 per 100 for 100-pound kegs.

Add .20 per 100 for 50 to 100-pound boxes.

Add .30 per 100 for 25 to 50-pound boxes.

Add .50 per 100 for 5-pound boxes.

Add 1.00 per 100 for 1-pound boxes.

* For description of Stanley Sherardized finish, see page 10.

SOFT STEEL BURRS



No. 991

PRICE PER POUND

Size	Bright	Outside Diameter, Inch	Approximate Number to the Pound
$\frac{3}{8}$	\$0.86	$\frac{7}{8}$	100
$\frac{11}{16}$.86	$\frac{3}{4}$	140
$\frac{5}{8}$.86	$\frac{3}{4}$	184
1	.86	$\frac{11}{16}$	168
2	.86	$\frac{11}{16}$	176
3	.86	$\frac{11}{16}$	172
$\frac{1}{4}$.86	$\frac{3}{8}$	210
4	.87	$\frac{5}{8}$	229
5	.88	$\frac{9}{16}$	239
6	.42	$\frac{1}{2}$	371
$\frac{3}{16}$.42	$\frac{1}{2}$	362
7	.43	$\frac{1}{2}$	424
8	.44	$\frac{1}{2}$	488
9	.45	$\frac{7}{16}$	632
10	.47	$\frac{9}{16}$	870
11	.50	$\frac{13}{16}$	855
12	.60	$\frac{3}{8}$	1090
13	.70	$\frac{11}{16}$	1286
14	.80	$\frac{11}{16}$	1260

For Metallic Tinned Burrs, add $2\frac{1}{2}$ cents net per pound.

BUTT WASHERS

For our butts in our regular sizes




No. 994 $\frac{1}{2}$


Finish	For Butts 3 x 3-inch and Smaller	For Butts 3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ -inch and Larger
Bright, per single dozen	\$0.20	\$0.30
Blued, per single dozen	.30	.45
Bronzed, per single dozen	.40	.60

Special sizes to order.

STANLEY'S FOLDING CAMP STOOLS



Open



Folded

No. 1710

Frame made of Wrought Steel, Japanned, with Canvas Seat

Per dozen, \$10.50.

One-quarter dozen in a box; four dozen in a case.

Stool when open is 17 inches high, and seat measures $14\frac{1}{2}$ x 7 inches. When folded, stool measures $11\frac{1}{2}$ inches long, $8\frac{1}{2}$ inches wide and $1\frac{1}{2}$ inches thick, and weighs only thirty-eight ounces. Will safely sustain over 250 pounds.

T H E S T A N L E Y W O R K S

THE SAMSON WROUGHT STEEL BACK-BAND BUCKLE

PATENTED JULY 6, 1897



Cut of 4-inch. Actual size


No. 1730. TINNED

Size, inches	3½	4
Per gross pairs	\$16.70	\$17.80
Average weight of full barrels, pounds	500	565


Five gross pairs in a barrel.
This buckle holds the web tightly without slipping, but there are no teeth to cut and tear the web, and no part of the metal touches the animal.

WINDOW SPRINGS—PATENTED

SWEET'S PATTERN



JENK'S PATTERN



Cuts half size

No. 1696. Japanned . . . per gross, \$20.00 **No. 1698.** Japanned . . . per gross, \$22.25
 One-quarter gross in a box. Five gross in a case.
 Holds either upper or lower sash positively at any point. Locks lower sash while upper sash is opened for ventilation.

FLAT-HEAD IRON SCREWS

No. 352 Bright	No. 353 D2 Polished antique copper
No. 352 A Bronze-plated	No. 353 F2 Polished antique brass
No. 352 C Brass-plated	No. 353 N Polished nickel-plated
No. 352 D2 Antique copper	No. 756 Black annealed. Packed with
No. 352 F2 Antique brass	H. J. and J 1 goods
No. 352 N Nickel-plated	No. 1352 Tinned
No. 353 A Polished bronze-plated	No. 1353 Stanley Sherardized
No. 353 C Polished brass-plated	No. 1354 Galvanized

STANDARD LIST OF IRON WOOD SCREWS FOR ALL FINISHES

Inches	Number																
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
$\frac{1}{2}$	\$0.72	\$0.72	\$0.75	\$0.78	\$0.80	\$0.84	\$0.90	\$0.96	\$1.05	\$1.10	\$1.20						
$\frac{3}{8}$.72	.72	.75	.78	.82	.86	.92	.98	1.07	1.12	1.20	\$1.25	\$1.30				
$\frac{1}{4}$.72	.75	.78	.82	.85	.90	.95	1.00	1.10	1.15	1.25	1.35	1.50	\$1.65	\$1.80		
$\frac{3}{4}$.74	.78	.82	.85	.90	.94	1.00	1.05	1.15	1.25	1.35	1.45	1.55	1.75	2.00		
1	..	.80	.84	.87	.92	.98	1.05	1.10	1.20	1.30	1.40	1.60	1.70	2.00	2.50	\$2.70	
$1\frac{1}{4}$..	.88	.92	.98	1.05	1.10	1.15	1.20	1.30	1.40	1.55	1.70	1.90	2.15	2.50	2.75	
$1\frac{1}{2}$..	.98	1.05	1.10	1.15	1.20	1.30	1.35	1.40	1.50	1.65	1.80	2.00	2.35	2.80	3.20	
$1\frac{3}{4}$	1.30	1.35	1.45	1.50	1.55	1.60	1.70	1.80	2.00	2.25	2.60	2.90	3.50	
2	1.45	1.50	1.55	1.60	1.65	1.75	1.85	2.00	2.20	2.45	2.75	3.10	3.70	
$2\frac{1}{4}$	1.55	1.60	1.65	1.75	1.85	1.95	2.05	2.20	2.35	2.65	3.10	3.50	3.85	
$2\frac{1}{2}$	1.90	2.00	2.10	2.20	2.30	2.40	2.50	2.60	2.70	2.90	3.30	3.65	4.20	

T H E S T A N L E Y ' W O R K S


PART IV

HINGES AND
FASTENINGS
FOR OUTSIDE
WINDOW BLINDS

WROUGHT STEEL "SAFETY" HINGES

For blinds hung outside casings

Number	Description	Per 100 Sets
1600	Complete, with No. 1652 3½-inch hooks	\$6.90
1600	Hinge plates separate	4.00
1652	Hooks separate	3.00





2-inch plate
Size of screw, No. 8

Number	Description	Per 100 Sets
1606	Complete with No. 1652 3½-inch hooks	\$7.00
1606	Hinge plates separate	4.25

Blinds hung with these safety hinges can be lifted only at one point. They cannot be blown off nor lifted by accident.


Ten sets in a box; one hundred sets in a case.



2½-inch plate. Size of screw, No. 8

WROUGHT STEEL HINGES

To swing blind around moulding



FOR WOOD

Number	Description	Per 100 Sets
1608	Complete with 4½-inch hooks	\$15.35
1608	Hinge plates separate	11.35

3-inch plate. 2-inch throw. Size of screw, No. 8.

Ten sets in a box; one hundred sets in a case.

FOR BRICK

Number	Description	Per 100 Sets
1612	Complete with 5½-inch hooks	\$16.70
1612	Hinge plates separate	12.70


8-inch plate. 4-inch throw. Size of screw, No. 8.

Ten sets in a box; fifty sets in a case.

WROUGHT STEEL HINGES

For blinds hung outside casing

LIGHT




No. 1616. Cut actual size

5 inches long, $\frac{3}{4}$ inch wide. No. 14 gauge. Size of screw, No. 8.
Packed with either No. 1650, $3\frac{1}{2}$ -inch, or No. 1658, $3\frac{1}{2}$ -inch hooks.

With No. 1650, $3\frac{1}{2}$ -inch hooks, as per cut, per 100 sets	\$8.70
With No. 1658, $3\frac{1}{2}$ -inch hooks, see page 203, per 100 sets	8.00

Ten sets in a box; one hundred sets in a case.

HEAVY



No. 1620. Cut of 4-inch. Actual size

Three sizes, No. 14 gauge

1 inch wide, 4 inches long. 1 inch wide, 5 inches long. $1\frac{1}{8}$ inches wide, 7 inches long


Size of screw, No. 8

	Per 100 Sets
4-inch with No. 1666, 2, $2\frac{1}{2}$ or 3-inch screw hooks	\$8.00
5-inch with No. 1666, 2, $2\frac{1}{2}$ or 3-inch screw hooks	9.00
7-inch with No. 1658, $4\frac{1}{2}$ or 5-inch drive hooks, see page 203	15.00
Hinge plates, without hooks, 4-inch	5.00
Hinge plates, without hooks, 5-inch	6.00
Hinge plates, without hooks, 7-inch	8.50

4 and 5-inch, one hundred sets in a case. 7-inch, fifty sets in a case.

WROUGHT STEEL HINGES

To swing blind around moulding



Cut actual size

5 inches long on blind. 1 inch wide. No. 13 gauge. No. 8 screw

No. 1624

Raised to throw 1 to 2 inches

Complete with No. 1666, 2½-inch hooks, per 100 sets	\$12.00
Hinge plates, without hooks, per 100 sets	10.00


No. 1628

Raised to throw 2½ to 4 inches

Complete with No. 1666, 3 or 3½-inch hooks, per 100 sets	\$13.35
Hinge plates, without hooks, per 100 sets	11.35

WROUGHT STEEL BLIND HINGES

NEW YORK CITY STYLE



No. 1640. FOR WOOD

Size, Inches	No. 1640	1360	1640	1360	1640	1360
	Plain Steel Per Pair	Galvanized Per Pair	Plain Steel with No. 1680 Fasteners Per Set with Screws	Galvanized with No. 1380 Fasteners Per Set with Screws	Plain Steel with No. 1682 Fasteners Per Set with Screws	Galvanized with No. 1382 Fasteners Per Set with Screws
8	\$0.09½	\$0.15	\$0.30	\$0.47	\$0.36	\$0.52
10	.10	.16	.32	.50	.40	.55

Countersunk for No. 8 screws.

For illustration of No. 1680 Fasteners, see page 207. No. 1682, page 207.


Nos. 1640 and 1360, fifty pairs in a case. Combinations, one set in a box, with screws.

No. 1644. FOR BRICK

No. 1644	1644	1364	1364
Plain Steel 8-inch, Per Pair	Plain Steel 10-inch, Per Pair	Galvanized, 8-inch Per Pair	Galvanized, 10-inch Per Pair
\$0.10	\$0.10½	\$0.18	\$0.19

Countersunk for No. 8 screws. Fifty pairs in a case.

WROUGHT STEEL CENTER BLIND HINGES
NEW YORK CITY STYLE



Cut half size

- | | | | |
|------------------|---------------------|-----------|--------|
| No. 1642. | For wood, per pair | | \$0.10 |
| No. 1646. | For brick, per pair | | .10½ |

Fifty pairs in a case. Length of hinges on blind, 6 inches. Size of screw, No. 8.
 The corrugation of elbow greatly increases the strength of the hinge.

CAST FLUSH BLIND HINGES
FOR WOOD





No. 1638
 Cut actual size

- | | | |
|--------------------|-----------|--------|
| Per 100 sets | | \$8.00 |
| Ten sets in a box. | | |

IMPROVED WROUGHT STEEL GRAVITY BLIND HINGES FOR WOOD

PATENTED FEBRUARY 4, 1896



Cuts actual size

Sill Catch

Sill Staple

Number	Finish	Per Dozen Sets
1647 ¹ / ₂	Plain steel	\$1.20
1647 ¹ / ₂ Z*	Stanley Sherardized, with screws	2.00

These hinges lock the blind by the action of gravity, and being made from heavy gauges of wrought steel, will not break.

They are operated in the same way as the cast iron hinges in common use. To close the blind it is only necessary to lift the blind slightly and swing it around.

All parts of the hinges are interchangeable: that is, the top hinges are the same as the bottom, and they are reversible and can be used either right or left hand. The advantages of this simplicity of construction and application are apparent.

They are applied in the same manner as those ordinarily in use, and require the same number and size of screws.

Packed one dozen sets in a box, and ten dozen sets in a case.

*For description of Stanley Sherardized finish, see page 10.

T H E S T A N L E Y W O R K S

MALLEABLE IRON HOOKS
SCREW BRACE




Cut of 3½-inch. Actual size

No. 1650

3½-inch, per 100 sets		\$4.35
4½-inch, per 100 sets		5.00
5½-inch, per 100 sets		6.00

For price of hooks and hinges complete, see pages 197 and 198.

TO DRIVE



Cut of 3½-inch. Actual size

No. 1658

3½-inch, per 100 sets		\$4.00
4½-inch, per 100 sets		4.70
5½-inch, per 100 sets		5.60

For price of hooks and hinges complete, see page 198.



WIRE BLIND FASTS

To go underneath blind

Cuts half size

No. 1692 $\frac{1}{2}$

Per 100 sets . . . \$5.00




No. 1667

Per 100 sets . \$5.00

No. 1667 $\frac{1}{2}$

Per 100 sets . \$5.00




Back Catch for All

Ten sets in a box; one hundred sets in a case.

These fasts are made of best tempered steel spring wire, warranted to hold its temper. By means of the screw-threaded tang, as shown in illustration, they can be attached to the blind by driving with a hammer or screwing in, in either case holding firmly in the blind without extra screws or staples.

BOSTON PATTERN BLIND FASTS

To go underneath blind



Sill Staple

Cuts half size

Back Catch


No. 1672

Per 100 sets \$6.00
Ten sets in a box; one hundred sets in a case.

"SECURITY" SCREW BLIND FASTS

To screw through blind

PATENTED




Cuts half size

No. 1676. For Wood, per gross sets \$11.35
No. 1676¹/₂. For Brick, per gross sets 11.35
Twelve sets in a box; five gross sets in a case.

STANDARD SCREW BLIND FASTS

To screw through blind

PATENTED




Cuts half size

Number	Finish	Per Gross Sets
1680	Japanned. For Wood	\$9.00
1380	Galvanized. For Wood	16.00
1680½	Japanned. For Brick	9.00
1380½	Galvanized. For Brick	16.00

Twelve sets in a box; five gross sets in a case.

The Nos. 1380 and 1380½ have composition springs to prevent rust.

WROUGHT STEEL DOUBLE ACTING BLIND FASTS



Cuts actual size


Number	Finish	Per Gross Sets
1682	Plain steel	\$12 00
1382	Galvanized, with screws and nails	18.00

Twelve sets in a box. For any of above fasts in combination with No. 1640 hinges, see page 200.

“SECURITY” BLIND FASTS

To go underneath blind

PATENTED




Made of best malleable iron

No. 1668. Per 100 sets \$7.00
Ten sets in a box; one hundred sets in a case.

WROUGHT STEEL PLATE BLIND FASTS FOR WOOD

NEW YORK CITY PATTERN



Back Catch for Wood

Sill Staple

Back Catch for Brick

For $1\frac{1}{4}$ and $1\frac{1}{2}$ -inch blinds. Size of screw, No. 6

No. 1684. For wood, per gross sets \$9.35 **No. 1684½.** For brick, per gross sets \$9.35
Twelve sets in a box; two and one-half gross sets in a case.

T H E S T A N L E Y W O R K S

WROUGHT STEEL PLATE BLIND FASTS FOR WOOD

PROVIDENCE PATTERN



Sill Staple

Cut actual size

Back Catch

Size of screw No. 6

No. 1688

Per gross sets \$9.35

Twelve sets in a box; two and one-half gross sets in a case.

PARTS OF BLIND FASTS


Cuts actual size




Back Catch No. 1
1¼ cents each



Sill Pin No. 1
2⅓ cent each



Sill Pin No. 2
2⅓ cent each



Sill Staple No. 3
2⅓ cent each



Back Catch No. 2
1¼ cents each



Back Catch No. 3
1¼ cents each

PART V

TELEGRAPH CODE

INDEX TO CODE

	Page
Correspondence	213
Dates	224
Discounts	221
Finishes	222
Numbers	216
Orders	212
Quantities (Dozens, Pairs, Cents)	214
Quotations	212
Sizes	220

NOTE—In quantities and discounts where there is no word to represent the desired amount, two code words should be used. Thus, Charter Camlets—882½ pairs. Fleet Farrier—\$10.62.

QUOTATIONS

Abase	Quote best price by wire delivered.
Abdicate	Can I (we) meet price made by——?
Abdomen	Prices quoted will not take order.
Abet	Has there been any change in price of——?
Abhor	Will you accept an order for——?
Academy	Not in position to quote on your inquiry of——-
Achieve	We quote on your inquiry of——
Acme	We quote for prompt acceptance——
Acorus	We quote for immediate shipment——
Acquire	Can not accept order at price named.
Acrid	We will accept your offer.
Acrobat	Take no more orders at that price.
Across	Advise us what price will take the order.
Acting	Are estimating and will reply as soon as possible.
Action	Take no orders at old prices.

ORDERS (Instructions)

Admire	Ship what you can at once.
Admission	Ship if you can ship today.
Admit	Ship by express.
Admonish	Ship by freight.
Adobe	Ship by rail and lake.
Adoption	Enter our order as per inquiry of——
Adorn	Enter order as per your quotation of——
Adrift	Enter order if you can ship within a week.
Adulation	Enter order if you can ship immediately.
Adult	Hold for instructions our order of——
Advent	Suspend work on our order of——
Adverb	Add to our order of——
Adviser	Duplicate our order of——
Advocate	Hurry shipment, our order of——
Affable	When will you ship our order of——?
Affair	Why do you not ship our order of——?
Affect	If not already shipped, cancel order of——
Affection	Date of shipment changed to——
Affiance	How soon can you ship?
Affiliate	Have you in stock?
Affinity	Trace our shipment of——
Affirm	Have you shipped?
Affix	When did you ship?
Afflict	Express at once what goods you have ready on order of——

ORDERS (Replies)

Affright	Have entered your order as per yours of——
Afloat	Can not ship within time named on your order of——
Afresh	We have shipped today by freight.
Agnate	We have shipped today by express.
Agonize	We have shipped today by rail and lake.
Agrarian	Now working on your order; will ship on——
Aground	All goods made; can not cancel.
Ailment	Goods referred to were shipped on——
Album	Awaiting your specifications.
Albumen	Send shipping directions, your order of——
Alchemy	Will hold your order awaiting letter.
Alcohol	Can not ship at once; best can do will be to ship——
Alcove	Are making shipment today on order.
Alder	Will make partial shipment at once, balance——
Algebra	Can ship all from stock.
Alias	Can ship complete in——days.
Alibi	Can ship within time named.
Alien	Can not furnish the goods; your inquiry of——

CORRESPONDENCE

Amateur	Answer by mail.
Amaze	Answer by telegraph.
Amber	Referring to our letter of——
Ambition	Referring to your letter of——
Ambush	See our letter of today, giving full particulars.
Amendment	Have received no reply to ours of——
Amiable	Referring to our telegram of——
Ammonia	Referring to your telegram of——
Amorous	Wire reply to ours of——in regard to——
Amputate	Letter referred to not received; send copy.
Amulet	Letter referred to not received; wire substance.
Amuse	Letter received; will have our prompt attention.
Anagram	Answer by telegram immediately, care——
Anarchist	Answer by telegram immediately our letter of——
Anatomist	Awaiting answer.
Ancestor	Have received no advices from you.
Anchor	Quotations received, and change in price noted.
Anecdote	Send particulars by mail.
Anemone	——asks for quotations on——. You quote.

QUANTITIES

The addition of "s" signifies the addition of $\frac{1}{2}$, thus Canoe means 50 pairs, Canoes, $50\frac{1}{2}$ pairs; Deface, 50 dozen, Defaces, $50\frac{1}{2}$ dozen.

	Pairs	Dozen	Cents		Pairs	Dozen	Cents
1	Cab	Dabble	Fabian	50	Canoe	Deface	Fanion
1	Cabal	Dabster	Fable	51	Canonize	Default	Fanner
2	Cabalist	Daddy	Fabric	52	Canopy	Defect	Fantastic
3	Cabbage	Dado	Fabricate	53	Cant	Defend	Far
4	Cabin	Dagger	Fabrication	54	Cantaloupe	Defer	Farce
5	Cabiri	Dainty	Fabricator	55	Cantata	Define	Farical
6	Caboodle	Dairy	Fabulist	56	Canteen	Deform	Farwell
7	Caboose	Dally	Facade	57	Canter	Defraud	Farina
8	Cackle	Damask	Face	58	Canto	Defray	Farm
9	Cade	Damper	Facet	59	Canvas	Defunct	Farmer
10	Cadent	Damsel	Facial	60	Cap	Degrade	Faro
11	Cadet	Damson	Facing	61	Caper	Degree	Farrago
12	Cage	Dance	Fact	62	Capital	Deject	Farrier
13	Cajole	Dancing	Faction	63	Capitalist	Delight	Farrow
14	Cake	Dander	Factor	64	Capon	Delta	Farthing
15	Calaboose	Dandruff	Factorize	65	Caprice	Deluge	Fascinate
16	Calamine	Dangle	Factum	66	Capsize	Delusion	Fashion
17	Calcine	Danish	Faddle	67	Capstan	Demean	Fashionable
18	Calculate	Danube	Fade	68	Capsule	Demise	Fastidious
19	Caldron	Dapple	Fadge	69	Captain	Demon	Fasting
20	Calendar	Daring	Fading	70	Caption	Demure	Faster
21	Calf	Dark	Fag	71	Captivate	Denizen	Fat
22	Calfskin	Darkness	Fagot	72	Captive	Denote	Fatal
23	Caliber	Darning	Fail	73	Captor	Dental	Fate
24	Calico	Dash	Failing	74	Capture	Dentist	Father
25	Calk	Dashing	Failure	75	Carat	Denude	Fathom
26	Calliope	Dastard	Fain	76	Caravan	Depart	Fatigue
27	Callow	Daub	Faint	77	Caravel	Depend	Fatling
28	Calm	Daubing	Fair	78	Carbine	Deplete	Fatten
29	Camel	Dawn	Fairy	79	Carbon	Deploy	Faucet
30	Cameleon	Dazzle	Faith	80	Carboy	Depose	Fault
31	Camera	Deacon	Fake	81	Card	Deprave	Fauna
32	Camlet	Deafen	Fakir	82	Cardinal	Depress	Favor
33	Camomile	Dean	Falcate	83	Care	Deprive	Favorite
34	Camp	Dearth	Falcon	84	Careen	Deputy	Fawn
35	Campaign	Debark	Fall	85	Career	Derange	Fay
36	Camphor	Debate	Fallow	86	Carette	Derby	Fear
37	Canal	Debauch	Falsehood	87	Cargo	Desert	Feast
38	Cancer	Debtor	Falsetto	88	Carl	Design	Feat
39	Candid	Decade	Falsifier	89	Carman	Despair	Feather
40	Candidate	Decamp	Falter	90	Carmine	Despise	Feature
41	Candle	Decanter	Fame	91	Carnage	Despoil	Fecund
42	Candor	Decay	Familiar	92	Carnal	Despond	Federal
43	Cane	Deceit	Familiarize	93	Carnation	Despot	Federate
44	Canine	Decimal	Famine	94	Carol	Destroy	Fee
45	Caning	Deck	Fan	95	Carousal	Detach	Feeble
46	Canister	Declaim	Fanatic	96	Carp	Detail	Feed
47	Canker	Declare	Fancier	97	Carper	Detector	Feel
48	Cannibal	Decree	Fang	98	Carpel	Dethrone	Feeler
49	Cannon	Deduct	Fangle	99	Carrot	Develop	Feeling

QUANTITIES—Continued

The addition of "s" signifies the addition of $\frac{1}{2}$

	Pairs	Dozen	Cents		Pairs	Dozen	Cents
100	Cart	Device	Feign	160	Chamfer	Dish	Filter
101	Cartel	Devil	Feint	165	Champ	Dishonor	Filtrate
102	Carter	Devoid	Feline	170	Chance	Dislike	Fin
103	Carton	Devotion	Fell	175	Channel	Dislodge	Final
104	Carve	Devour	Fellic	180	Chant	Dismal	Finance
105	Carver	Dew	Fellow	185	Chap	Dismiss	Finch
106	Cascade	Dexter	Felon	190	Chapel	Dismount	Finder
107	Casefy	Diadem	Felt	195	Chaplet	Disobey	Finer
108	Cashier	Diagram	Female	200	Chaplain	Disorder	Finger
109	Casket	Dial	Feminine	225	Chapman	Disown	Finite
110	Cassia	Dialect	Fence	250	Charade	Dispel	Finlander
111	Cassock	Diamond	Fencer	275	Charm	Dispense	Fir
112	Caste	Diana	Fend	300	Charnel	Display	Fire
113	Castigate	Diapason	Fender	325	Chart	Disposal	Fireside
114	Castle	Diary	Fennel	350	Charter	Disprove	Firkin
115	Castor	Dicker	Feodal	375	Chase	Dispute	Firm
116	Cater	Dictate	Ferment	400	Chat	Dissect	Firman
117	Catgut	Diction	Fern	425	Chattel	Dissolve	Fish
118	Cathedral	Differ	Ferret	450	Chatter	Distant	Fissure
119	Catholic	Diffuse	Ferriage	475	Chaw	Distaste	Fitter
120	Catnip	Dig	Ferrule	500	Cheapen	Distill	Flag
121	Caudal	Digest	Ferry	525	Cheek	Distort	Flagon
122	Cause	Digging	Fertile	550	Cheer	Distress	Flagrant
123	Caustic	Dignity	Fertilize	575	Cheese	District	Flail
124	Caution	Digress	Fervent	600	Chemise	Distrust	Flake
125	Cavalier	Dilate	Fervid	625	Chemist	Ditch	Flame
126	Cave	Dilemma	Fervor	650	Cherish	Divan	Flambeau
127	Cavern	Diligent	Festal	675	Chew	Diverge	Flamingo
128	Cavil	Dime	Fester	700	Chick	Divine	Flange
129	Cedar	Dimple	Festive	725	Chief	Divorce	Flank
130	Ceiling	Dinner	Fetch	750	Child	Divulge	Flannel
131	Celebrate	Diploma	Fetter	775	Chill	Docket	Flare
132	Celestial	Dipping	Feud	800	Chime	Doctor	Flash
133	Cell	Director	Fiat	825	Chin	Doctrine	Flask
134	Cellar	Disable	Fibber	850	Chink	Dodge	Flatten
135	Celt	Disarm	Fiddle	875	Chip	Dodging	Flaunt
136	Celtic	Disband	Fidget	900	Chirp	Dogma	Flavor
137	Cement	Disburse	Field	925	Chisel	Dogmatic	Flea
138	Censor	Discard	Fiend	950	Choir	Dolphin	Fleck
139	Censure	Disciple	Fife	975	Choke	Dolt	Fledge
140	Centaur	Disclaim	Fifer	1000	Choral	Domain	Fleet
141	Center	Disclose	Fig	1100	Chord	Dome	Flight
142	Cerate	Discord	Figment	1200	Church	Donation	Fling
143	Ceremony	Discover	Figurative	1300	Churl	Donkey	Flint
144	Chafe	Discuss	Filaceous	1400	Churn	Donor	Flip
145	Chaff	Disdain	Filament	1500	Cider	Dorsal	Flirt
146	Chafing	Disease	Filbert	2000	Cigar	Doublet	Float
147	Chair	Disfavor	Filcher	3000	Cinder	Dower	Flock
148	Chalice	Disagree	File	4000	Cinnamon	Dragon	Flog
149	Chalk	Disguise	Filing	5000	Circuit	Drain	Flood
150	Chamber	Disgust	Film				

NUMBERS

* 160	Gabble	355 A	Ghoul	455 A	Gloss
* 165	Gabion	355 D2	Ghoulish	455 D2	Glossary
* 175	Gad	355 F	Giant	455 F	Glossic
* 180	Gadfly	355 H	Giantess	455 H	Glossy
181	Gadhelic	356 A	Gibberish	460	Glove
* 239	Gallant	356 D2	Gibbet	465	Glum
* 239 B. B.	Gallery	356 F	Gibbon	481 A	Goad
* 241	Galley	356 H	Gibe	481 D2	Goal
* 241 B. B.	Gallic	360	Giddy	481 SD2	Goatee
* 241½	Galliform	361 A	Gift	481 H	Gob
* 241½ B. B.	Galling	361 D2	Gig	483 A	Goblet
244	Gallows	361 SD2	Gigantic	483 D2	Gocart
245	Gally	361 H	Giggle	483 SD2	Goddess
249	Gamba	362	Gild	483 H	Godfather
250	Gambrel	373 A	Ginger	485 A	Godwit
252	Game	373 D2	Gingerly	485 D2	Going
257	Ganglion	373 F	Gingham	485 SD2	Golden
260	Gap	373 H	Ginseng	485 H	Goldfish
268	Garcon	374 A	Giraffe	486 A	Goldflower
273	Garland	374 D2	Gird	486 D2	Goldilocks
274	Garner	374 F	Girdle	486 SD2	Golding
275	Garous	374 H	Girdling	486 H	Goldish
280	Gas	393 A	Glad	487 A	Golf
283¼	Gatch	393 D2	Gladden	487 D2	Goliath
* 284	Gather	393 F	Glade	487 SD2	Gondola
284¼	Gaudy	393½	Gladiator	487 H	Goodby
* 286	Gaunt	394	Gladly	488	Goodly
286¼	Gauntlet	395 A	Gladness	489	Goodness
288	Gawk	395 D2	Gladsome	490 A	Goose
* 289	Gaze	395 SD2	Gladstone	490 C	Gooseberry
* 289½	Gazelle	395 F	Glagol	490 D2	Goosewing
* 291	Gazette	395 H	Glaime	490 N	Gopher
* 291½	Gazetteer	396	Glance	491	Gordian
* 295	Gear	397 A	Gland	492 A	Gore
* 297	Gearing	397 D2	Glanders	492 C	Gorge
301	Gehenna	397 SD2	Glandula	492 D2	Gorgeous
303	Gem	397 H	Glandulous	492 N	Gorgon
304	Gemot	397 N	Glanidian	494	Goring
305	Gender	400	Glare	731	Haggle
332	Gentlemen	404	Glassy	731 ^{With Screws}	Hail
333	Gently	405	Glaucous	733	Hairpin
333½	Genuine	406	Glaze	739	Halfcock
335	Geography	406½	Glazer	740	Halfmast
345 A	Germ	408	Glebe	746	Halibut
345 C	German	414	Glimpse	747	Hall
346 A	Gerund	430	Gloaming	748	Hallmark
346 C	Gerundive	431	Globe	749	Halloween
349	Getting	432	Globular	751	Hallway
352	Ghastly	450	Gloomy	752	Halter
353	Ghost	452	Glorify	753	Halyard

* For Code Word for these numbers in different FINISHES, see page 222.

NUMBERS—Continued

755	Hamburg	907 J	Hereford	978	Homeopath
756	Hamlet	908	Heresy	980	Homesick
760	Hammock	910	Heritage	981	Homespun
763	Handbill	912	Hermit	982	Homeward
765	Handful	913	Hero	983	Homicide
790	Happy	914	Heroic	986	Honesty
792	Harangue	915	Heroism	988	Honeycomb
794	Harbor	915 A	Heron	990	Honeymoon
797	Hard	915 C	Hesitate	991	Honorable
797 N	Harden	915 D2	Hesitation	992	Honorary
800	Harmony	915 J	Hesper	993	Hood
802	Harness	915 Z	Hessian	993½	Hoodless
804	Harpoon	915½	Hew	994	Hoodlum
805	Harpy	916	Hexagon	994½	Hoodoo
806	Harrow	919	Hibernian	995	Hoof
808	Harsh	920	Hiccough	996	Hooky
810	Harvest	921	Hickory	997	Hope
813	Hash	921½	Hidalgo	997½	Hopeful
814	Hassock	922	Hid	998	Hopeless
814½	Hasten	922½	Hidden	999	Hopper
816	Hatch	923	Hide	1014	Horseman
816½	Hate	929	Highland	1020	Hosiery
818	Hatred	931	Highway	1026	Hostile
820	Haughty	935	Hinder	1028	Hothouse
822	Haunt	937	Hip	1030	Hotter
823	Haven	938	Hippius	1032	Houdan
829	Hazard	938 Z	Hippo	1034	Household
830	Hazy	939	Hippocras	1048	Hub
832	Headache	939 Z	Hippocratic	1050	Huckleberry
833	Header	940	Hippodrome	1051	Huckster
834	Headstrong	941	Hireling	1054	Huge
835	Healing	942	Hirsute	1055	Hulk
835½	Health	943	Hiss	1056	Hulking
837	Healthy	943½	History	1061	Humbling
837½	Hearsay	944	Hit	1063	Humbug
838	Hearse	945	Hitch	1065	Humefy
840	Hearty	945½	Hitching	1075	Hungry
842	Heathen	946	Hither	1076	Hunt
843	Heating	947	Hive	1077	Hunting
844	Heave	952	Hobble	1078	Huntsman
850	Heedless	954	Hobgoblin	1078½	Hurdle
851	Heft	955	Hobnail	1080	Hurling
860	Helix	956	Hock	1081	Hurricane
900	Herald	958	Hod	1082	Hurt
901	Heraldry	960	Hoggish	1084	Husband
901 J	Herb	961	Hogshead	1086	Husk
902	Hercules	962	Hoist	1088	Hustler
904	Hereafter	964	Holder	1090	Hyacinth
906	Hereditary	970	Hollyhock	1092	Hybrid
907	Heredity	976	Homelike	1094	Hydrant

NUMBERS—Continued

1100	Hydrometer	1307 ¼	Incense	1404	Insect
1102	Hydrophobia	1308	Inception	1405	Insensible
1108	Hyena	1308 ¼	Incident	1406	Insertion
1110	Hygiene	1309 ¼	Incidentally	1407	Insignia
1112	Hymen	1310	Incipient	1408	Insipid
1113	Hymeneal	1310 ½	Incite	1409	Insolent
1114	Hymnal	1311	Inclement	1410	Insomnia
1118	Hyphen	1312	Incline	1411	Inspiration
1122	Hypnotism	1313	Incognito	1412	Install
1124	Hypocrisy	1314	Incoherent	1413	Instep
1126	Hypoderm	1315	Income	1414	Instinct
1128	Hypothesis	1316	Incomparable	1415	Institute
1130	Hyssop	1317	Incompetent	1416 A	Instrument
1132	Hysterics	1318	Incongruous	1416 D2	Insular
1150	Ibex	1319	Inconsistent	1417	Insult
1151	Ice	1320	Incredible	1418	Insurrection
1152	Iceberg	1321	Incubate	1420	Integral
1153	Iceman	1322	Incumbent	1421	Intellect
1154	Icicle	1323	Incur	1421 ¼	Intelligent
1155	Icy	1324	Indebted	1421 ½	Intense
1200	Illness	1325	Indeed	1422	Intention
1202	Illogical	1326	Indelible	1423	Intercede
1205	Illumination	1327	Indent	1423 ¼	Interchange
1206	Illustration	1328	Independent	1423 ½	Intercourse
1208	Image	1329	Index	1424	Interdict
1209	Imaginable	1331	Indifferent	1424 ½	Interdiction
1210	Imagination	1332	Indigent	1425	Interest
1215	Imitate	1333	Indignant	1425 ½	Interesting
1225	Immerse	1334	Indiscreet	1426	Interfere
1230	Immure	1336	Indispose	1429	Interlude
1250	Impel	1337	Indistinct	1430	Intermission
1257	Imperative	1338	Individual	1430 D2	Internal
1260	Imperial	1339	Indogen	1431	Interne
1265	Impetus	1340	Indorse	1433	Interpose
1280	Impotent	1341	Induction	1434	Interrupt
1282	Imprecate	1342	Inductive	1437	Intimate
1300	Inaccurate	1343	Indulge	1438	Intoxicate
1300 ¼	Inactive	1345	Indulgent	1442	Intromit
1301 ¼	Inadequate	1347	Industrial	1444	Introspect
1302	Inane	1348	Industry	1445	Intrude
1302 ¼	Inanimate	1352	Inference	1450 J1	Invalid
1303	Inapt	1354	Infernal	1450 N	Invasion
1303 ¼	Inattention	1356	Infidel	1455 J1	Involve
1304	Inaugurate	1360	Infirm	1460	Ironical
1304 ¼	Inbred	1364	Influence	1461	Irony
1305	Incalculable	1380	Ingrain	1462	Irradiate
1305 ¼	Incandescent	1380 ½	Ingress	1463	Irrational
1306	Incapable	1382	Inhabit	1465	Irregular
1306 ¼	Incarnate	1400	Inquisitive	1466	Irrelevant
1307	Incendiary	1403	Insane	1474	Isabel

NUMBERS—Continued

1475	Isis	1667½	Juxta	1726	Krausen
1478	Isolate	1668	Kangaroo	1730	Kremlin
1479	Isomeric	1672	Kazoo	1735	Kurdish
1480	Ison	1676	Keeper	1740	Labor
1481	Isotherm	1676½	Kelp	1750 J	Lace
1482	Issue	1680	Kerchief	1750 D2	Lacerate
1485	Italian	1680½	Kermess	1750 F	Lacerating
1486	Italic	1682	Kernel	1750 Z	Laceration
1490	Iterate	1684	Key	1752 J	Lack
1492	Itinerancy	1684½	Keyhole	1752 D2	Lackey
1494	Itinerary	1688	Kick	1752 F	Lacking
1495	Ivory	1692	Kidney	1752 Z	Lacmus
1600	Jargon	1692½	Kill	1760 J	Lacteal
1606	Jealous	1696	Kin	1760 Z	Lacteous
1608	Jelly	1698	Kindred	1800	Lady
1612	Jerk	1706	Kiss	1804	Laity
1616	Jesuit	1706½	Kissing	1808	Lament
1620	Jewel	1708	Kitchen	1812	Lance
1624	Jig	1710	Knife	1816	Language
1628	Jingle	1714	Knock	1817	Languor
1638	Jonquil	1714 Z	Knocker	1820	Lap
1640	Journal	1716	Knowledge	1821	Lard
1642	Joyful	1716 Z	Known	1825	Lark
1644	Judge	1717	Knuckle	1830	Lash
1645	Judgment	1717 Z	Koa	1832	Lasting
1646	Judicial	1718	Kodak	1834	Late
1647½	Juggle	1719	Kohinoor	1836	Lath
1650	Jumble	1719 Z	Komal	1838	Latin
1652	Junction	1720	Koran	1850	Lazy
1658	Jupiter	1722	Kotow	1854	League
1666	Justly	1724	Kraken		
1667	Juvenile	1725	Krasis		

SIZES

$\frac{1}{2}$	Maccaroni	10	Manager	3	x $2\frac{1}{2}$	Martyr
$\frac{3}{8}$	Mackerel	11	Mandamus	3	x 3	Marvel
$\frac{3}{4}$	Madam	12	Mandarin	3	x $3\frac{1}{2}$	Masculine
$\frac{7}{8}$	Madcap	13	Mandate	$3\frac{1}{2}$	x 3	Mashed
1	Madeira	14	Mandible	$3\frac{1}{2}$	x $3\frac{1}{2}$	Mason
$1\frac{1}{8}$	Madhouse	15	Mandrake	$3\frac{1}{2}$	x 4	Massacre
$1\frac{1}{4}$	Madman	16	Manful	4	x $3\frac{1}{2}$	Massive
$1\frac{3}{8}$	Magazine	17	Manganese	4	x 4	Mastiff
$1\frac{1}{2}$	Magic	18	Mangled	4	x $4\frac{1}{2}$	Mastodon
$1\frac{5}{8}$	Magistrate	20	Mangrove	$4\frac{1}{2}$	x 4	Maternal
$1\frac{3}{4}$	Magnesia	21	Manhood	$4\frac{1}{2}$	x $4\frac{1}{2}$	Mattock
2	Magnet	24	Maniac	$4\frac{1}{2}$	x 5	Mature
$2\frac{1}{4}$	Magnolia	30	Manikin	5	x 5	Maxim
$2\frac{1}{2}$	Mahogany	32	Manna	5	x 6	Maypole
$2\frac{3}{4}$	Maiden	36	Mansion	5	x 7	Mechanic
3	Mainland	42	Manual	$5\frac{1}{2}$	x $5\frac{1}{2}$	Mediator
$3\frac{1}{4}$	Mainly	48	Manuscript	6	x 4	Medical
$3\frac{1}{2}$	Maintain	60	Maple	6	x 5	Medication
$3\frac{3}{4}$	Maintenance	1	x 1	6	x 6	Medicine
4	Majesty	$1\frac{1}{4}$	x $1\frac{1}{4}$	6	x 7	Melody
$4\frac{1}{2}$	Major	$1\frac{1}{2}$	x $1\frac{1}{2}$	6	x 8	Member
5	Malady	$1\frac{3}{4}$	x $1\frac{3}{4}$	7	x 6	Membership
$5\frac{1}{2}$	Malaria	2	x 2	7	x 7	Membrane
6	Malignant	2	x $2\frac{1}{2}$	7	x 8	Membranous
$6\frac{1}{2}$	Mallard	2	x 3	7	x 10	Memento
7	Mallet	$2\frac{1}{2}$	x 2	8	x 6	Memoir
$7\frac{1}{2}$	Malster	$2\frac{1}{2}$	x $2\frac{1}{2}$	8	x 8	Memory
8	Mammoth	$2\frac{1}{2}$	x 3	8	x 10	Mendicant
9	Manacle					

BRACKETS

3 x 4	Merchant	7 x 9	Moderate
4 x 5	Mercury	8 x 10	Moderation
5 x 6	Meridian	10 x 12	Mohair
5 x 7	Merriment	12 x 14	Mohawk
6 x 8	Messenger	16 x 18	Molecule

WASHERS

$\frac{9}{16}$	x $\frac{1}{4}$	Mood	$2\frac{1}{2}$	x $1\frac{1}{8}$	Mormon
$\frac{3}{4}$	x $\frac{5}{16}$	Moon	$2\frac{3}{4}$	x $1\frac{1}{4}$	Morose
$\frac{7}{8}$	x $\frac{3}{8}$	Mooring	3	x $1\frac{3}{8}$	Morphine
1	x $\frac{7}{8}$	Moose	$3\frac{1}{4}$	x $1\frac{1}{2}$	Morsel
$1\frac{1}{4}$	x $\frac{1}{2}$	Moot	$3\frac{1}{2}$	x $1\frac{5}{8}$	Mortal
$1\frac{3}{8}$	x $\frac{9}{16}$	Mop	$3\frac{3}{4}$	x $1\frac{3}{4}$	Mortar
$1\frac{1}{2}$	x $\frac{5}{8}$	Moping	4	x $1\frac{7}{8}$	Mortify
$1\frac{3}{4}$	x $\frac{11}{8}$	Moral	$4\frac{1}{4}$	x 2	Mosaic
2	x $\frac{3}{2}$	Morass	$4\frac{1}{2}$	x $2\frac{1}{8}$	Moslem
$2\frac{1}{4}$	x $\frac{5}{2}$	Morbid			

DISCOUNTS

Per Cent.	Code Word	Per Cent.	Code Word	Per Cent.	Code Word
2	Nabob	45	Neuralgia	70-10-10	Nostril
2½	Naked	45-5	Neurosis	70-10-10-5	Notation
3	Nameless	45-10	Neuter	70-10-10-10	Notch
5	Nankeen	50	Neutralize	72½	Notion
7½	Naphtha	50-5	Newly	72½-5	Notorious
5-7½	Napkin	50-10	Nibble	72½-10	Noun
10	Narcissus	50-10-5	Nice	72½-10-5	Nourish
10-2½	Narcotic	50-10-10	Niche	75	Novel
10-5	Narration	50-10-10-5	Nickname	75-5	Novice
10-7½	Nasal	55	Nicotine	75-10	Noxious
10-10	Nasturtium	55-5	Niece	75-10-5	Nozzle
10-10-5	Nation	55-10	Niggard	75-10-10	Nubia
10-10-10	Native	60	Nightingale	75-10-10-5	Nucleus
10-10-10-10	Natural	60-5	Nihilist	75-10-10-10	Nudge
20	Nature	60-10	Nimble	77½	Nugget
20-2½	Naughty	60-10-5	Ninny	77½-5	Nuisance
20-5	Nautilus	60-10-10	Nipper	77½-10	Nullify
20-7½	Navigate	60-10-10-5	Nitrate	77½-10-5	Nullity
25	Navy	60-10-10-10	Nitrogen	80	Numbness
25-5	Neatness	60-10-10-10-5	Nobby	80-5	Numerate
25-10	Nebular	65	Nocturne	80-10	Numerous
25-10-5	Necessity	65-5	Nodding	80-10-5	Numbskull
25-10-10	Nectar	65-10	Noise	80-10-10	Nuncio
25-10-10-5	Needle	65-10-5	Noisy	80-10-10-5	Nunnery
25-10-10-10	Nefarious	65-10-10	Nomad	80-10-10-10	Nuptials
30	Negative	66⅔	Nominal	82½	Nurse
30-5	Negligent	66⅔-7½	Nominee	82½-5	Nurture
30-10	Negro	66⅔-10	Nonchalance	82½-10-5	Nutation
33⅓	Neighbor	66⅔-10-7½	Nondescript	85	Nutmeg
33⅓-5	Nemesis	67½	Nonpareil	85-5	Nutrient
33⅓-10	Neologist	67½-5	Nonsense	85-10	Nutritive
35	Nephew	67½-10	Nook	85-10-5	Nutshell
35-5	Neptune	67½-10-5	Noon	90	Nyanza
35-10	Nerve	70	Noose	90-5	Nymph
40	Nervous	70-5	Normal	90-10	Nympha
40-5	Nest	70-10	Norther	90-10-5	Nyssa
40-10	Nettle	70-10-5	Nosegay		

FINISHES

	No. 160	180	241	241½ B.B.	289	291½
A	Saint	Satire	Sciatic	Scruple	Serenity	Shapely
B	Saintly	Satirize	Sciatica	Scrupulous	Sereno	Shaping
SB	Sake	Satisfaction	Sciatical	Scrutable	Serf	Sharing
C	Saker	Satisfy	Science	Scrutiny	Serfdom	Shark
D 2	Salad	Saturation	Scientific	Scud	Serially	Sharpen
SD 2	Salamander	Saturnine	Scientist	Scullery	Serious	Shatter
F	Salary	Sauce	Scilla	Scurf	Serpent	Shear
F 2	Saleratus	Saucy	Scintilla	Scutcheon	Serpentine	Sheath
F 3	Salic	Saunter	Scion	Scuttle	Serpula	Sheathing
SF	Salient	Sausage	Scissors	Scythe	Servant	Shed
SF 2	Salina	Savage	Sclerosis	Seafaring	Serve	Sheepish
SF 3	Saline	Savant	Scoff	Seamstress	Service	Sheldrake
G	Saliva	Saving	Scold	Search	Servient	Shell
H	Salmon	Savour	Scolding	Season	Servitude	Shelter
J 1	Salmonic	Savvy	Sconce	Seating	Sesame	Shelving
N	Salon	Sawdust	Scoop	Secession	Sessional	Sherbert
	No. 165	239	241 B. B.	284	289½	295
A	Salt	Scale	Scope	Selection	Sestine	Shift
B	Salting	Scalene	Scops	Selective	Seth	Shifting
SB	Salubrity	Scaler	Scoptic	Selenic	Seton	Shiftless
C	Salutation	Scaling	Scopula	Self	Settee	Shilling
D 2	Salute	Scallop	Scorch	Selfish	Setting	Shimmer
SD 2	Salvation	Scalper	Scorching	Selfness	Settler	Shingle
F	Sanctify	Scamp	Scoring	Seltzer	Sever	Shirk
F 2	Sanction	Scandal	Scornful	Semblance	Severance	Shiver
F 3	Sanctuary	Scant	Scorpion	Semester	Severity	Shoal
SF	Sandal	Scapegoat	Scoundrel	Semicolon	Sewage	Shocking
SF 2	Sanding	Scapula	Scourge	Seminary	Sex	Shoe
SF 3	Sandstone	Scarab	Scout	Senate	Sextant	Shoot
G	Sandwich	Scarcity	Scow	Seneschal	Sextillion	Shop
H	Sandy	Scarf	Scrabble	Senior	Sextuple	Shore
J 1	Sanguine	Scarlet	Scrag	Sensation	Shabby	Shorten
N	Sanity	Scathe	Scramble	Senseless	Shackel	Shot
	No. 175	239 B. B.	241½	286	291	297
A	Sap	Scenery	Scrape	Sensitive	Shad	Shoulder
B	Sapid	Scenic	Scraping	Sensory	Shaddock	Shout
SB	Sapling	Scentful	Scrappy	Sensual	Shade	Shouting
C	Sapper	Sceptre	Scratch	Sentence	Shadow	Shove
D 2	Sapphire	Schedule	Scrawl	Sentiment	Shady	Shower
SD 2	Saprol	Scheme	Scream	Sentinel	Shaft	Showy
F	Sarcasm	Schism	Screech	Sentry	Shag	Shrewd
F 2	Sarcastic	Schist	Screenings	Separation	Shake	Shrift
F 3	Sarcel	Schnapps	Screwing	Sepia	Shaker	Shrill
SF	Sarcology	Scholar	Scribble	Sepoy	Shaking	Shrimp
SF 2	Sarcoma	Scholarly	Scribe	Septate	Shallow	Shrivel
SF 3	Sarcophagus	Scholastic	Scrimmage	Sepulchre	Shamble	Shroud
G	Sard	Scholium	Scrip	Sequel	Shame	Shrub
H	Sardine	School	Scrofula	Sequester	Shameful	Shudder
J 1	Sarsaparilla	Schooling	Scroll	Seraglio	Shanghai	Shun
N	Sartor	Schooner	Scrub	Seraph	Shanty	Shuttle

T H E S T A N L E Y W O R K S C O D E

Symbol	Finish	Code Word
A	Standard light bronze	Swab
A 4	Dull bronze, slightly oxidized	Swabber
A 6	Ship bronze, polished surfaces only	Swabbing
B	Statuary bronze, light	Swad
B 1	Statuary bronze, dark	Swaddle
B 8	Statuary bronze, standard	Swaddling
C	Brass plate	Swag
D	Dull copper	Swagger
D 1	Copper oxidized, light center	Swale
D 2	Copper oxidized, light mottled	Swallow
D 3	Copper oxidized, dark mottled	Swallower
D 4	Dull copper, slightly oxidized	Swallowing
E	Dull silver, natural color	Swamp
E 2	Silver, oxidized, mottled	Swan
E 4	Dull silver, slightly oxidized	Swap
F	Dull brass	Swarm
F 1	Brass oxidized, light center	Swarming
F 2	Brass oxidized, mottled	Swarty
F 4	Dull brass, slightly oxidized	Swash
F 6	Ship brass, polished surfaces only	Swat
G	Bower Barff, rustless	Sweeten
H	Dead black electroplate	Swell
J	Japanned	Swift
J 1	Japanned, dead black	Swiftly
K	Olive bronze on polished surface	Swig
K 1	Olive bronze, planished surface	Swill
N	Nickel	Swim
R	Galvanized	Sylvan
SB	Same as "B," sand finish	Symbolize
SD	Same as "D," sand finish	Sympathize
SD 1	Same as "D 1," sand finish	Sympathy
SD 2	Same as "D 2," sand finish	Symphonic
SD 3	Same as "D 3," sand finish	Symphony
SD 4	Same as "D 4," sand finish	Symphysis
SE	Same as "E," sand finish	Symposium
SE 2	Same as "E 2," sand finish	Symptom
SE 4	Same as "E 4," sand finish	Sympus
SF	Same as "F," sand finish	Synagogue
SF 1	Same as "F 1," sand finish	Synchronic
SF 2	Same as "F 2," sand finish	Synchronize
SF 4	Same as "F 4," sand finish	Syncopate
V	Verdi antique	Syntax
Z	Stanley sherardized	Syringa

DATES

Day	Last Month	This Month	Next Month
1	Tracker	Transcribe	Traveler
2	Trackless	Transept	Traversing
3	Tractable	Transfer	Travesty
4	Traction	Transfigure	Trawler
5	Traded	Transfix	Tray
6	Tradeless	Transform	Treachery
7	Trademark	Transfuse	Treadle
8	Tradesman	Transgress	Treason
9	Trading	Transient	Treasure
10	Tradition	Transit	Treatise
11	Traduce	Transition	Treatment
12	Traffic	Transitory	Trellis
13	Trafficker	Translate	Tremble
14	Tragedian	Translation	Tremendous
15	Tragedy	Translucent	Tremolite
16	Tragic	Transmission	Trenchant
17	Tragus	Transmit	Trepanning
18	Trailer	Transmute	Trespass
19	Training	Transparent	Triangle
20	Traipse	Transpire	Tribulation
21	Traitor	Transplant	Tribunal
22	Traitress	Transported	Tributary
23	Tramble	Transverse	Trident
24	Tramming	Trapan	Trigger
25	Tramp	Trape	Trillium
26	Tramroad	Trapeze	Trilobite
27	Tramway	Trapezium	Trimmer
28	Tranquil	Trapper	Trinket
29	Transaction	Trappings	Tripod
30	Transactor	Trashiness	Triton
31	Transcend	Travail	Triumvir

UNIVERSITY OF ILLINOIS-URBANA

671ST25W

C001

WROUGHT HARDWARE, STEEL, BRASS, BRONZE



3 0112 024500537

